



Aydın M. Ağız ve Nefes Kokusu. Özyurt Matbası, 2022, Ankara.

Eserin orijinalini buradan temin ediniz: <http://kitabın.org>

AĞIZ ve NEFES KOKUSU

İsimli eserde kullanılan kaynaklar bunlardır:

KAYNAKLAR

- Ackerman U. Pretty Darned Quick PDQ Fizyoloji. Çeviri: Alican İ. İstanbul Medikal yayıncılık, 2006, İstanbul.
- Adeva MM, Souto G, Blanco N, Donapetry C. Ammonium metabolism in humans. *Metabolism*. 2012; 61, 1495–511.
- ADA council on scientific affairs. Oral malodor. *J Am Dent Assoc* 2003;134(2): 209-214 doi: 10.14219/jada.archive.2003.0135.
- Ademovski SE, Persson GR, Winkel E, Tangerman A, Lingström P, Renvert S. The short-term treatment effects on the microbiota at the dorsum of the tongue in intra-oral halitosis patients-a randomized clinical trial. *Clin Oral Investig*. 2013;17(2):463-73. doi: 10.1007/s00784-012-0728-y.
- Adler I, Denninghoff V C, Alvarez M I, Avagnina A, Yoshida R, Elsner B. *Helicobacter pylori* associated with glossitis and halitosis. *Helicobacter*, 2005; 10:312-317.
- Akan E. Genel Mikrobiyoloji ve İmmünoloji. Güney matbaası. 1992, Adana.
- Akutsu T, Sekiguchi K, Ohmori T, Sakurada K. Individual comparisons of the levels of (E)-3-methyl-2-hexenoic acid, an axillary odor-related compound in Japanese. *Chem. Senses* 2006, 31, 557–563.
- Alberti WW, Gysen K, Axmann EM, Wilhelm KP. Efficacy of a new mouthrinse formulation on the reduction of oral malodour in vivo. A randomized, double-blind, placebo-controlled, 3 week clinical study. *J. Breath Res*. 2010; 4, 017102 (10pp).
- Alagendran S, Archunan G, Rameshkumar K, Kadalmani B, Rodriguez J A, Fernandez G, Martinez G, Guzman R. 2-Nonenal-ovulatory specific volatiles in human saliva throughout menstrual cycle by gas chromatography and mass spectrometry analysis. *Am. J. Biochem. Biotechnol*, 2010; 6: 187–194.
- Al-Ansari JM, Boodai H, Al-Sumait N, Al-Khabbaz AK, Al-Shammari KF, Salako N. Factors associated with self-reported halitosis in Kuwaiti patients *J Dent*. 2006 Aug;34(7):444-9. doi: 10.1016/j.jdent.2005.10.002.DOI: 10.1016/j.jdent.2005.10.002
- Alagirisamy N, Hardas SS, Jayaraman S. Novel colorimetric sensor for oral malodour. *Anal. Chim. Acta* 2010; 661: 97-102.

- Ali MY, Ping CY, Mok Y-YP, Ling L, Whiteman M, Moore PK. Regulation of vascular nitric oxide in vitro and in vivo: A new role for endogenous hydrogen sulfide? *Br J Pharmacol* 2006;149:625–34.
- Al-Kateb H, de Lacy Costello B, Ratcliffe NM. An investigation of volatile organic compounds from the saliva of healthy individuals using headspace-trap/GC-MS. *J. Breath Res.* 2013; 7: 036004.
- Allaker RP, Mendez SLS, Hardie JM, Benjamin N. Antimicrobial effect of acidified nitrite on periodontal bacteria. *Oral Microbiol Immunol.* 2001; 16: 253–256.
- Almas K, Al-Zeid Z. The Immediate Antimicrobial Effect of a Toothbrush and Miswak on Cariogenic Bacteria: A Clinical Study. *The Journal of Contemporary Dental Practice*, 2004; 5(1), 1-.
- Almas K. The Effect of *Salvadora Persica* Extract (Miswak) and Chlorhexidine Gluconate on Human Dentin: A SEM Study. *J Contemp Dent Pract* 2002; (3)3: 027-035.
- Alnazzawi A. Effect of fixed metallic oral appliances on oral health. *J. Int. Soc. Prev. Commun. Dent.* 2018; 8: 93-.
- Altundag A, Cayonu M, Kayabasoglu G, Salihoglu M, Tekeli H, Cayonu S, Akpinar ME, Hummel T. The Evaluation of Olfactory Function in Individuals With Chronic Halitosis. *Chem. Senses* 2015; 40: 47–51, doi:10.1093/chemse/bju058.
- Alzoman H, RashidHabib S, Alghamdi S, HDaabash AR, Al-Khalid W, Al-Askar M, Al-Johany S. Relationship between Fixed Dental Crowns and Volatile Sulphur Compounds. *Int. J. Environ. Res. Public Health.* 2021; 18,1283. doi.org/10.3390/ijerph18031283
- Aoyama I, Yaegaki K, Calenic B, Ii H, Ishkitiev N, Imai T. The role of p53 in an apoptotic process caused by an oral malodorous compound in periodontal tissues: A review. *J. Breath Res.* 2012;6: 017104 (8pp) doi:10.1088/1752-7155/6/1/017104.
- Amann A, Corradi M, Mazzone P, Mutti A. Lung cancer biomarkers in exhaled breath. *Expert Rev. Mol. Diagn.* 2011; 11(2), 207-217.
- Amann A, King J, Kupferthaler A, Unterkofler K, Koc H, Teschil S, Hinterhuber H. Exhaled Breath Analysis-Quantifying the Storage of Lipophilic Compounds in the Human Body. *Proceedings of ECOpole*, 2009; 3(1):9-12.
- Amann A, Spanel P, Smith D. Breath Analysis: The Approach Towards Clinical Applications. *Mini Rev Med Chem.*, 2007; 7:115-129.
- Amano A, Yoshida Y, Oho T, Koga T. Monitoring ammonia to assess halitosis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2002; 94(6):692-696.
- Amano K, Miyake K, Borke JL, McNeil PL. Breaking biological barriers with a tooth brush. *J. Dental Res.* 2007; 86 (8): 769–774.
- Amir E, Shimonov R, Rosenberg M. Halitosis in children. *J Pediatr* 1999;134:338–343.
- Ammendola S, Pasquali P, Pistoia C, Petrucci P, Petrarca P, Rotilio G, Battistoni A. High Affinity Zn²⁺ Uptake System ZnuABC Is Required for Bacterial Zinc Homeostasis in Intracellular Environments and Contributes to the Virulence of *Salmonella enterica*. *Infection and Immunity.* 2007; 75(12): 5867-5876.
- Amoores J, Ollman B. Practical test kits for quantitatively evaluating the sense of smell. *Rhinology* 1983; 21:49–54.
- Amoores JE, Hautala E. Odor as an aid to chemical safety: odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *Journal of Applied Toxicology*, 1983; 3:272–290.
- Ana CDR, Jorge HN, Ester MD. CO₂ Laser Cryptolysis by Coagulation for the Treatment of Halitosis. *Photomedicine and Laser Surgery.* 2006; 24(5), 630-636.
- Antus B, Horvath I. Exhaled nitric oxide and carbon monoxide in respiratory diseases. *J. Breath Res.*, 2007; 1: 024002.
- Arai T, Kinoshita S. A comparison of plaque removal by different toothbrushes and toothbrushing methods. *Bull Tokyo Med Dent Univ.* 1977; 24(2):177-88.
- Armstrong BL, Sensat ML, Stoltenberg JL. Halitosis: A Review of current Literature. *J Dent Hyg.* Spring 2010;84(2):65-74.
- Arseculeratne G, Wong AKC, Goudie Dr, Ferguson J. Trimethylaminuria (Fish-Odor Syndrome) A Case Report. *Arch Dermatol.* 2007;143:81-84.
- Atkinson BM, Marshall BJ. Halitosis and *Helicobacter pylori*: A case study. *Helicobacter*, 1996; 2:1.
- ATSDR. Toxicological profile for hydrogen sulfide. Atlanta, GA, US Department of Health and Human Services, Agency for Toxic Substances and Disease Registry. 1999, and 2012
- Attin T, Siegel S, Buchalla W, Lennon AM, Hannig C, Becker K. Brushing Abrasion of Softened and Remineralised Dentin: An in situ Study. *Caries Res* 2004;38:62–66 DOI: 10.1159/000073922
- Attin T, Buchalla W, Gollner M, Hellwig E. Use of variable remineralization periods to improve the abrasion resistance of previously eroded enamel. *Caries Res* 2000;34:48–52.
- Awano N, Wada M, Mor H, Nakamori S, Takagi H. Identification and Functional Analysis of *Escherichia coli* Cysteine Desulfhydrases. *Appl Environ Microbiol.* 2005; 71(7): 4149–4152.

- Awano S, Ansai T, Takata Y, Soh I, Yoshida A, Hamasaki T, Kagiya S, Nakamichi I, Sonoki K, Takehara T. Relationship between volatile sulfur compounds in mouth air and systemic disease. *J. Breath Res*, 2008; 2:017012.
- Aydın M, Özen ME, Kirbiyik U, Evlice B, Ferguson M, Uzel I. A new measurement protocol to differentiate sources of halitosis. *Acta Odontol Scand.*, 2016, 11:1-5 DOI: 10.3109/00016357.2016.1163732.
- Aydın M, Bollen CML, Eren ÖM. Diagnostic value of halitosis examination methods. *Compendium of Continuing Education in Dentistry*, 2016, 3:22-.
- Aydın M., Harvey-Woodworth CN. Halitosis: A new definition and classification. *British Dental Journal*, 2014; 217: E1 doi 10.1038/sj.bdj.2014.552
- Aydın M, Günay I, Pelit A, Serin MS. Deposition profile of antibacterial anodic silver in root canal systems of teeth. *Applied Biomaterials.*, 1998; 38(1):49-54.
- Aydın M, Günay İ, Köksal F, Serin MS. Taksometri ve bakteriyel identifikasyonda bilgisayar kullanımı. *Mikrobiyol Bült.*; 1996, 30:281-287
- Aydın M, Köksal F, Günay İ, Serin MS, Polat S. The effect of antibacterial silver electrodes and the nature of ion emission in the outer side of inhibition zone. *Ann Med Sci.*; 1997, 5(2):52-57.
- Aydın M, Serin MS, Yarkın F. Antibiotic susceptibility in anaerobic bacteria which are most frequently isolated from infected root canals. *Ann Med Sci*; 1998, 7:35-39.
- Aydın M, Serin MS, Pelit A, Günay İ. Silver anode induced phenotypical changes in bacteria. *Ann Med Sci*; 1997, 6(2):83-87.
- Aydın M, Yarkın F, Serin MS, Kibar F, Polat S, Kaya M. Morphological changes in *Candida albicans* induced by a silver anode. *Ann Med Sci*, 1997; 6(2):88-92.
- Aydın M. Ağız kokusunu anlamak ve sınıflamak. *Türkiye Klinikleri J Oral Maxillofac Surg-Special Topics* 2016; 2(1):5-16.
- Aydın M. Ağız Kokusu Muayane Yöntemleri ve Güvenilirlikleri. *Türkiye Klinikleri J Oral Maxillofac Surg-Special Topics* 2016;2(1):17-30.
- Aydın M, Derici MC, Yeler DY, Eren MO. Criteria to distinguish subjective halitosis. *Compend Contin Educ Dent*. 2017;38(10):e5-e8.
- Aydın M, Özen ME, Derici Ç, Atmaca M. Persistent Halitosis Can Be A Part Of Olfactory Reference Syndrome – A Case Report. *British Journal of Pharmaceutical and Medical Research*, 2019; 4(1)1574 - 1578.
- Aydın M, Derici MÇ, Ünal Y, Yeler D, Demir Yi. Is There Any Relation Between Type 1 Halitosis and Oral Candida Colonisation? *Bulletin of Microbiology*; 2019, 53(2):192-203 DoiNo: 10.5578/mb.67759.
- Aydın M, Derici M, Keşkek Ö, Demir YE, Yeler F. Instant and freshness effect of mouth rinses on type 1 (oral) halitosis. *Acta Odontol. Latinoam*. 2019, 32(2):79-87.
- Aydın M. Bakteri identifikasyonunda kullanılan standart biyokimyasal ve fizyolojik testler. Ed. Cengiz, Mısırlıgil, Aydın Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Konu 11. Sa:91-110. Güneş yayınevi, Ankara, 2004.
- Aydın M. Ağız florasında bakteri-bakteri ilişkisi. Ed. Cengiz, Mısırlıgil, Aydın. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Konu 13. Sa:119-124. Güneş yayınevi, Ankara, 2004.
- Aydın M. Oral bakterilerde aderans. Ed. Cengiz, Mısırlıgil, Aydın. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Konu 17. Sa:147-151. Güneş yayınevi, Ankara, 2004
- Aydın M. Ağızdan mikrobiyolojik materyal alınması. Ed. Cengiz, Mısırlıgil, Aydın. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Konu 18. Sa:153-160. Güneş yayınevi, Ankara, 2004.
- Aydın M. Mikrobiyal biyofilmler ve aerosoller. Ed. Cengiz, Mısırlıgil, Aydın. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Konu 20. Sa:175-180. Güneş yayınevi, Ankara, 2004.
- Aydın M. Endodontik mikrobiyoloji. Ed. Cengiz, Mısırlıgil, Aydın. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Konu 24. Sa:105-222. Güneş yayınevi, Ankara, 2004.
- Aydın M. Fokal infeksiyon. Ed. Cengiz, Mısırlıgil, Aydın. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Konu 27. Sa:237-244. Güneş yayınevi, Ankara, 2004.
- Aydın M. Anaerop bakteriler ve anaerobizm. Ed. Cengiz, Mısırlıgil, Aydın. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Konu 62. Sa:569-576. Güneş yayınevi, Ankara, 2004.
- Aydın M. *Porphyromonas gingivalis*. Ed. Cengiz, Mısırlıgil, Aydın. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Konu 72. Sa:633-644. Güneş yayınevi, Ankara, 2004.
- Aydın M. SARS virüsü. Eds. Cengiz T, Mısırlıgil A, Aydın M. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Güneş yay, 2004, Ankara
- Aydın M. CJD hastalığı. Eds. Cengiz T, Mısırlıgil A, Aydın M. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Güneş yay, 2004, Ankara
- Aydın M. *Candida albicans*. Ed. Cengiz, Mısırlıgil, Aydın. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Konu 133. Sa:1109-1118. Güneş yayınevi, Ankara, 2004.
- Aydın M. İmmünoloji terimleri sözlüğü. Eds. Cengiz T, Mısırlıgil A, Aydın M. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Güneş yayınevi, 2004, Ankara

- Aydın M. Ağız mikrobiyolojisi veb siteleri. Eds. Cengiz T, Mısırlıgil A, Aydın M. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Güneş yayınevi, 2004, Ankara
- Aydın M. Bakteri identifikasyon tabloları. Ed. Cengiz, Mısırlıgil, Aydın. Tıp ve diş hekimliğinde genel ve özel Mikrobiyoloji. Ek-4. Sa:1209-1230. Güneş yayınevi, 2004 Ankara, 2004.
- Aydın M. Endodontik mikrobiyoloji..Pp: 589 Ed. Tayfun Alaçam. Endodonti., Özyurt matbacılık, Ankara, 2012
- Aydın M. Endodontic immunology. Pp: 625 Ed. Tayfun Alaçam. Endodonti., Özyurt matbacılık, Ankara, 2012
- Aydın M. Endodontic microbiology. Pp: 313-385, Ed. Tayfun Alaçam. Endodontics. Barış yayın evi, Ankara, 2000
- Aydın M. Endodontik immünoloji. Ed Alaçam T. Endodonti. Bölüm 14 Sa 385, Barış yayın evi, Ankara, 2000
- Aydın M. Diş hekimleri ve diş hekimliği öğrencileri için Biyofizik. 2018, Neyir Matbası, Ankara.
- Aydın M. Diş hekimleri için ansiklopedik sözlük, Pelikan Kitabevi, Ankara, 2015
- Aydın M. Ed. (Mosby dental dictionary). Elsevier Mosby. Turksih editting. 2010, Nobel yayınevi, Özyurt matbacılık, Ankara.
- Aydın M. Otoklav fiziği ve standartları. Azim Matbası 2009, Antalya
- Aydın M. Teşhisten tedaviye ağız kokusu. Nobel kitabevi, 2008, İstanbul
- Aydın M. Odorijenik bakteriler. Ağız kokusu. pp: 65-82 Nobel medikal, 2008 İstanbul,
- Aydın M. Ağız kokusu. Ağız mikrobiyolojisi. Ed Aydın M, Mısırlıgil A (eds). 2012 Ankara: MN Medical & Nobel, p.97-104.
- Aydın M. Ağız ve nefes kokusu bilgilendirme kitapçığı, 2021 Özyurt matbası, Ankara.
- Aydın M. Bunları bilmiyor muydunuz? 2021 Özyurt matbası, Ankara.
- Aydın M, Keşkek ŞÖ, Özen ME. Prevalence, awareness, distribution and psychologic effects of halitosis among Turkish people and dental professionals. in press, 2021
- Aydın M, Günay İ. Cysteine challenge test as a novel diagnostic tool to distinguish type 1 halitosis. (20??) Submitted on Jul-2021
- Ayers KM; Colquhoun AN. Halitosis: causes, diagnosis, and treatment. N Z Dent J. 1998; 94(418):156-160.
- Aylıkci BU, Çolak H. Halitosis: From diagnosis to management. J Nat Sc Biol Med 2013; 4:14-23
- Babacan H, Sokucu O, Marakoglu I, Ozdemir H, Nalcaci R. Effect of fixed appliances on oral malodor. Am J Orthod Dentofacial Orthop. 2011;139(3):351-355.
- Badersten A, Egelberg J, Johnson G,Kroneng M. Effect of tongue brushing on formation of dental plaque. J Periodontol, 1975; 46:625-627.
- Bajaj A. China bans bad breath in space. British Dental Journal, 2009; 207(4):149.
- Bal M, Berkiten G, Topaloğlu İ. Konka büllöza tipleri ve farklı patolojik içerik görülme sıklığı. KBB-Forum 2011; 10(4).
- Baliga S, Muglikar S, Kale, R. Salivary pH: A diagnostic biomarker. J Ind Soc Period. 2013; 17: 461–465.
- Banik GD, De A, Som S, Jana S, Daschakraborty SB, Chaudhuri D, Pradhan M. Hydrogen sulphide in exhaled breath: a potential biomarker for small intestinal bacterial overgrowth in IBS. Journal of Breath Research, 2016; 10(2): 10 026010.
- Baranska A, Tigchelaar E, Smolinska1 A, Dallinga JW, Moonen EJC, Dekens J AM, Wijmenga C, Zhernakova A,Baysal A. Beslenme. Hacettepe Üniversitesi yayınları No:13. 3.üncü baskı. İleri matbası, Ankara, 1979.
- Bauman D. Letter: Halitosis from isosorbide dinitrate. JAMA. 1975 Nov 3;234(5):482.
- Bartoshuk LM, Beauchamp GK. Chemical senses. Ann Rev Psychol 45:419-449. 1994.
- Bates ME, Martin CS. Immediate, Quantitative Estimation of Blood Alcohol Concentration from Saliva. J. Stud. Alcohol, 1997; 58:531:538.
- Beauchamp RO, Bus JS, Popp JA, Boreiko CJ, Andjelkovich DA. A critical review of the literature on hydrogen sulfide toxicity. Crit Rev Toxicol. 1984;13(1):25-97.
- Beer D, Stoodley P, Roe F, Lewandowski Z. Effects of biofilm structures on oxygen distribution and mass transport. Biotechnol. Bioeng. 1994 ;43: 1131–1138.
- Begnaud F, Starkenmann C, Van de Waal M, Chaintreau A. Chiral multidimensional gas chromatography (MDGC) and chiral GC-olfactometry with a double-cool-strand interface: Application to malodors. Chem. Biodivers. 2006; 3, 150–160.
- Belgemen T, Akar N. Çinkonun yaşamsal fonksiyonları ve çinko metabolizması ile ilgili genler. Ankara Üniversitesi Tıp Fakültesi Mecmuası, 2004; 57(3),161-166.
- Ben-Aryeh H, Horowitz G, Nir D, Laufer D. Halitosis: An interdisciplinary approach. Am J Otolaryngol 1998; 19: 8–11.
- Benninger MS, Ferguson BJ, Hadley JA. Adult chronic rhinosinusitis: Definitions, diagnosis, epidemiology and patho-physiology. Otolaryngol Head Neck Surg 2003;129(3 Suppl): S1–32.
- Bensafi M, Rouby C, Farget V, Bertrand B, Vigouroux M, Holley A. Autonomic nervous system responses to odours: The role of pleasantness and arousal. Chem. Senses 2002; 27: 703–709.
- Bernier SP, Létoffé S, Delepierre M, Ghigo JM. Biogenic ammonia modifies antibiotic resistance at a distance in physically separated bact. Molecular Microbiology, 2011; 81(3):705–716 doi:10.1111/j.1365-2958.2011.07724

- Beauchamp J, Kirsch F, Buettner A. Real-time breath gas analysis for pharmacokinetics: monitoring exhaled breath by on-line proton-transfer-reaction mass spectrometry after ingestion of eucalyptol-containing capsules. *J. Breath Res.* 2010;4: 026006 (12pp) doi:10.1088/1752-7155/4/2/026006
- Belgemen T, Akar N. Çinkonun yaşamsal fonksiyonları ve çinko metabolizmasıyla ilgili genler. *Ankara Üni. Tıp Fak Mecmuası*, 2005; 5(2):161-166.
- Bernstein ML, Carlsh R. The induction of hyperkeratotic white lesions in hamster cheek pouches with mouthwash. *Oral Surg Oral Med Oral Pthol*, 1979;48:517-22.
- Bescos R, Ashworth A, Cutler C, Brookes ZL, Belfeld L, Rodiles A, Agustench PC, Farnham G, Liddle L, Burleigh M, White D, Easton C, Hickson M. Effects of Chlorhexidine mouthwash on the oral microbiome. *Scientific Reports*, 2020;10:5254 doi:10.1038/s41598-020-61912-4.
- Bhambhani Y, Singh M. Effects of hydrogen sulphide on selected metabolic and cardiorespiratory variables during rest and exercise. Report submitted to Alberta Worker's Health and Safety and Compensation, 1985.
- Bhatia M, Sidhapuriwala J, Moochhala SM, Moore PK. Hydrogen sulphide is a mediator of carrageenan-induced hindpaw oedema in the rat. *Br J Pharmacol* 2005;145: 141-144.
- Biswas SD. Effect of urea on pH, ammonia, amino acids and lactic acid in the human salivary sediment system incubated with varying levels of glucose. *Archives of Oral Biology*, 1982; 27(8):683-691.
- Block PL, Houston GD. Speech impediment and chronic halitosis due to an extensive palatal fibroma. *Ann Dent.* 1987;46(1):20-22.
- Bloom HJ, Tangerman A. Methanethiol metabolism in whole blood. *J lab Clin Med*, 1988; 111:606-610.
- Blom T, Slot DE, Quirynen M, Van der Weijden GA. The effect of mouthrinses on oral malodor: a systematic review. *Int J Dent Hygiene*, 2012; 10(3): 209–222 DOI: 10.1111/j.1601-5037.2012.00546.x.
- Bofan M, Mores N, Baron M, Dabrowska M, Valente S, Schmid M, Trovè A, Conforto S, Zini G, Cattani P, Fuso L, Mautone A, Mondino C, Pagliari G, D'Alessio T, Montuschi P. Within-day and between-day repeatability of measurements with an electronic nose in patients with COPD. *J Breath Res.* 2013; 7(1):017103.
- Bolin TD, Patent belgesi US 2005/0053556 A1
- Bollen CML, Beikler T. Halitosis: The multidisciplinary approach. *International Journal of Oral Science*, 2012; 4: 55–63.
- Bollen CM, Rompen EH, Demanez JP. Halitosis: a multidisciplinary problem. *Rev Med Liege.* 1999; 54(1):32-36.
- Boots A, van Berkel JBN, Dallinga JW, Smolinska A, Wouters EF, van Schooten FJ. The versatile use of exhaled volatile organic compounds in human health and disease. *J. Breath Res.* 2012; 6: 027108
- Bornstein MM, Stocker BL, Seemann R, Bürgin WB, Lussi A. Prevalence of halitosis in young male adults: A study in swiss army recruits comparing self-reported and clinical data. *J Periodontol.* 2009;80(1):24-31. doi: 10.1902/jop.2009.080310.
- Bornstein MM, Kislig K, Hoti BB, Seemann R, Lussi A. Prevalence of halitosis in the population of the city of Bern, Switzerland: A study comparing self-reported and clinical data. *European Journal of Oral Sciences*, 2009, 117 (3):261–267.
- Bos LDJ, Sterk PJ, Schultz MJ (2013) Volatile Metabolites of Pathogens: A Systematic Review. *PLoS Pathog.* 2013; 9(5):e1003311. doi: 10.1371. PMID: 23675295.
- Boshier PR, Cushnir JR, Priest OH, Marczin N, Hanna GB. Variation in the levels of volatile trace gases within three hospital environments: implications for clinical breath testing. *J. Breath Res.* 2010;4: 031001 (6pp).
- Bosy A, Kulkarni GV, Rosenberg M. Relationship of oral malodor to periodontitis: evidence of independence in discrete subpopulations. *J Periodontol.* 1994; 65(1):37-46.
- Botero JE, González AM, Mercado RA, Olave G, Contreras A. Subgingival microbiota in peri-implant mucosa lesions and adjacent teeth in partially edentulous patients. *J Periodontol.* 2005;76:1490-5.
- Boyce BF, Xing L. Functions of RANKL/RANK/OPG in bone modeling and remodeling. *Arch Biochem Biophys* 2008; 473:139- 46.
- Bradley RM. Electrophysiological investigations of intravascular taste using perfused rat tongue. *Am. J. Physiol.* 1973 ; 224: 300–304.
- Bradshaw DJ, Marh PD, Watson GK, Cummins D. The Effects of Triclosan and Zinc Citrate, Alone and In Combination, on a Community of Oral Bacteria Grown In vitro. *J Dent Res.* 1993; 72(1):25-30.
- Bredenoord AJ, Weusten BLAM, Sifrim D, Timmer R, Smout AJPM. Aerophagia, gastric, and supragastric belching: a study using intraluminal electrical impedance monitoring. *Gut* 2004;53:1561–1565.
- Bretz WA, Lopatin DE, Loesche WJ. Benzoyl-arginine naphthylamide (BANA) hydrolysis by *Treponema denticola* and/or *Bacteroides gingivalis* in periodontal plaques. *Oral Microbiol Immunol*, 1990; 5:275-279.
- Bretz WA, Loesche WJ. Characteristics of trypsin-like activity in subgingival plaque samples. *J Dent Res.* 1987; 66 (11):1668-1672.
- Brewer WJ, Wood SJ, Pantelis C, Berger GE, Copolov DL, McGorry PD. Olfactory sensitivity through the course of psychosis: Relationships to olfactory identification, symptomatology and the schizophrenia odour. *Psychiatry Research.* 2007; 149 (1–3): 97–104.

- Broek AM, Feenstra L, Baat C. A review of the current literature on management of halitosis. *Oral Dis.* 2008;14(1):30-39.
- Bromley SM. Smell and taste disorders: A primary care approach. *Am Fam Physician.* 2000; 61(2):427-36, 438.
- Brook I, Gober AE. Bacterial interference in the nasopharynx following antimicrobial therapy of acute otitis media. *J Antimicrob Chemother.* 1998; 41: 489-492.
- Brown AOP, Ngamtrakulpanit L, Smith A, Bunyan D, Hom S, Nguyen A, Hunt JF. Normative Data for pH of Exhaled Breath Condensate. *Chest,* 2006; 129: 426-430.
- Brown RH, Risby TH. Changes in oxidative stress during outpatient surgery. *J. Breath Res.* 2009; 3: 016002.
- Brunner F, Kurmann M, Filippi A. The Correlation of Organoleptic and Instrumental Halitosis Measurements. *Schweiz Monatsschr Zahnmed,* 2010;120:125.
- Brunette DM. Effect of methyl mercaptan on human gingival fibroblasts shape, cytoskeleton and protein synthesis and the inhibition of its effect by Zn⁺⁺. In:Steenberghe SD, Rosenberg M eds *Bad breath,a multidisciplinary approach.* Leuven Univ Press; 1996. p 79–91.
- Brusilow SW, Gordes EH. Ammonia secretion in sweat. *Am. J. Physiol.* 1968; 214: 513–517.
- Bryan CS. Upper Respiratory Tract Infections and Other Infections of the Head and Neck, Chapter two, In: *Infectious disease. Microbiology and Immunology on-line,* University of South Caroline School of medicine. 2006.
- Bucca C, Cicolin C, Guida G, Heffler E, Brussino L, Rolla G. Exhaled nitric oxide (FENO) in non-pulmonary diseases. *J. Breath Res.* 2012; 6: 027104 (5pp) doi:10.1088/1752-7155/6/2/027104.
- Buclin T, Cosma M, Appenzeller M, et al. Diet acids and alkalis influence calcium retention in bone. *Osteoporos Int* 2001;12:493–9.
- Bunzen DL, Campos A, Leão FS, Morais A, Sperandio F, Caldas Neto S. Efficacy of functional endoscopic sinus surgery for symptoms in chronic rhinosinusitis with or without polyposis. *Braz J Otorhinolaryngol.* 2006;72(2): 242-246.
- Burton JP, Chilcott CN, Moore CJ, Speiser G, Tagg JR. A preliminary study of the effect of probiotic *Streptococcus salivarius* K12 on oral malodour parameters. *J Appl Microbiol.* 2006 Apr;100(4):754-64. doi: 10.1111/j.1365-2672.2006.02837.x.
- Buszewski B, Ligor T, Rudnicka J, Jezierski T, Walczak M and Wenda-Piesik A. Analysis of cancer biomarkers in exhaled breath and comparison with sensory indications by dogs *Volatile Biomarkers: Non-invasive Diagnosis in Physiology and Medicine* ed A Amann and D Smith (Amsterdam: Elsevier) 2013 pp 177–92.
- Büchter A, Meyer U, Kruse-Lösler B, Joos U, Kleinheinz J. Sustained release of doxycycline for the treatment of peri-implantitis: randomised controlled trial. *Br J Oral Maxillofac Surg.* 2004;42:439-44.
- Cailleux A, Allain P. Isoprene and sleep. *Life Sci.* 1989; 44: 1877-1880.
- Calenic B, Yaegaki K, Murata T, Imai T, Aoyama I, Sato T, Li H. Oral malodorous compounds trigger mitochondrial-dependent apoptosis and causes genomic DNA damage in human gingival epithelial cells. *J Periodon Res.* 2010; 45:31-37.
- Calil CM, Klein F. Influence of anxiety on the production of oral volatile sulfur compounds. *Life Sciences.* 2006; 79(7): 660-664.
- Calil CM, Oliveira GM, Cogo K, Pereira AC, Marcondes FK, Groppo FC. Effects of stress hormones on the production of volatile sulfur compounds by periodontopathogenic bacteria. *Braz Oral Res.,* 2014; 28(1):1-8 dOI: 10.1590/1807-3107BOR-2014.
- Calil CM, Lima PO, Bernardes CF, Groppo FC, Bado F, Marcondes FK. Influence of gender and menstrual cycle on volatile sulphur compounds production. *Archives oral Biology,* 2008; 53:1107-112.
- Campisi G, Musciotto A, Di Fede O, Di Marco V, Craxi A. Halitosis: Could it be more than mere bad breath? *Internal and emergency medicine* 2011;6:315-319.
- Caniklioğlu B, Nayır EH. Diş hekimliği formülleri. *Doyuran matbası. İstanbul Üniversitesi Diş Hekimliği Fakültesi Yayınları. Fak No:67, Rektörlük No:3474, 1987.*
- Carrara M, Desideri S, Azzurro M, Bulighin GM, Di Piramo D, Lomonaco L, Adamo S. Small intestine bacterial overgrowth in patients with irritable bowel syndrome. *Eur Rev Med Pharmacol Sci.* 2008;12:197–202. PMID: 18700692.
- Carpagnano GE, Resta O, Pergola G, Sabato R, Barbaro MP. The role of obstructive sleep apnea syndrome and obesity in determining leptin in the exhaled breath condensate. *J. Breath Res.*2010; 4(3): 036003.
- CarvalhoRde S, Rossi V, Weidlich P, Oppermann RV. Comparative analysis between hard- and soft-filament toothbrushes related to plaque removal and gingival abrasion. *J Clin Dent.* 2007; 18: 61-64.
- Carvalho BFC, Alves MGO, Dutra MTS, Balducci I, Nicodemo D, Almeida JD. Persistent dysgeusia post-halitosis treatment: How does it impact the patients' quality of life? *Med Oral Patol Oral Cir Bucal.* 2019; 24 (3):e319-25.
- Caroline JR, Elizabeth AMM, Cummings JH. A new method for the determination of sulphide in gastrointestinal contents and whole blood by microdistillation and ion chromatography. *Clinica Chimica Acta,* 2000; 29: 115–125.
- Carpagnano GE, Palladino GP, Gramiccione C, Barbaro MPF, Martinelli D. Exhaled ERCC-1 and ERCC-2 microsatellite alterations in NSCLC patients. *LungCancer J.* 2010; 68(2):305-307.

- Carrol W, Lenney W, Wang T, Spanel P, Alcock A, Smith D. Detection of Volatile Compounds Emitted by *Pseudomonas aeruginosa* Using Selected Ion Flow Tube Mass Spectrometry. *Pediatric pulmonology*, 2005; 39:452-456.
- Casa VD, Harald N, Susanne G, Philipp G, Federico G, Gabriele P. Antimicrobial activity of dequalinium chloride against leading germs of vaginal infections. 2002, 52(9): 699-705.
- Casellas F, Guarner L, Vaquero E, Antolín M, de Gracia X, Malagelada JR. Hydrogen breath test with glucose in exocrine pancreatic insufficiency. *Pancreas* 1998;16:481-486.
- Cashman JR, Camp K, Fakharzadeh SS, Fennessey PV, Hines RN, Mamer OA, Mitchell SC, Preti G, Schlenk D, Smith RL, Tjoa SS, Williams DE, Yannicelli S. Biochemical and Clinical Aspects of the Human Flavin-Containing Monooxygenase Form 3 (FMO3) Related to Trimethylaminuria. *Current Drug Metabolism*, 2003, 4: 151-170.
- Chapman EA, Thomas PS Yates DH. Breath analysis in asbestos-related disorders: a review of the literature and potential future applications. *J. Breath Res.* 2010;4 :034001 (11pp).
- Chen W, Kajiya M, Giro G, Ouhara K, Mackler HE, Mawardi H, Boisvert H, Duncan MJ, Sato K, Kawai T. Bacteria-derived hydrogen sulfide promotes IL-8 production from epithelial cells. *Biochemical and Biophysical Research Communications*, 2010; 391:645:650.
- Chen W, Metsälä M, Vaittinen O, Halonen L. The origin of mouth-exhaled ammonia. *Journal of Breath Research*. 2014; 8 (3): 036003 doi:10.1088/1752-7155/8/3/036003 PMID: 25080054
- Chen V, Halpern BP. Retronasal but not oral-cavity-only identification of “purely olfactory” odorants, *Chem. Senses*. 2008; 33 :107-118.
- Chen KC, Forsyth PS, Buchanan TM, Holmes KK. Amine content of vaginal fluid from untreated and treated patients with nonspecific vaginitis. *J. Clin. Investig.* 1979; 63: 828-835.
- Chen YH, Yao WZ, Geng B, Ding YL, Lu M, Zhao MW, Tang CS. Endogenous Hydrogen Sulfide in Patients With COPD. *CHEST*. 2005; 128:3205-3211.
- Chen X, Tao D Y, Li Q and Feng X P. The relationship of halitosis and *Helicobacter pylori*. *Shanghai Kou Qiang Yi Xue*. 2007;16(3):236-238.
- Chen X, Ye W, Feng XP. The relationship between two halitosis diagnostic methods: organoleptic test and VSCs measurement by a portable sulfide detector. *Shanghai Kou Qiang Yi Xue*, 2006;15(6):575-577.
- Cheng ZJ, Warwick G, Yates DH, Thomas PS. An electronic nose in the discrimination of breath from smokers and non-smokers: a model for toxin exposure. *J. Breath Res.* 2009; 3:036003 (5pp).
- Choi S, Park KH, Cheong Y, Moon SW, Park YG, Park HK. Potential effects of tooth-brushing on human dentin wear following exposure to acidic soft drinks. *J Microsc.* 2012; 247(2):176-85. doi: 10.1111/j.1365-2818.2012.03630.x
- Chotai M, Saberi M, Fakhri A, Bove A, Lindgren M. Effectiveness of tongue scraping in reducing oral levels of volatile sulfur compounds, and thereby decreasing the level of halitosis. P 69-75. http://www.ki.se/odont/cariologi_endodonti/T1/proc2003/2c1.pdf
- Chou S. Toxicological profile for hydrogen sulfide. Atlanta: Agency for Toxic Substances and Disease Registry, Public Health Service, Department of Health and Human Services; 2006. p. 12.
- Ciaffoni L, Peverall R, Ritchie GAD. Laser spectroscopy on volatile sulfur compounds: Possibilities for breath analysis. *J. Breath Res.* 2011; 5: 024002.
- Claydon N, Addy M, Scratcher C, Ley F, Newcombe R. Comparative professional plaque removal study using 8 branded toothbrushes. *J Clin Periodontol.* 2002; 29(4):310-316.
- Codipilly D, Kleinberg I. Generation of indole/skatole during malodor formation in the salivary sediment model system and initial examination of the oral bacteria involved. *J Breath Res*, 2008;2:017017 (10pp).
- Conceicao M, Marocchio L, Giudice F. Diagnostic Technique for Assessing Halitosis Origin Using Oral and Nasal Organoleptic Tests, Including Safety Measures Post Covid-19. *J Dent Oral Sci.* 2020; 2(4):1-19.
- Conforti NJ, Cordero RE, Liebman J, Bowman JP, Putt MS, Kuebler DS, Davidson KR, Cugini M, Warren PR. An investigation into the effect of three months' clinical wear on toothbrush efficacy: Results from two independent studies. *J Clin Dent.* 2003;14(2):29-33.
- Cope K, Risby T, Diehl AM. Increased gastrointestinal ethanol production in obese mice: implications for fatty liver disease pathogenesis. *Gastroenterology*, 2000; 119(5):1340-1347.
- Codipilly DP, Kaufman HW, Kleinberg I. Use of a novel group of oral malodor measurements to evaluate an anti-oral malodor mouthrinse (TriOral) in humans. *J Clin Dent*; 2004, 15:98-104.
- Collins IMC, Dawes C. The surface area of the adult human mouth and thickness of the salivary film covering the teeth and oral mucosa. *J Dent res*, 1987; 66:1300-1302.
- Corradi M, Acampa O, Goldoni M, Adami E, Apostoli P, Palma G, Pesci A, Mutti A. Metallic elements in exhaled breath condensate of patients with interstitial lung diseases. *J Breath Res.* 2009; 3(4):046003.
- Cortelli JR, Barbosa MD, Westphal MA. Halitosis: a review of associated factors and therapeutic approach. *Braz Oral Res.* 2008;22 (1):44-54.

- Costacurta M, Petrini M, Biferi V, Arcuri C, Spoto G, Brescia A, Docimo R. Dental prosthesis and halitosis: Evaluation of oral malodor in patients with and without a dental prosthesis. *J. Osseointegration*. 2020; 12: 730–735.
- Costello BPJL, Ewen RJ, Ratcliffe NM. A sensor system for monitoring the simple gases hydrogen, carbon monoxide, hydrogen sulfide, ammonia and ethanol in exhaled breath. *J. Breath Res*, 2008; 2:037011.
- Costello BL, Amann A, Al-Kateb H, Flynn C, Filipiak W, Khalid T, Osborne D, Ratcliffe NM. Topical Review A review of the volatiles from the healthy human body. *J. Breath Res*. 2014; 8: 014001 (29pp) doi:10.1088/1752-7155/8/1/014001
- Coulthwaite L, Pretty IA, Smith PW, Higham SM, Verran J. The microbiological origin of fluorescence observed in plaque on dentures during QLF analysis. *Caries Res*. 2006; 40(2), 112–116.
- Coulthwaite L, Verran J. Development of an in vitro denture plaque biofilm to model denture malodour. *J. Breath Res*. 2008; 2:017004(6pp)
- Couri D, Miller CH, Bull RJ, Delphia JM, Ammar EM. Assessment of Maternal Toxicity, Embryotoxicity and Teratogenic Potential of Sodium Chlorite in Sprague-Dawley Rats. *Environmental Health Perspectives*. 1982; 46: 25-29.
- Crockett C. Death by homeopathy: issues for civil, criminal and coronial law and for health service policy. *Journal of Law, Medicine & Ethics*. 2012; 19 (3): 454–478.
- Crohn BB, Drosd R. Halitosis. *Journ. Amer. Med. Assoc.*, 1941; 117, 2242.
- Cruzado L, Cáceres-Taco E, Calizaya JR. Apropos of an Olfactory Reference Syndrome case. *Actas Esp Psiquiatr*. 2012; 40(4):234-238.
- Cullen MM, Leopold DA. Disorders of smell and taste *Med. Clin. North Am*. 1999; 83: 57–74.
- Czarnowski D, Górski J, Jóźwiuk J, Boroń-Kaczmarek A. Plasma ammonia is the principal source of ammonia in sweat. *Eur. J. Appl. Physiol. Occup. Physiol*. 1992, 65, 135–137.
- Çiçek Y, Orbak R, Tezel A, Orbak Z, Erciyas K. Effect of tongue brushing on oral malodor in adolescents. *Pediatrics International*, 2003; 45:719-723.
- Dadamio J, Van Tornout M, Van den Velde S, Federico R, Dekeyser C, Quirynen M. A novel and visual test for oral malodour: first observations. *J Breath Res*. 2011; 5(4):046003.
- Danser MM, Gomez SM, Veijden GAV. Tongue coating and tongue brushing: A literature review. *Int J dent Hygiene*, 2003; 1: 151-158.
- Davidson M, Mukherjee S. Progression of olfactory reference syndrome to mania: A case report. *Am J Psychiatry*, 1982; 139:1623.
- David S. Jacobs, Wayne R. Demott, Dwight K. Oxley. *Laboratory test handbook*. 2nd press, Lexicomp Cleveland, 2002.
- Davies S, Spanel P, Smith D. Quantitative analysis of ammonia on the breath of patients in end-stage renal failure. *Kidney Int* 1997; 2:223-.
- De Boever EH, Loesche WJ. Assessing the contribution of anaerobic microflora of the tongue to oral malodor. *J Am Dent Assoc*. 1995 Oct; 126(10):1384-93.
- De Boever EH, De Uzeda M, Loesche WJ. Relationship between volatile sulfur compounds, BANA-hydrolyzing bacteria and gingival health in patients with and without complaints of oral malodor. *The Journal of clinical dentistry* 1994; 4:114-119.
- De Jong MH, Van der Hoeven JS. The growth of oral bacteria on saliva. *Journal of dental research* 1987; 66:498-505.
- Deery C, Heanue M, Deacon S, Robinson PG, Walmsley AD, Worthington H, Shaw W, Glenn AM. The effectiveness of manual versus powered toothbrushes for dental health: a systematic review. *J Dent*. 2004; 32(3):197-211. doi: 10.1016/j.jdent.2003.11.006.
- Defne YY, Aydın M, Gul M, Hocaoglu T, Ozdemir H, Koraltan M. Systemic effects of H₂S inhalation at human equivalent dose of pathologic halitosis on rats. *Acta Odontologica Scandinavica*, 2017; 75:517-523 <http://dx.doi.org/10.1080/00016357.2017.1350992>
- Delanghe G, Ghyselen J, Feenstra L, Van Steenberghe D. Experiences of a Belgian multidisciplinary breath odour clinic. In: Van Steenberghe D, Rosenberg M. (eds.) *Bad breath a multidisciplinary approach*, pp. 199–208. Leuven University Press, Leuven (1996)
- Delanghe G; Bollen C; Desloovere C. Halitosis—foetor ex ore. *Laryngorhinootologie*. 1999; 78(9):521-524.
- Deems DE, Doty RL, Settle G, Moore-Gillon V, Shaman P, Mester AF, Kimmelman CP, Brightman VJ, Snow JB. Smell and taste disorders. A study of 750 patients from the University of Pennsylvania Smell and Taste Center. *Arch Otolaryngol Head Neck Surg*. 1996; 117:519-528.
- Deng C, Zhang J, Yu X, Zhang W, Zhang X. Determination of acetone in human breath by gas chromatography-mass spectrometry and solid-phase microextraction with on-fiber derivatization. *J. Chromatogr*. 2004; 810: 269-275.

- Deplancke B, Gaskins HR. Hydrogen sulfide induces serum-independent cell cycle entry in nontransformed rat intestinal epithelial cells. *FASEB J* 2003;17:1310-1312.
- Di Fede O, Di Liberto C, Occhipinti G, Vigneri S, Lo Russo L, Fedele S, Lo Muzio L, Campisi G. Oral manifestations in patients with gastro-oesophageal reflux disease: a single-center case-control study. *J Oral Pathol Med.* 2008; 37(6):336-340.
- Dina NM, Margarit R, Andrei CO. Pontic morphology as local risk factor in root decay and periodontal disease. *Rom J Morphol Embryol* 2013; 54(2):361–364.
- Dinc ME, Altundag A, Dizdar D, Avincsal MO, Sahin E, Ulusoy S, Paltura C. An objective assessment of halitosis in children with adenoid vegetation during pre- and post-operative period. *Int J Pediatr Otorhinolaryngol.* 2016; 88:47-51. doi: 10.1016/j.ijporl.2016.06.042.
- Diskin AM, Spanel P, Smith D. Time variation of ammonia, acetone, isoprene and ethanol in breath: a quantitative SIFT-MS study over 30 days. *Physiol Meas.*, 2003; 24:107-119.
- Diskin AM, Spanel P, Smith D. Increase of acetone and ammonia in urine headspace and breath during ovulation quantified using selected ion flow tube mass spectrometry. *Physiol. Meas.* 2003b; 24:191-199.
- Distler W, Kroncke A. Acid formation by mixed cultures of dental plaque bacteria *Actinomyces* and *Veillonella*. *Arch Oral Biol*, 1981; 26, 23–.
- Dombkowski RA, Russell MJ, Schulman AA, Doellman MM, Olson KR. Vertebrate phylogeny of hydrogen sulfide vasoactivity. *Am J Physiol Regul Integr Comp Physiol* 2005; 288: R243–252. PMID: 15345473.
- Donaldson AC, McKenzie D, Riggio MP, Hodge PJ, Rolph E, Flanagan A, Bagg J. Microbiological culture analysis of the tongue anaerobic microflora in subjects with and without halitosis. *Oral Diseases.* 2005; 11(1), 61–63.
- Dorman DC, Moulin FJ, McManus BE, Mahle KC, Arden James R, Struve MF. Cytochrome oxidase inhibition induced by acute hydrogen sulfide inhalation: Correlation with tissue sulfide concentrations in the rat brain, liver, lung and nasal epithelium. *Toxicol Sci* 2002; 65:18–25. PMID: 11752681
- Doty RL, Bartoshuk LM, Snow IB Jr. Causes of olfactory and gustatory disorders. In: *Smell and taste in health and disease.* Getchell TV, Doty RL, Bartoshuk LM, Snow JB Jr, editors. New York: Raven Press, pp. 449-462, 1991.
- Doty RL, Brugger WE, Jurs PC, Orndorff MA, Snyder PJ, Lowry LD. Intranasal trigeminal stimulation from odorous volatiles: psychometric responses from anosmic and normal humans, *Physiol. Behav.* 1978; 20:175–185.
- Doty RL, Bromley SM. Effects of drugs on olfaction and taste. *Otolaryngologic Clin. North Am.* 2004; 37: 1229–1254.
- Downey LL, Jacobs JB, Lebowitz RA. Anosmia and chronic sinus disease. *Otolaryngol Head Neck Surg.* 1996; 115:24-28.
- Dryahina K, Pospisilova V, Sovova K, Shestivska V, Kubista J, Spesyvyi A, Pehal F, Turzikova J, Votruba J, Spanel P. Exhaled breath concentrations of acetic acid vapour in gastro-esophageal reflux disease. *J. Breath Res.* 2014; 8:037109 (6pp) doi:10.1088/1752-7155/8/3/037109 .
- Dummer JF, Storer MK, Hu WP, Swanney MP, Milne GJ, Frampton CM, Scotter JM, Prisk GK, Epton MJ. Accurate, reproducible measurement of acetone concentration in breath using selected ion flow tube-mass spectrometry. *J. Breath Res.* 2010;4: 046001.
- Duncan HI, Seiden AM. Long term follow up of olfactory loss secondary to head trauma and upper respiratory infection. *Arch Otolaryngol Head Neck Surg.* 1995; 121:1183-1187.
- Duncan HI, Smith DV. Clinical disorders: A review. In: *Handbook of olfaction and gustation.* Doty RL, editor. New York: Marcel Dekker, pp. 345-365, 1995.
- Duprez RT, Hummel T. Olfactory bulb volume in the clinical assessment of olfactory dysfunction. *Rhinology,* 2009; 47: 3-9.
- Dutta R, Hines EL, Gardner JW, Boilot P. Bacteria classification using Cyranose 320 electronic nose. *BioMedical Engineering,* 2002; 1:4-7.
- Dutta R, Morgan D, Baker N, Gardner JW, Hines EL. Identification of *Staphylococcus aureus* infections in hospital environment: electronic nose based approach. *Sensors and Actuators B,* 2005; 109: 355-362.
- Dyer D, Addy M, Newcombe RG. Studies in vitro of abrasion by different manual toothbrush heads and a standard toothpaste. *J Clin Periodontol.* 2000; 27: 99- 103.
- Eaton KK, McLaren-Howard J, Hunnisett A, Harris M. Abnormal Gut Fermentation: Laboratory Studies Reveal Deficiency of B Vitamins, Zinc and Magnesium. *J. Nutr. Biochem.* 1993;4:635-638
- Eby GA. Zinc Lozenges: Cold cure or candy? Solution chemistry determinations. *Biosci Rep.* 2004;24:23-39.
- Eby GA, Halcomb WW. High-dose zinc to terminate angina pectoris: A review and hypothesis for action by ICAM inhibition. *Med Hypotheses.* 2005;66:169-172.
- Eby GA, Halcomb WW. Ineffectiveness of Zinc Gluconate nasal spray and zinc orotate lozenges in common cold treatment: a double blind placebo controlled clinical trial. *Altern Ther Health Med.* 2006;12(1):34-38.
- Eid H. Effects of different fixed partial dentures and different margin positions on the halitosis level. *Alazhar. Dent. J.* 2012; 15:43–50.

- Eisenmann A, Amann A, Said M, Datta B, Ledochowski M. Implementation and interpretation of hydrogen breath tests. *J. Breath Res*, 2008;2: 046002.
- Eli I, Baht R, Kozlovsky A, Rosenberg M. The complaint of oral malodor: possible psychopathological aspects. *Psychosom Med*. 1996;58:156-159.
- Eli I, Koriat H, Baht R, Rosenberg M. Self-perception of breath odor: role of body image and psychopathologic traits. *Perceptual motor skills*, 2000; 91: 1193-1201.
- Elmore JG, Horwitz RJ. Oral cancer and mouthwash use: Evaluation of the epidemiological evidence. *Otolaryngology-Head and Neck Surgery*, 1995;113(30) 253-261.
- Elyassi H. The effect of metronidazole mouth wash on halitosis. *Med J Iran Hosp*, 2002; 4:(2):60-64.
- Emilsson O I, Gislason P, Olin A C, Janson C and Olafsson I. Biomarkers for gastroesophageal reflux in respiratory diseases. *Gastroenterol. Res. Pract.* 2013 148086.
- EN 13725 Air Quality– Determination of odour concentration by dynamic olfactometry. Environment Agency, Version 1 January 2013.
- Enderby B, Lenney W, Brady M, Emmett C, Spanel P, Smith D. Concentrations of some metabolites in the breath of healthy children aged 7-18 years measured using selected ion flow tube mass spectrometry (SIFT-MS). *J. Breath Res*. 2009; 3 :036001 (11pp).
- Ermis B, Aslan T, Beder L, Unalac M. A Randomized Placebo-Controlled Trial of Mebendazole for Halitosis. *Arch Pediatr Adolesc Med*. 2002;156: 995-998.
- Ersoy AE. Diş hekimliğinde sabit protezler. 2. Baskı. Ankara: Özyurt Matbaacılık; 2015.
- Fábíán TK, Beck A, Fejérdy P, Hermann P, Fábíán G. Molecular Mechanisms of Taste Recognition: Considerations about the Role of Saliva. *Int J Mol Sci*. 2015; 16(3): 5945–5974.
- Falcao DP, Vieira CN and Amorim RFB. Breaking paradigms: a new definition for halitosis in the context of pseudo-halitosis and halitophobia. *J. Breath Res*. 2012;6(1) 017105 (5pp).
- Faria SFS, Costa FO, Godinho Pereira A, Miranda Cota LO. Self-perceived and self-reported breath odour and the wearing of face masks during the COVID-19 pandemic. *Oral Dis*. 2021 Jul 10. doi: 10.1111/odi.13958. PMID: 34245645.
- Faveri M, Hayacibara MF, Pupio GC, Cury JA, Tsuzuki CO, Hayacibara RM. A cross-over study on the effect of various therapeutic approaches to morning breath odour. *J Clin Periodontol*. 2006;33(8):555-560.
- Fedorowicz Z, Aljufairi H, Nasser M, Outhouse TL, Pedrazzi V. Mouthrinses for the treatment of halitosis. *Cochrane Database Syst Rev*. 2008 Oct 8;(4):CD006701.
- Fenton TR, Lyon AW, Eliasziw M, et al. Phosphate decreases urine calcium and increases calcium balance: a meta-analysis of the osteoporosis acid-ash diet hypothesis. *Nutr J* 2009;8:41.
- Fenton TR, Tough SC, Lyon AW, et al. Causal assessment of dietary acid load and bone disease: a systematic review & meta-analysis applying Hill's epidemiologic criteria for causality. *Nutr J* 2011;10:41.
- Fenton TR, Huang T. Systematic review of the association between dietary acid load, alkaline water and cancer. *BMJ Open*. 2016 Jun 13;6(6):e010438. doi: 10.1136/bmjopen-2015-010438. PMID: 27297008; PMCID: PMC4916623.
- Ferguson M, Aydin M, Mickel J. Halitosis and the Tonsils A Review of Management. *Otolaryngol Head Neck Surg* 2014, 151(2): 0194599814544881.
- Ferguson M. Rhinosinusitis in oral medicine and dentistry. *Australian Dental Journal* 2014; 59: 1–7 doi: 10.1111/adj.12193.
- Fernández JR, Pereiro R, Medel AS. Optical fibre sensor for hydrogen sulphide monitoring in mouth air. *Analytica Chimica Acta*. 2002, 471(23): 13–23.
- Fernández JR, Costa JM, Pereiro R, Medel AS. Simple detector for oral malodour based on spectrofluorimetric measurements of hydrogen sulphide in mouth air. *Analytica Chimica Acta*, 1999; 398(1):23-31.
- Filipiak W, Filipiak A, Ager C, Wiesenhofer H, Amann A. Optimization of sampling parameters for collection and preconcentration of alveolar air by needle traps. *J. Breath Res.*, 2012;4: 027107.
- Filipiak W, Sponring A, Filipiak A, Ager C, Schubert J, Miekisch W, Amann A, Troppmair J. TD-GC-MS Analysis of Volatile Metabolites of Human Lung Cancer and Normal Cells In vitro. *Cancer Epidemiol Biomarkers Prev*, 2010; 19(1); 182-195.
- Filipiak W, Sponring A, Mikoviny T, Ager C, Schubert J, Miekisch W, Amann A, Troppmair J. Release of volatile organic compounds (VOCs) from the lung cancer cell line CALU-1 in vitro. *Cancer Cell International*, 2008; 8:17-28.
- Filippi A, Müller N. Real and psychological halitosis-findings, diagnoses and outcomes of a halitosis clinic. *Schweiz Monatsschr Zahnmed*. 2006; 116(2):129-135.
- Fitzgerald JT, Hess JW, Kaplan J, Pelen F, Dardenne M. Zinc deficiency in elderly patients. *Nutrition*. 1993;9(3):218-224.
- Fleck CA. Fighting odor in wounds. *Adv. Skin. Wound Care* 2006, 19, 242–244.

- Fletcher SM, Blair PA. Chronic halitosis from tonsilloliths: A common etiology. *J La State Med Soc.* 1988;140(6):7-9.
- Food and Drug Administration (FDA). Inspections, Compliance, Enforcement, and Criminal Investigations Herbs of Light, Inc. June 18, 2013. Retrieved July 7, 2018.
- Fox PC. Differentiation of dry mouth etiology. *Advances in dental research* 1996; 10:13-16.
- Francavilla R, Ercolini D, Piccolo M, Vannini L, Siragusa S, Filippis F, Pasquale I, Cagno R, Toma M, Gozzi G, Serrazanetti DI, Angelis M and Gobetti M. Salivary Microbiota and Metabolome Associated with Coeliac Disease. *Appl. Environ. Microbiol.* 2014, 80(11): 3416-3425.
- Francesco S, Martin S, Bao V, Michael E, Bryan L. Antifungal mechanisms supporting boric acid therapy of *Candida* vaginitis. *Journal of antimicrobial chemotherapy.* 2009, 63(2): 325-336.
- Francisco W, Muniz MG, Friedrich SA, Silveira CF, Rösing CK. The impact of chewing gum on halitosis parameters: A systematic review. *J. Breath Res.* 2017; 11 014001 doi:10.1088/1752-7163/aa5cc2
- Frank ME, Smith DV. Electrogustometry-a simple way to test taste. In: *Smell and taste in health and disease.* Getchell TV, Doty RL, Bartoshuk LM, Snow JB Jr, editors. New York: Raven Press, pp. 503-514, 1991.
- Frascella J, Gilbert R D, Fernandez P, Hendler J. Efficacy of a chlorine dioxide-containing mouthrinse in oral malodor. *Compend Contin Educ Dent,* 2000; 21:241-248.
- Fujimura M, Calenic B, Yaegaki K, Murata T, Ii H, Imai T, Sato T, Izumi Y. Oral malodorous compound activates mitochondrial pathway inducing apoptosis in human gingival fibroblasts. *Clin Oral Invest.* 2010, 14:367-373. DOI 10.1007/s00784-009-0301-5.
- Fujita K, Kaku T, Sasaki M and Onoe T. Experimental production of lingual carcinomas in hamsters by local application of 9, 10-dimethyl-1,2-benzanthracene. *J. Dental Res.* 1973; 52 327-32
- Fukami K, Ishiyama S, Yaguramaki H, Masuzawa T, Nabeta Y, Endo K, Shimoda M. Identification of distinctive volatile compounds in fish sauce. *J. Agric. Food. Chem.* 2002, 50: 5412-5416.
- Fukui Y, Yaegaki K, Murata T, Sato T, Tanaka T, Imai T, Kamoda T, Herai M. Diurnal changes in oral malodour among dental-office workers. *Int Dent J,* 2008; 58(3):159-166.
- Furne J, Majerus G, Lenton P, Springfield J, Levitt DG, Levitt MD. Comparison of Volatile Sulfur Compound Concentrations Measured with a Sulfide Detector vs. Gas Chromatography. *J Dent Res,* 2002; 81(2):140-143.
- Furukawa S, Sekine Y, Kimura K, Umezawa K, Asai S, Miyachi H. Simultaneous and multi-point measurement of ammonia emanating from human skin surface for the estimation of whole body dermal emission rate. *J. Chromatogr. B Analyt. Technol. Biomed. Life Sci.* 2017, 053,60-.
- Gaffar SMC, Niles PN, Raineri WC, Kestenbaum RC. Instrumental evaluation of mouth odor in human clinical study. *J Dent Res.* 1975; 54:351-357.
- Gagari E, Kabani S. Adverse effects of a mouthwash use. *Oral Surg. Oral Med Oral Pathol Radiol Endod.* 1995; 80(4): 432-439.
- Gajdócsy R, Horváth I. Exhaled carbon monoxide in airway diseases: From research findings to clinical relevance. *J. Breath Res,* 2010, 4: 047102.
- Garg HK, Singal KC, Arshad Z. Zinc Taste Test in Pregnant Women and its Correlation with Serum Zinc Level. *Indian J Physiol Pharmacol* 1993;37(4):318-322.
- Garner CE, Smith S, Costello BL, White P, Spencer R, Probert CSJ, Ratcliffe NM. Volatile organic compounds from feces and their potential for diagnosis of gastrointestinal disease. *FASEB J.* 2007; 21:1675-1688.
- Geng B, Yang J, Qi Y, Zhao J, Pang Y, Du J, Tang C. H₂S generated by heart in rat and its effects on cardiac function. *Biochem Biophys Res Commun* 2004;313:362-8. (PMID: 14684169)
- Gent JF, Goodspeed RB, Zagraniski RT, Catalanotto FA. Taste and Smell Problems: Validation of Questions for the Clinical History. *The Yale Journal of Biology and medicine,* 1987; 60:27-35.
- George Eby, William W, Halcomb DO. Ineffectiveness of zinc gluconate nasal spray and zinc orotate lozenges in common-cold treatment: A double blind, placebo,-controlled clinical trial. *Alternative therapies,* 2006; 12(1):34-38.
- George Eby. The mouth-nose biologically closed electric circuit in zinc lozenge therapy of common colds as explanation of rapid therapeutic action, *Expert Review of Respiratory Medicine,* 2012, 6:3, 251-252.
- Georgiou AC, Laine ML, Deng DM, Brandt BW, Loveren C, Dereka X. Efficacy of probiotics: clinical and microbial parameters of halitosis. *J. Breath Res.* 2018; 12: 046010
- Ghimenti S, Tabucchi S, Lomonaco T, Francesco F, Fuoco R, Onor M, Lenzi S, Trivell MG. Monitoring breath during oral glucose tolerance tests. *J. Breath Res.* 2013; 7: 017115 (7pp) doi:10.1088/1752-7155/7/1/017115.
- Ghosh S, Kebaara BW, Atkin AL, Nickerson KW. Regulation of Aromatic Alcohol Production in *Candida albicans*. *Applied and Environmental Microbiology.* 2008, 74(23): 7211-7218.
- Ghoshal UC, Ghoshal U, Misra A, Choudhuri G. Partially responsive coeliac disease resulting from small intestinal bacterial overgrowth and lactose intolerance. *BMC Gastroenterol.* 2004;4:10. doi: 10.1186/1471-230X-4-10.
- Glass DC. A review of the health effects of hydrogen sulfide exposure. *Ann. Occup. Hyg,* 1990; 34 323-327.

- Glenn R. Gibson, Robert W. Hutkins, Mary Ellen Sanders, Susan L. Prescott, Raylene A. Reimer, Seppo J. Salminen, Karen Scott, Catherine Stanton, Kelly S. Swanson, Patrice D. Cani, Kristin Verbeke, Gregor Reid. The International Scientific Association for Probiotics and Prebiotics (ISAPP) Consensus Statement on the Definition and Scope of Prebiotics. *Nature Reviews: Gastroenterology & Hepatology* (2017). DOI: 10.1038/nrgastro.2017.75. Expert consensus document.
- Godfrey JC, Sloane BC, Smith DS, Tuco JH, Mercer N, Godfrey NJ. Zinc gluconate and the common cold: a controlled clinical study. *The Journal of International medical research*, 1992; 20:234-246.
- Goldberg S, Kozlovsky A, Gordon D, Gelernter I, Sintov A, Rosenberg M. Cadaverine as a Putative Component of Oral Malodor. *J Dent Res*, 1994; 73(6):1168-1172 .
- Goldberg S, Cardash H, Browning H, Sahly H, Rosenberg M: Isolation of *Enterobacteriaceae* from the mouth and potential association with malodor. *J Dent Res* 1997, 76 (11): 1770–1775
- Gonçalves MLL, Bussadori SK, Fragoso DY, Silva VVB, Deana AM, Mota ACC, Pinto EM, Horliana ACRT, França CMF. Effect of photodynamic therapy in the reduction of halitosis in patients with multiple sclerosis: Clinical trial. *J. Breath Res.* 2017, 11: 046006 doi:10.1088/1752-7163/aa8209.
- Gunsalus KT, Tornberg-Belanger SN, Matthan NR, Lichtenstein AH, Kumamoto CA. Manipulation of Host Diet To Reduce Gastrointestinal Colonization by the Opportunistic Pathogen *Candida albicans*. *mSphere*. 2015 Nov 18;1(1):e00020-15. doi: 10.1128/mSphere.00020-15. PMID: 27303684; PMCID: PMC4863630.
- Goodspeed RB, Gent JF, Catalanotto FA. Chemosensory dysfunction. Clinical evaluation results from a taste and smell clinic *Postgrad.* 1987, 81: 260-.
- Gov Y, Sterer N, Rosenberg M. In vitro effect of coffee on oral malodor-related parameters. *J. Breath Res.* 2010; 4(2): 026004.
- Graham CS, Graham BG, Bartlett JA, Heald AE, Schiffman SS. Taste and smell losses in HIV-infected patients. *Physiol Behav.* 1995;58:287-.
- Greenman J, Lenton P, Seemann R, Nachnani S. Organoleptic assessment of halitosis for dental professionals general recommendations. *J. Breath Res.* 2014;8:017102 (9pp).
- Greer JJ, Reifenstein RJ, Almeida AF, Carter E. Sulfide-induced perturbations of the neuronal mechanisms controlling breathing in rats. *J Appl Physiol* 1995; 78:433–40. (PMID: 7759410)
- Greiff L, Andersson M, Wollmer P, Persson CG. Hypertonic saline increases secretory and exudative responsiveness of human nasal airway in vivo. *Eur Respir J.* 2003;21(2):308-312.
- Grzegorek EI, Michalik J, Kepa J, Wierzbicka M, Aleksinski M, Pierzynowska E. Subjective patients' opinion and evaluation of halitosis using halimeter and organoleptic scores. *Oral Dis.* 2005; 11(1):86-88.
- Grzegorek EI, Lipkowska E, Kepa J, Michalik J, Aleksinski M. Correlation of headache and problems of vision with halitosis. *Oral Diseases.* 2005; 11(1): 109 -.
- Grzegorek EI, Kepa J, Lipkowska E, Michalik J, Pierzynowska E, Placha R. Is transmission of bacteria that cause halitosis from pets to humans possible? *Oral Diseases*, 2005b, 11(1):96 - 97.
- Grigor J, Roberts AJ. Reduction in the levels of oral malodor precursors by hydrogen peroxide in vitro and in vivo assessments. *J. Clin Dent.* 1992; 3(4): 111-115.
- Gutiérrez AA. The Science Behind Stable, Super-Oxidized Water. *Wounds.* 2006; 18(1): 7-10.
- Gurbuz T, Tan H. Oral health status in epileptic children. *Pediatrics international: Official journal of the Japan Pediatric Society* 2010;52: 279-83.
- Gümüş C, Yıldırım A, erdiç P, Öztoprak B, Karaman B. Frontal Hücre Varlığının Frontal Sinüzit ve Anatomik Varyasyonlar ile İlişkisi. *C. Ü. Tıp Fakültesi Dergisi*, 2005; 27 (2): 69 – 73.
- Halikas JA. Psychotropic medication used in the treatment of alcoholism. *Hosp Community Psychiatry.* 1983; 34(11): 1035-1039.
- Hamilton LH. *Breath tests & gastroenterology*. 2nd edition. QuinTron WI, 1998.
- Hampelska K, Jaworska MM, Babalska ZJ, Karpinski TM. The Role of Oral Microbiota in Intra-Oral Halitosis. *J. Clin. Med.* 2020, 9: 2484. Doi:10.3390/jcm9082484.
- Hansel A, Jordan A, Holzinger R, Prazeller P, Vogel W, Lindinger W. Proton transfer reaction mass spectrometry: On line trace gas analysis at the ppb level. *Int J Mass Spectrum Ion Proc*, 1995; 149/150:609-620.
- Haraszthy VI, Zambon J J, Sreenivasan P K, Zambon M M, Gerber D, Rego R, Parker C. Identification of oral bacterial species associated with halitosis. *Journal of the American Dental Association.* 2007; 138 :1113-1120.
- Haraszthy VI, Gerber D, Clark B, Moses P, Parker C, Sreenivasan PK, Zambon JJ. Characterization and prevalence of *Solobacterium moorei* associated with oral halitosis. *J Breath Res.* 2008; 2:017002.
- Hartley MG, El-Maaytah MA, Mc Kenzie C, Greenman J. The tongue microbiota of low odour and malodourous individuals. *Micro. Ecol. Health Dis.* 1996; 9: 215–223.
- Hartley G, McKenzie C, Greenman J, Mayatah MA, Scully C, Porter S. Tongue microbiota and malodour. Effects of metronidazole on tongue microbiota and breath odour. *Microbial Ecology In Health And Disease*, 1999; 11(4): 227-233. DOI:10.1080/089106099435673

- Harvey RJ. Diagnosis of Chronic Rhinosinusitis. In: Rhinosinusitis. Thaler ER, Kennedy DW, eds. New York: Springer LLC, 2008:43.
- Hatipoglu HG, Cetin MA, Yuksel E. Konka büllöza tipleri ile sinüzit, ostiomeatal birim ve frontal reses hastalığı ilişkisi. *Diagn Interv Radiol.* 2005; 11:145-149.
- Hayes ML, Hyatt T. The decarboxylation of amino acids by bacteria derived from human dental plaque. *Arch Oral Biol.* 1974; 19:361-369.
- Haze S, Gozu Y, Nakamura S, Kohno Y, Sawano K, Ohta H, Yamazaki K. 2-Nonenal newly found in human body odor tends to increase with aging. *J. Investig. Dermatol.* 2001, 116, 520–524.
- Heath TP, Melichar JK, Nutt DJ, Donaldson LF. Human taste thresholds are modulated by serotonin and noradrenaline. *J Neurosci.* 2006;26:12664-12671.
- Heilmann S, Hummel T. A new method for comparing orthonasal and retronasal olfaction. *Behavioral Neuroscience*, 2004; 118(2):412-419.
- Helms JA, Della-Fera M, Mott AE, Frank ME. Effects of chlorhexidine on human taste reception. *Arch Oral Biol.* 1995; 40:913-920.
- Henker J, Schuster F, Nissler K. Successful treatment of gut-caused halitosis with a suspension of living non-pathogenic *Escherichia coli* bacteria: A case report. *Eur J Pediatr* 2001; 160(10): 592–594.
- Henkin RI, Martin BM, Agarwal RP. Decreased parotid saliva gustin/carbonic anhydrase VI secretion: an enzyme disorder manifested by gustatory and olfactory dysfunction. *Am. J. Med. Sci.* 1999, 318: 380–391.
- Henkin RI, Velicu I, Papathanassiou A. cAMP and cGMP in human parotid saliva: relationships to taste and smell dysfunction, gender, and age. *Am J Med Sci.* 2007; 334(6): 431-440.
- Henry PJ, Johnston J F, Mttchet_L DF. Tis-sue changes beneath fixed partial dentures. *J Prosthet Dent* 1966; 16: 937-47.
- He X, Slupsky CM. Metabolic Fingerprint of Dimethyl Sulfone (DMSO₂) in Microbial–Mammalian Co-metabolism. *J. Proteome Res.* 2014, 13, 5281–5292.
- Hess J, Greenman J, Duffield J. Modelling oral malodour from a tongue biofilm. *J. Breath Res.* 2008;2: 017003 (6pp)
- Hızal E, Çakmak Ö. Burun ve paranasal sinüslerin fizyolojisi. In Temel Rinoloji, editör Koç C. Güneş Kitapevi, 2009, Ankara.
- Hibbard T, Crowley K, Killard AJ. AmBeR: The breath ammonia monitoring device. *Breath Analysis summit 2013, International Conference on Breath research 9-12 June 2013, Germany.*
- Hirano I, Kahrilas PJ, Pandolfino JE, Richter JE, Soll AH, Graham DY. In Yamada T, Alpers DH, et al. (editors) *Textbook of gastroenterology 5th edition 2009 Blackwell Pub. Chichester, West Sussex pp. 732,742,772,951 .*
- Hirsch AR. You are as you smell: The effect of odor and breath odor on social acceptance. *J. Breath Res.* 2008; 2:017001.
- Hirsch AR, Zavala G. Longterm effects on the olfactory system of exposure to hydrogen sulphide. *Occup. Environ. Med.* 1999;56(4):284-7.
- Hirsch AR, Bussell GS. Effects of inebriation on olfaction. *J Invest Med* 1995;43:422A.
- Hirsch AR, Cain DR. Evaluation of the Chicago smell test in a normal population. *Chem Senses* 1992;17: 642–3.
- Hirsch AR, Gotway MB, Harris AT. Validation of the Chicago smell test in patients with subjective olfactory loss. *Chem Senses* 1993;18: 571-
- Hisataka Ii, Toshio I, Yaegaki K, Irie K, Ekuni D, Morita m. Oral malodorous compound induces osteoclast differentiation without receptor activator of nuclear factor κB ligand. *J Periodontol.* 2010;81(11):1691-1697. doi: 10.1902/jop.2010.100116.
- Hu Y, Hu DY, Zheng LL, Lin JH. Establishment of malodor model and its effects on identifying the halitosis-related bacteria. *Hua Xi Kou Qiang Yi Xue Za Zhi.* 2007;25(3):226-229.
- Hofer D, Puschel B, Drenckhahn D. Taste receptor-like cells in the rat gut identified by expression of alpha-gustducin. *Proc Natl Acad Sci.* 1996; 93:663 1-6634.
- Hoffmeyer F, Heimsoth MR, Weiss T, Lehnert M, Gawrych K, Kendzia B, Harth V,
- Henry J, Pesch B, Bruning T, WELDOX Group. Relation between biomarkers in exhaled breath condensate and internal exposure to metals from gas metal arc welding. *J. Breath Res.* 2012; 6:027105.
- Ollister EB, Gao C, Versalovic J. Compositional and functional features of the gastrointestinal microbiome and their effects on human health. *Gastroenterology* 2014; 146:1449–1458 (PMID: 24486050 DOI: 10.1053/j.gastro.2014.01.052)
- Hom S, Walsh B, Hunt J. Matrix effect in exhaled breath condensate interferon-gamma immunoassay. *J. Breath Res.* 2008; 2:041001 (4pp)
- Hornfeldt CS. A report of acute ethanol poisoning in a child mouthwash vs cologne, perfume and alternative. *Clin Toxicol*, 1992;30(1):15-
- Horvath I, Hunt J, Barnes PJ. Exhaled breath condensate: methodological recommendations and unresolved questions. *Eur Respir J.* 2005; 26: 523-548.

- Hoshi K, van Steenberghe D. The effect of tongue brushing or toothpaste application on oral malodour reduction. In: van Steenberghe D, Rosenberg M. Bad breath: A multidisciplinary approach. Leuven, Belgium: Leuven University Press; 1996:255-264.
- Hoshi K, Yamano Y, Mitsunaga A, Shimizu S, Kagawa J and Ogiuchi H. Gastrointestinal diseases and halitosis: association of gastric *Helicobacter pylori* infection. *Int. Dent. J.* 2002; 52(3): 207-211.
- Hosoki R, Matsuki N, Kimura H. The possible role of hydrogen sulfide as an endogenous smooth muscle relaxant in synergy with nitric oxide. *Biochem Biophys Res Commun* 1997;237:527–531. (PMID: 9299397)
- Högman H, Meriläinen P. Extended NO analysis in asthma. *J. Breath Res.*2007; 1:8-.
- Hujuel PP, Lydon-Rochelle M, Bollen AM, Woods JS, Geurtsen W, del Aguila MA. Mercury Exposure from Dental Filling Placement during Pregnancy and Low Birth Weight Risk. *Am J Epidemiol.* 2005; 161(8):734-740.
- Huttenbrink K B. Disorders of the sense of smell and taste *Ther. Umsch.* 52 732–7 (1995)
- Hummel T, Olgun S, Gerber J, Huchel U, Frasnelli J. Brain responses to odor mixtures with sub-threshold components. *Frontiers in Psychology*, 2013, 4:786.
- Hyung JL, Lee J. Indole as an intercellular signal in microbial communities. *FEMS Microbiol Rev* 2010; 34:426–444.
- Ierardi E, Amoroso A, La Notte T, Francavilla R, Castellana S, Marrazza E, Monno RA, Francavilla A. Halitosis and *Helicobacter pylori*: A possible relationship. *Dig. Dis. Sci.* 1998; 43 2733-2737.
- Imanzadeh F, Imanzadeh A, Sayyari AA, Yagenah M, Javaherizadeh H, Hatamian B. *Helicobacter pylori* infection; in cases with and with out subjective halitosis. *Professional Med J*, 2010; 17(4): 543-545.
- Inglis TJJ, Hahnec DR, Merritt AJ, Clarke MW. Volatile-Sulfur-Compound Profile Distinguishes *Burkholderia pseudomallei* from *Burkholderia thailandensis*. *J Clin Microbiol*, 2015; 53: 1009-1011.
- Ingram PR, Pitt AR, Wilson CG, Olejnik O, Spickett CM. A comparison of the effects of ocular preservatives on mammalian and microbial ATP and glutathione levels. *Free Radical Research.* 2004; 38(7): 739-750.
- Ioannidis JPA. Why most published research findings are false. *PLOS Medicine.* 2005; 2 (8): e124. doi:10.1371/journal.pmed.0020124.
- Irie K, Ekuni D, Yamamoto T, Morita M, Yaegaki K, Ii H, Imai T. A single application of hydrogen sulphide induces a transient osteoclast differentiation with RANKL expression in the rat model. *Archives of Biology*, 2009; 54:723-729
- Irie K, Ekuni D, Tomofuji T, Endo Y, Kasuyama K, Yaegaki K, Morita M. Combined effects of hydrogen sulfide and lipopolysaccharide on osteoclast differentiation in rats. *J Periodontol.* 2012; 83(4):522-527.
- Ishkitiev N, Calenic B, Aoyama I, Ii H, Yaegaki K, Toshio T. Hydrogen sulfide increases hepatic differentiation in tooth-pulp stem cells. *J. Breath Res.* 2012; 6:017103.
- Ito S, Shimura S, Tanaka T Yaegaki K. Myrsinoic acid B inhibits the production of hydrogen sulfide by periodontal pathogens in vitro. *J. Breath Res.* 4 (2010) 026005 (8pp) doi:10.1088/1752-7155/4/2/026005.
- Ito K, Kurokawa A, Takei N. Efficiency of tongue brushing on oral malodor. *J Dental Proceedings of the 33rd congress of Japanese Association of Dental Hygienists.* 2000 pp 82-33.
- Iwamoto T, Suzuki N, Tanabe K et al. Effects of probiotic *Lactobacillus salivarius* WB21 on halitosis and oral health: an open-label pilot trial. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2010; 110(2): 201–208.
- Iwakura M, Yasuno Y, Shimura M, Sakamoto S. Clinical characteristics of halitosis: Differences in two patient groups with primary and secondary complaints of halitosis. *J Dent Res*, 1994; 73:1568-1574.
- Iwu CO, Akpata O. Delusional halitosis. Review of the literature and analysis of 32 cases. *Br Dent J.* 1990;168(7):294-296.
- Jacobs DS, DeMott WR, Oxley DK. Laboratory test handbook. 2nd ed. Lexicomp 2002 Cleveland.
- Jacobs DS, Oxley DK, DeMott WR. Laboratory Test Handbook. 2nd edition. Lexicomp Inc, 2002.
- James P, Worthington HV, Parnell C, Harding M, Lamont T, Cheung A. Chlorhexidine mouthrinse as an adjunctive treatment for gingival health. *Cochrane Database Syst Rev.* 2017;3:CD008676
- Jappinen P, Vilkkä V, Marttila O, Haahtela T. Exposure to hydrogen sulphide and respiratory function. *Br.J.Ind.Med.*1990; 47(12):824-828.
- Jassoma E, Baeesa L, Sabbagh H. The antiplaque/anticariogenic efficacy of *Salvadora persica* (Miswak) mouthrinse in comparison to that of chlorhexidine: a systematic review and meta-analysis. *BMC Oral Health.* 2019; 19(1):64-. doi: 10.1186/s12903-019-0741-5.
- Jeffrey DS. Publication Bias: The "file-drawer problem" in scientific inference. *Journal of Scientific Exploration.* 2000; 14 (2): 94–106. arXiv:physics/9909033.
- Jeziorek M, Frej-Mądrzak M, Choroszy-Król I. The influence of diet on gastrointestinal *Candida* spp. colonization and the susceptibility of *Candida* spp. to antifungal drugs. *Rocz Panstw Zakl Hig.* 2019;70(2):195-200. doi: 10.32394/rpzh.2019.0070. PMID: 31215785.
- Jinks, A, and Laing, D. G. A limit in the processing of components in odour mixtures. *Perception.* 1999; 28: 395–404. doi: 10.1068/p2898.

- Johannsen A, Emilson CG, Johannsen G, Konradsson K, Lingström P, Ramberg PE Effects of stabilized stannous fluoride dentifrice on dental calculus, dental plaque, gingivitis, halitosis and stain: A systematic review. *Heliyon*. 2019; 5(12):e02850. doi: 10.1016/j.heliyon.2019.e02850.
- John M, Vandana KL. Detection and measurement of oral malodour in periodontitis patients. *Ind J Dent res*. 2006; 17(1):2-6.
- Johnson PW, Lancero H. Function of gingival fibroblasts and periodontal ligament cells in the presence of methyl mercaptan. *Quintessence Int*. 1999; 30(5): 343-349.
- Johnson PW, Yaegaki K, Tonzetich J. Effect of methyl mercaptan on synthesis and degradation of collagen. *J Periodont Res*, 1996; 31:323-.
- Johnson PW, Tonzetich J. Sulfur uptake by type I collagen from methyl mercaptan/domethyl sulfide air mixture. *J Dent Res* 1985; 64:1361-
- Johnson PW, Tonzetich J, Pearce RH. Characterization of hydrogen sulphide reaction with rat-tail tendon type I collagen in vitro. *J Periodontal Res* 1985; 20:403-410.
- Johnson PW, Ng W, Tonzetich J. Modulation of human gingival fibroblast cell metabolism by methyl mercaptan. *J Periodontal Res* 1992; 27:476-483.
- Johnson PW, Yaegaki K, Tonzetich J. Effect of volatile thiol compounds on protein metabolism by human gingival fibroblasts. *J Periodontal Res* 1992; 27:553-561.
- Jonaitis LV, Kiudelis G, Kupèinskas L. Evaluation of a novel ¹⁴C-urea breath test Heliprobe in diagnosis of *Helicobacter pylori* infection. *Medicina*, 2007; 43(1):32-35.
- Jones AW, Andersson L. Determination of ethanol in breath for legal purposes using a five-filter infrared analyzer: studies on response to volatile interfering substances. *J. Breath Res*. 2008; 2: 026006 (7pp).
- Jones BL, Pearce RE, Rahman SMA, Friesen CA, James LP, Kearns GL. Characterization of delayed liquid gastric emptying in children by the 13C-acetate breath test. *J. Breath Res*. 2009; 3: 047004 (6pp).
- Jones L, Bunnell J, Stillman J. A 30-year follow-up of residual effects on New Zealand School Dental Nurses, from occupational mercury exposure. *Hum Exp Toxicol*. 2007; 26(4):367-374.
- Jonsson A, Hök B, Andersson L, Hedenstierna G. Methodology investigation of expirograms for enabling contact free breath alcohol analysis. *J. Breath Res*. 2009; 3: 036002 (8pp).
- Julak J, Stranska E, Rosova U, Geppert H, Spanel P, Smith D. Bronchoalveolar lavage examined by solid phase microextraction, gas chromatography-mass spectrometry and selected ion flow tube mass spectrometry. *Journal of Microbiological Methods*, 2006; 65:76-86.
- Jürgen F, Helmut B, Wolfgang L, Dieter M. Alcohols, Aliphatic, Ullmann's Encyclopedia of Industrial Chemistry, Weinheim: Wiley-VCH, 2000.
- Kagaya M, Iwata M, Toda Y, Nakae Y, Kondo T. Circadian rhythm of breath hydrogen in young women. *Journal of Gastroenterology*, 1998; 33(4), 472-476.
- Kagaya M, Iwata N, Toda Y, Nakae N, Kondo T. Small bowel transit time and colonic fermentation in young and elderly women. *Journal of Gastroenterology*. 1997; 32(4):453-456.
- Kakuk G. "Nil nocere!"--fitoterápia által okozott nephropathia [Nil nocere! Phytotherapy causing nephropathy]. *Orv Hetil*. 2000 Nov 19; 141(47):2555-8. Hungarian. PMID: 11143289.
- Kang MS, Kim BG, Chung J et al. Inhibitory effect of *Weissella cibaria* isolates on the production of volatile sulphur compounds. *J Clin Periodontol* 2006; 33(3): 226-232.
- Kalapos MP. On the mammalian acetone metabolism: from chemistry to clinical implications *Biochim. Biophys. Acta*, 2003; 1621: 122-.
- Kanazawa K, Konishi F, Mitsuoka T, Terada A, Itoh K, Narushima S, et al. Factors influencing the development of sigmoid colon cancer. *Bacteriologic and biochemical studies*. *Cancer* 1996; 77:1701-1706.
- Kanoh S, Kobayashi H, Motoyoshi K. Exhaled Ethane, An In Vivo Biomarker of Lipid Peroxidation in Interstitial Lung Diseases. *Chest*, 2005; 128; 2387-2392.
- Kafil V. Physiological role for nitrate-reducing oral bacteria in blood pressure control. *Free Rad. Biol Med*. 2013, 55: 93-100.
- Kapila YL, Lancero H, Johnson PW. The response of periodontal ligament cells to fibronectin. *J Periodontol* 1998; 69: 1008-1019.
- Karimi K, Kandiah N, Chau J, Bienenstock J, Forsythe P. A *Lactobacillus rhamnosus* strain induces a heme oxygenase dependent increase in Foxp3+ regulatory T cells. *PLoS One*. 2012; 7(10):e47556. doi:10.1371/journal.pone.0047556
- Karring ES, Stavropoulos A, Ellegaard B, Karring T. Treatment of peri-implantitis by the Vector system. *Clin Oral Implants Res*. 2005; 16:288-93.
- Kasap E, Zeybel M, Yüceyar H. Halitosis. *Güncel Gastroenteroloji*. 2009, 13:72-76.
- Kazani S, Israel E. Exhaled breath condensates in asthma: diagnostic and therapeutic implications. *J. Breath Res*. 2010; 4:047001 (13pp).

- Katsinelos P, Tziomalos K, Chatzimavroudis G, Vasiliadis T, Katsinelos T, Pilpilidis I, Triantafyllidis I, Paroutoglou G and Papaziogas B. Eradication therapy in *Helicobacter pylori*-positive patients with halitosis: long-term outcome Med. Princ. Pract, 2007; 16: 119-123.
- Kawamoto A, Sugano N, Motohashi M, Matsumoto S, Ito K. Relationship between oral malodor and the menstrual cycle. J Periodont Res 2010; 45: 681–687.
- Kazor CE, Mitchell PM, Lee AM, Stokes LN, Loesche WJ, Dewhirst FE, Paster BJ. Diversity of bacterial populations on the tongue dorsa of patients with halitosis and healthy patients. J Clin Microbiol, 2003; 41: 558-563.
- Kearney DJ, Hubbard T, Putnam D. Breath Ammonia Measurement in *Helicobacter pylori* Infection. Digestive Diseases and Sciences, 2002; 47(11): 2523-2530.
- Keceli TI, Gulmez D, Dolgun A, Tekcicek M. The relationship between tongue brushing and halitosis in children: A randomized controlled trial. Oral Diseases. 2015; 21: 66–73.
- Kerr AR, Corby PM, Kalliontzi K, McGuire JA, Charles CA. Comparison of two mouthrinses in relation to salivary flow and perceived dryness. Oral Surg Oral Med Oral Pathol Oral Radiol. 2015;119(1):59-64.
- Khalid TY, Saad S, Greenman J, Costello BL, Probert CSJ, Ratcliffe NM. Volatiles from oral anaerobes confounding breath biomarker discovery. J. Breath Res. 2013;7: 017114 (12pp).
- Kharitonov SA, Barnes PJ. Biomarkers of some pulmonary diseases in exhaled breath. Biomarkers. 2002;7(1):1-32.
- Khalefa M, Finke C, Jost-Brinkmann PG. Effects of air-polishing devices with different abrasives on bovine primary and second teeth and deciduous human teeth. J Orofac Orthop. 2013 Sep;74(5):370-80. doi: 10.1007/s00056-013-0168-6. Epub 2013 Aug 23. PMID: 23974443.
- Khouri MR, Huang G, Shiau YF. Sudan stain of fecal fat: new insight into an old test. Gastroenterology. 1989;96(2):421-427.
- Kılıçarslan MA. Sabit protez X. Ve X1. sınıf ders kitabı. Ankara: Şule Ofset Matbaacılık; 2005.
- Kilian M. The oral microbiome—an update for oral healthcare professionals. Br Dent J. 2016; 221: 657–666.
- Kim DJ, Lee JY, Kho HS, Chung JW, Park HK, Kim YK. A new organoleptic testing method for evaluating halitosis. J Periodontol, 2009;80:93-.
- Kim JG, Kim YJ, Yoo SH, Lee SJ, Chung JW, Kim MH, Park DK, Hahn KB. Halimeter ppb Levels as the Predictor of Erosive Gastroesophageal Reflux Disease. Gut Liver. 2010; 4(3):320-325.
- Kimura K, Sekine Y, Furukawa S, Takahashi M, Oikawa D. Measurement of 2-nonenal and diacetyl emanating from human skin surface employing passive flux sampler-GCMS system. J. Chromatogr. B Analyt. Technol. Biomed. Life Sci. 2016, 1028, 181–185.
- Kinberg S, Stein M, Zion N, Shaoul R. The gastrointestinal aspects of halitosis. Can J Gastroenterol. 2010; 24(9):552-556.
- King J, Koc H, Unterkofler K, Mochalski P, Kupferthaler A, Teschl G, Teschl S, Huber H, Amann A. Physiological modeling of isoprene dynamics in exhaled breath. Journal of Theoretical Biology, 2010; 267:626-637.
- King J, Kupferthaler A, Unterkofler K, Koc H, Teschl S, Teschl G, Miekisch W, Schubert J, Hinterhuber H, Amann A. Isoprene and acetone concentration profiles during exercise on an ergometer. J. Breath Res. 2009; 3: 027006 (16pp)
- Kilburn KH, Warshaw RH. Hydrogen sulfide and reduced-sulfur gases adversely affect neurophysiological functions. Toxicol. Ind. Health, 1995; 11:185-197.
- King J, Mochalski P, Kupferthaler A, Unterkofler K, Koc H, Filipiak W, Teschl S, Hinterhuber H, Amann A. Dynamic profiles of volatile organic compounds in exhaled breath as determined by a coupled PTR-MS/GC-MS study. Physiol. Meas. 2010; 31:1169-1184.
- King J, Kupferthaler A, Frauscher B, Hackner H, Unterkofler K, Teschl G, Hinterhuber H, Amann A, Höggl B. Measurement of endogenous acetone and isoprene in exhaled breath during sleep Physiol. Meas. 2012; 33 413–28
- Kislig K, Wilder-Smith CH, Bornstein MM, Lussi A, Seemann R. Halitosis and tongue coating in patients with erosive gastroesophageal reflux disease versus nonerosive gastroesophageal reflux disease. Clin Oral Investig. 2013; 17(1):159-165.
- Kleinberg I, Wolf MS, Codipilly DM. Role of saliva in oral dryness, oral feel and oral malodour. Int Dent J, 2002; 52:236-240.
- Kleinberg I, Codipilly M. Modeling of the oral malodor system and methods of analysis. Quintessence Int. 1999; 20:357-369.
- Kleinberg I, Codipilly DM. Cystein challenge testing: a powerful tool for examining oral malodour processes and treatments in vivo. International Dental Journal. 2002; 52:221-228.
- Kleinberg I, Codipilly M and Globerman D. Oxygen depletion by the oral microbiota and its role in oral malodour formation Bad Breath: A Multidisciplinary Approach ed D Van Steenberghe and M Rosenberg (Leuven, Belgium: Leuven University Press) pp 95–109 1996.

- Kleinberg I, Codipilly DM. H₂S generation and Eh reduction in cysteine challenge testing as a means of determining the potential of test products and treatments for inhibiting oral malodor. *J. Breath Res*, 2008;2:017019 10pp.
- Klerk N, Maudsdotter L, Gebreegziabher H, Saroj SD, Eriksson B, Eriksson OS, Roos S, Lindén S, Sjölander H, Jonsson AB. *Lactobacilli* Reduce *Helicobacter pylori* Attachment to Host Gastric Epithelial Cells by Inhibiting Adhesion Gene Expression. *Infect. Immun.* 2016 84:1526-1535
- Klotzer WT, Langeland K. Tierexperimentelle Prüfung von Materialien und Methoden der Kronen- und Brückenprothetik. *Sckweiz Monatsschr Zahnheilkd* 1973; 83: 163-232.
- Kocatürk S, Beriat GK, Doğan C. Zenker divertikülü: Olgu sunumu. *Kulak Burun Bogaz Ihtis Derg.* 2009;19(6):311-315.
- Koga C, Yoneda M, Nakayama K, Yokoue S, Haraga M, Oie T, Suga A, Okada F, Matsuura M, Tsue F, Suzuki N, Hirofuji T. The Detection of Candida Species in Patients with Halitosis. *International Journal of Dentistry*, 2014; 857647. doi/10.1155/2014/857647
- Kohno M, Tanaka E, Nakamura T, Shimojo N, Misawa S. Influence of short-term inhalation of hydrogen sulfide in rats. *Eisei Kagaku Japanese Journal of Toxicology and Environmental Health*, 1991; 37:103-106.
- Kokoszka J, Nelson RL, Swedler WI, Skosey J, Abcarian H. Determination of inflammatory bowel disease activity by breath pentane analysis. *Dis Colon Rectum*, 1993; 36(6):597-601.
- Komai M, Goto T, Suzuki H, Takeda T, Furukawa Y. Zinc deficiency and taste dysfunction; contribution of carbonic anhydrase, a zinc-metalloenzyme, to normal taste sensation. *Biofactors* 2000;12(1-4):65-70.
- Kopczyk RA, Abrams H, Brown AT, Matheny JL, Kaplan AL. Clinical and microbiological effects of a sanguinaria-containing mouthrinse and dentifrice with and without fluoride during 6 months of use. *J Periodontol.* 1991; 62(10):617-622.
- Koshimune S, Awano S, Gohara K, Kurihara E, Ansai T, Takehara T. Low salivary flow and volatile sulfur compounds in mouth air. *Oral Surg Oral med Oral Pathol Oral Radiol Endod*, 2003;96:38-41.
- Koufman JA, Aviv JE, Casiano RR, Shaw GY. Laryngopharyngeal reflux: position statement of the committee on speech, voice, and swallowing disorders of the American Academy of Otolaryngology-Head and Neck Surgery. *Otolaryngol Head Neck Surg.* 2002; 127:32-35.
- Kowalik K, Krzeski A. The role of pepsin in the laryngopharyngeal reflux. *Otolaryngol Pol* 2017; 71 (6): 7-13 DOI: 10.5604/01.3001.0010.7194
- Kozłowski Z, Miklaszewska BB, Konopka T, Kawa ZD, Lewczyk. Using a Halitometer to Verify the Symptoms of Halitosis. *Adv Clin Exp Med* 2007, 16(3): 411-416.
- Kozlovsky A, Gordon D, Gelernter I, Loesche WJ, Rosenberg M. Correlation between the BANA test and oral malodor parameters. *J Dent Res* 1994; 73:1036-1042.
- Kozlovsky A, Rosenberg M. The complaint of oral malodor: Possible psychopathological aspects. *Psychosomatic Medicine*. 1996;58:156-.
- Kozlovsky A, Goldberg S, Natour I, Rogatky-Gat A, Gelernter I, Rosenberg M. Efficacy of a two phase oil water mouthrinse in controlling oral malodor, gingivitis and plaque. *J Periodontol*, 1996; 67(6): 577-578.
- Krespi YP, Shrimme MG, Kacker A. The relationship between oral malodor and volatile sulfur compound-producing bacteria. *Otolaryngology-Head and Neck Surgery*, 2006; 135: 671-676.
- Kundu SK, Bruzek JA, Nair R, Judilla AM. Breath Acetone Analyzer: Diagnostic Tool to Monitor Dietary Fat Loss. *Clin. Chem*, 1993;39(1):87-.
- Kozeowski Z, Mikeaszewska BB, Konopka T, Kawa ZD, Lewczyk E. Using a Halitometer to Verify the Symptoms of Halitosis. *Adv Clin Exp Med*. 2007; 16(3): 411-416.
- Kumar S, Kumar SS, Gupta A, Roy S, Sareen S, Khajuria S. A Profilometric Study to Assess the Role of Toothbrush and Toothpaste in Abrasion Process. *J Dent Shiraz Univ Med Sci*, 2015 16(3): 267-273.
- Kuntze K, Vogt C, Richnow HH, Boll M. Combined Application of PCR-Based Functional Assays for the Detection of Aromatic-Compound-Degrading Anaerobes. *Applied and Environmental Microbiology*. 2011; 77(14):5056-5061.
- Kursun S, Acar B, Atakan C, Oztas B, Paksoy CS. Relationship between genuine and pseudohalitosis and social anxiety disorder. *J Oral Rehabil.* 2014; 41:822-. <https://doi.org/10.1111/joor.12206>
- Kushch I, Arendacka B, Stolc S, Mochalski P, Filipiak W, Schwarz K, Schwentner L, Schmid A, Dzien A, Lechleitner M, Witkovsky V, Miekisch W, Schubert J, Unterkofler K, Amann A. Breath isoprene - aspects of normal physiology related to age, gender and cholesterol profile as determined in a proton transfer reaction mass spectrometry study. *Clin Chem Lab Med*, 2008; 46(7): 1011-1018.
- Kushch I, Schwarz K, Schwentner L, Baumann B, Dzien A, Schmid A, Unterkofler K, Gastl G, Spänel P, Smith D, Amann A. Compounds enhanced in a mass spectrometric profile of smokers' exhaled breath versus non-smokers as determined in a pilot study using PTR-MS. *J. Breath Res.* 2008; 2: 026002 (26pp).
- Kwak J, Yi W, Willse A, Preti G, Mennella J, Steinmeyer A, Wahl J, Yamazaki K, Beauchamp G. Effect of Diet on Volatile Profiles of Urines and Sweat in Humans. Poster: Vetmeduni Vienna on October 1, 2015

- Kyoizumi H, Yamada J, Suzuki T, Kanehira M, Finger WJ, Sasaki K. Effects of toothbrush hardness on in vitro Wear and roughness of composite resins. *J Contemp Dent Pract* 2013; 14(6):1137-1144.
- Lachenmeier DW, Gumbel-Mako S, Sohnius EM, Keck-Wilhelm A, Kratz E, Mildau G. Salivary acetaldehyde increase due to alcohol-containing mouthwash use: a risk factor for oral cancer. *Int J Cancer*, 2009; 125(3):730-5.
- Laleman I, Dadamio J, De Geest S, Dekeyser C, Quirynen M. Instrumental assessment of halitosis for the general dental practitioner. *J Breath Res*. 2014; 8: 017103.
- Lambert TW, Goodwin VM, Stefani D, Strosher L. Hydrogen sulfide (H₂S) and sour gas effects on the eye A historical perspective. *Sci Total Environ*. 2006;367:1-22.
- Lancero H, Johnson PW. Methyl mercaptan modulates the expression of alfa5beta1 in periodontal cells. *J Den Res*. 1996; 75:324-.
- Lancero H, Niu J, Johnson PW. Exposure of periodontal ligament cells to methyl mercaptan reduces intracellular pH and inhibits cell migration. *J Dent Res*. 1996;75:1994-2002.
- Lancero H, Niu J, Johnson PW. Thiols modulate metabolism of gingival fibroblasts and periodontal ligament cells. In: van Steenberghe SD, Rosenberg M, editors. *Bad breath, a multidisciplinary approach*. Leuven: Leuven University Press; 1996. p. 63-78.
- Landis BN, StowNW, Lacroix JS, Hugentobler M, Hummel T. Olfactory disorders: The patients' view. *Rhinology*. 2009, 47: 454-459.
- Landis BN, Hummel T, Lacroix JS. Basic and Clinical Aspects of Olfaction. *Advances and Technical Standards in Neurosurgery*, 2016, Vol. 30 Edited by J.D. Pickard DOI: 10.1007/3-211-27208-9_3.
- Lang HP, Ramseyer JP, Grange W, Braun T, Schmid D, Hunziker P, Jung C, Hegner M, Gerber C. An Artificial Nose Based on Microcantilever Array Sensors. *Journal of Physics*. 2007; 61: 663-667.
- Lang NP, Catalanotto FP, Knopfli R, Antzak AAA Quality specific taste impairment following application of chlorhexidine gluconate mouthrinses. *J Clin Periodontol*. 1988; 15:43-48.
- Lanza DC. Diagnosis of chronic rhinosinusitis. *Ann Otol Rhinol Laryngol* 2004; 193(1): 10–14.
- Laughon BE, Syed SA, Loesche WJ. API ZYM system for identification of *Bacteroides* spp., *Capnocytophaga* spp., and *spirochetes* of oral origin. *Journal of clinical microbiology*. 1982;15:97-102.
- Lauritano EC, Bilotta AL, Gabrielli M, Scarpellini E, Lupascu A, Laginestra A, Novi , Sottili S, Serricchio M, Cammarota G, Gasbarrini G, Pontecorvi A, Gasbarrini A. Association between hypothyroidism and small intestinal bacterial overgrowth. *J Clin Endocrinol Metab*. 2007; 92(11):4180-4184. doi: 10.1210/jc.2007-0606.
- Lawson RA, Carroll K. Delayed halitosis-a rare cause. *Postgrad Med J*. 1982; 58(675):52-54.
- Lechner J, Baehr V. Stimulation of proinflammatory cytokines by volatile sulfur compounds in endodontically treated teeth. *International Journal of General Medicine*. 2015; 8: 109-118.
- Lechner M, Karlseder A, Niederseer D, Lirk P, Neher A, Rieder J, Tilg H. *H. pylori* infection increases levels of exhaled nitrate. *Helicobacter*. 2005; 10(5): 385-390.
- Lee H, Kho HS, Chung JW, Chung SC, Kim YK. Volatile sulfur compounds produced by *Helicobacter pylori*. *J Clin Gastroenterol*. 2006;40(5):421-
- Lee CH, Kho HS, Chung SC, Lee SW, Kim YK. The relationship between volatile sulfur compounds and major halitosis-inducing factors. *J Periodontol*. 2003; 74(1): 32-37.
- Lee SH, Choi BK. Antibacterial Effect of Electrolyzed Water on Oral Bacteria. *The Journal of Microbiology*. 2006, 44(4):417-422.
- Lee ES, Yim HK, Lee HS, Choi JH, Lee JH, Kim BI. Clinical assessment of oral malodor using autofluorescence of tongue coating. *Photodiagnosis and Photodynamic Therapy*. 2016; 13:323–329.
- Lee KN, Lee OY, Koh DH, Sohn W, Lee SP, Jun DW, Lee HL, Yoon BC, Choi HS, Hahm JS. Association between symptoms of irritable bowel syndrome and methane and hydrogen on lactulose breath test. *J Korean Med Sci*. 2013; 28:901-907.
- Leo G, Triulzi F, Incorvaia C. Diagnosis of chronic rhinosinusitis. *Pediatr Allergy Immunol*. 2012; 23(22): 20-26.
- Leonardos G, Kendall D, Barnard N. Odor Threshold Determinations of 53 Odorant Chemicals, *Journal of the Air Pollution Control Association*, 1969; 19:2, 91-95.
- Leopold DA, Preti G, Mozell MM, Youngentob SL, Wright HN. Fish-odor syndrome presenting as dysosmia. *Arch Otolaryngol Head Neck Surg*. 1990; 116:354-355.
- Leopold, D. Distortion of olfactory perception: Diagnosis and treatment. *Chemical Senses* 2002; 27(7): 611–615.
- Leonte II, Sehra G, Cole M, Hesketh P, Gardner JW. Taste sensors utilizing high-frequency SH-SAW devices. *Sensors and Actuators B*. 2006; 118:349-355.
- Létouffé S, Audrain B, Bernier SP, Delepierre M, Ghigo JM. Aerial Exposure to the Bacterial Volatile Compound Trimethylamine Modifies Antibiotic Resistance of Physically Separated Bacteria by Raising Culture Medium pH. *MBio*. 2014; 5(1):e00944-13.
- Levine J, Ellis CJ, Furne JK, Springfield J, Levitt MD. Fecal hydrogen sulfide production in ulcerative colitis. *Am J Gastroenterol* 1998;93:83-.

- Levitt MD, Springfield J, Furne J, Koenig T, Suarez FL. Physiology of sulfide in the rat colon: use of bismuth to assess colonic sulfide production. *J Appl Physiol.* 2002; 92: 1655-1660.
- Levitt MD, et al. Detoxification of hydrogen sulfide and methanethiol in the cecal mucosa. *J Clin Invest* 1999; 104:1107-1114.
- Levitt MD. Production and excretion of hydrogen gas in man. *New Engl J Med.* 1969; 281: 122–127.
- Lie Ma, Veijden GA, Timmerman MF, Loos BG, Steenbergen TJM, Velden U. Oral microbiota in smokers and non-smokers in natural and experimental induced gingivitis. *J Clin periodontol.* 1998; 25:667-686.
- Ligor M, Ligor T, Bajtarevic A, Ager C, Pienz M, Klieber M, Denz H, Fiegl M, Hilbe W, Weiss W, Lukas P, Jamnig H, Hackl M, Buszewski B, Miekisch W, Schubert J, Amann A. Determination of volatile organic compounds in exhaled breath of patients with lung cancer using solid phase microextraction and gas chromatography mass spectrometry. *Clin Chem Lab Med.* 2009; 47(5):550-560.
- Ligor T, Szeliga J, Jackowski M, Buszewski B. Preliminary study of volatile organic compounds from breath and stomach tissue by means of solid phase microextraction and gas chromatography–mass spectrometry. *J. Breath Res.* 2007; 1:1 (6pp).
- Lin MI, Flaitz CM, Moretti AJ, Seybold SV, Chen JW. Evaluation of halitosis in children and mothers. *Pediatr Dent.* 2003; 25(6):553-558.
- Linde K, Jonas WB, Melchart D, Willich S. The methodological quality of randomized controlled trials of homeopathy, herbal medicines and acupuncture. *International Journal of Epidemiology.* 2001; 30 (3): 526–31. doi:10.1093/ije/30.3.526. PMID 11416076.
- Litofsky NS, Resnick AG. The relationships between depression and brain tumors. *J Neurooncol.* 2009; 94:153-161.
- Liu RT, Walsh RFL, Sheehan AE. Probiotics and prebiotics for depression and anxiety: A systematic review and meta-analysis of controlled clinical trials. *Neurosci Biobehav Rev.* 2019;102:13-23. doi: 10.1016/j.neubiorev.2019.03.023
- Lochner C, Stein DJ. Olfactory reference syndrome: diagnostic criteria and differential diagnosis. *J Postgrad Med.* 2003;49(4): 328-331.
- Loesche WJ, Kazor C. Microbiology and treatment of halitosis. *Periodontol 2000,* 2002; 28, 256–279.
- Loesche WJ, Lopatin DE, Giordano J, Alcoforado G, Hujoel P. Comparison of the Benzoyl-DL-Arginine-Naphthylamide (BANA) Test, DNA Probes, and Immunological Reagents for Ability to Detect Anaerobic Periodontal Infections Due to *Porphyromonas gingivalis*, *Treponema denticola* and *Bacteroides forsythus*. *J Clin Microbiol* 1992; 30;427-433.
- Loesche WJ, Syed SA, Stoll J. Trypsin like activity in subgingival plaque. A diagnostic marker for *spirochetes* and periodontal disease? *Journal of periodontology* 1987; 58:266-273.
- Loesche WJ, Giordano J, Hujoel PP. The utility of the BANA test for monitoring anaerobic infections due to spirochetes (*Treponema denticola*) in periodontal disease. *Journal of Dental Research.* 1990;69:1696-702.
- Lopes RG, Godoy CHL, Deana AM, Santi MES, Prates RA, França CM, Fernandes KPS, Ferrari RAM, Bussadori SK. Photodynamic therapy as a novel treatment for halitosis in adolescents: study protocol for a randomized controlled trial. *Trials.* 2014; (15):1-1.
- Lopes RG, Mota ACC, Soares C, Tarzia O, Deana AM, Prates RA, França CM, Fernandes KPS, Ferrari RAM, Bussadori SK. Immediate results of photodynamic therapy for the treatment of halitosis in adolescents: A randomized, controlled, clinical trial. *Lasers Med Sci.* 2016;31(1):41-.
- López JAS, Ziere A, Martins S, Zimmermann R, Yeretian C. Persistence of aroma volatiles in the oral and nasal cavities: real-time monitoring of decay rate in air exhaled through the nose and mouth. *J. Breath Res.* 2016; 10: 036005 doi:10.1088/1752-7155/10/3/036005.
- Lu X, Rasco BA, Jabal JMF, Aston De, Lin M, Konkel ME. Investigating Antibacterial Effects of Garlic (*Allium sativum*) Concentrate and Garlic-Derived Organosulfur Compounds on *Campylobacter jejuni* by Using Fourier Transform Infrared Spectroscopy, Raman Spectroscopy, and Electron Microscopy. *Applied Environmental Microbiology,* 2011; 77(15): 5257-5269.
- Lundstrom JN, Hummel T, Olsson, MJ. Individual differences in sensitivity to the odor of 4,16-androstadien-3-one. *Chem. Senses.* 2003; 28:643–650. doi: 10.1093/chemse/bjg057.
- Lupascu A, Lauritano C, et al. Small intestinal bacterial overgrowth prevalence in Parkinson's disease. *Gastroenterology.* 2005;128:W1742
- Lüssen AW, Husner A, Wolfensberger M, Hummel T. Influence of simultaneous gustatory stimuli on orthonasal and retronasal olfaction. *Neuroscience Letters.* 2009; 454: 124–128.
- Malasi TH, El-Hilu SR, Mirza IA, Fakhr El-Islam M. Olfactory delusional syndrome with various aetiologies. *Br J Psychiatry.* 1990;156:256-.
- Malik IA, Gopalan S. Use of CAM results in delay in seeking medical advice for breast cancer. *European Journal of Epidemiology.* 2002; 18 (8): 817–22. doi: 10.1023/A:1025343720564. PMID 12974558.

- Mantini A, Di Natale C, Macagnano A, Paolesse R, Finazzi-Agro A, D'Amico A. Biomedical application of an electronic nose. *Crit Rev Biomed Eng.* 2000; 28:481–485.
- Marawar PP, Sodhi NKA, Pawar RR, Mani MM. Halitosis: A silent affliction! *Chronicles of Young Scientists.* 2012; 3(4): 251-257.
- Marais JT, Brözel VS. Electro-chemically activated water in dental unit water lines. *British Dental J.* 1999;187(3):154-158.
- Marek EM, Volke J, Hawener I, Platen P, Müuckenhoff K, Marek W. Measurements of lactate in exhaled breath condensate at rest and after maximal exercise in young and healthy subjects. *J. Breath Res.* 2010; 4: 017105.
- Markley EJ, Mattes-Kulig DA, Henkin RI. A classification of dysgeusia. *J Am Diet Assoc.* 1983; 83:578-80.
- Maruniak JA, Silver WL, Moulton DG. Olfactory receptors respond to blood-borne odorants. *Brain Res.* 1983;265(2): 312-316.
- Marone G, Columbo A, De Paulis A, Cirillo R, Giugliano R, Condorelli M. Physiological concentrations of zinc inhibit the release of histamine from human basophils and lung mast cells. *Agents Actions.* 1986; 18(5), 607-.
- Maruta H, He H, Tikoo A, Vuong T, Nur-E-Kamal M. G proteins, phosphoinositides, and actin-cytoskeleton in the control of cancer growth. *Microsc Res Technol.* 1999;47:61-66.
- Marttila O, Jaakkola JJ, Partti-Pellinen K, Vilkkä V, Haahtela T. South Karelia Air Pollution Study: daily symptom intensity in relation to exposure levels of malodorous sulfur compounds from pulp mills. *Environ Res.* 1995;71:122-127.
- Masamune O, Takahashi T, Nagasaki A, Iwabuchi J, Ishikawa M. Diagnostic significance of the sudan III staining for fecal fat. *Tohoku J Exp Med.* 1977;122(4):397-402.
- Matias S, Attene-Ramos MS, Wagner ED, Plewa MJ, et al. Evidence that hydrogen sulfide is a genotoxic agent. *Mol Cancer Res.* 2006;4:9-
- Mazzone PJ. Exhaled breath volatile organic compound biomarkers in lung cancer. *J. Breath Res.* 2012; 6:027106.
- Mbodj E, Faye B, Faye D, Seck M, Sarr M, Ndiaye C, Dabo P, Diallo P. Prevalence of halitosis in patients with dental prostheses in Senegal. *Med. Tropic. Rev. Corps Sante Colon.* 2011; 71: 272-.
- McCulloch M, Jezierski T, Broffman M, Hubbard A, Turner K, Janecki T. Diagnostic accuracy of canine scent detection in early- and late-stage lung and breast cancers. *Intergrative Cancer Ther.* 2006; 5: 30-39.
- McCullough MJ, Farah CS. The role of alcohol in oral carcinogenesis with particular reference to alcohol-containing mouthwashes. *Aust Dent J.* 2008; 53(4):302-305.
- McGinley C M (ed) 2000 'Odor Basics': Understanding and Using Odor Testing (Lake Elmo, MN: St. Croix Sensory Inc.)
- McNamara TF, Alexander JF, Lee M. The role of microorganisms in the production of oral malodor. *Oral surgery, Oral Medicine, and Oral Pathology.* 1972; 34:41-48.
- Meers PD, Chow CK. Bacteriostatic and bactericidal actions of boric acid against bacteria and fungi commonly found in urine. *J Clin Pathol.* 1990;43:484 487.
- Meggs WJ. Neurogenic inflammation and sensitivity to environmental chemicals *Environ. Health Perspect.* 1983; 101: 234-238.
- Mehli M, Karslıoğlu T, Akgün S, Koruk M. Comparison of the Urea Breath Test And The Rapid Cassette Test (Card Test) in Diagnosis of *Helicobacter pylori*. *Gaziantep Tıp dergisi.* 2008; 12:5-10.
- Melchart D, Vogt S, Köhler W, Streng A, Weidenhammer W, Kremers L, Hickel R, Felgenhauer N, Zilker T, Wühr E, Halbach S. Treatment of health complaints attributed to amalgam. *J Dent Res.* 2008; 87(4): 349-353
- Melissa A. Pynnonen; Shradha S. Mukerji; H. Myra Kim; Meredith E. Adams; Jeffrey E. Terrell. Nasal Saline for Chronic Sinus Symptoms. *Arch Otolaryngol Head Neck Surg.* 2007;133(11):1115-1120.
- Metsala M, Schmidt FM, Skytta M, Vaittinen O, Halonen L. Acetylene in breath: Background levels and real-time elimination kinetics after smoking. *J. Breath Res.* 2010; 4:046003 (8pp).
- Milanowski M, Pomastowski P, Ligor T, Buszewski B. Saliva - Volatile Biomarkers and Profiles. *Crit. Rev. Anal. Chem.* 2017; 47: 251–266.
- Milella L. The Negative Effects of Volatile Sulphur Compounds. *J Vet Dent.* 2015; 32(2):99-102.
- Minamide T, Mitsubayashi K, Jaffrezic-Renault N, Hibi K, Endo H, Saito H. Bioelectronic detector with monoamine oxidase for halitosis monitoring. *Analyst.* 2005; 130: 1490-1494.
- Mirondo R, Barringer S. Deodorization of Garlic Breath by Foods, and the Role of Polyphenol Oxidase and Phenolic Compounds. *Journal of Food Science.* 2016; 81(10):2425-2430. doi: 10.1111/1750-3841.13439.
- Mitro S, Gordon AR, Olsson MJ, Lundström JN. The smell of age: Perception and discrimination of body odors of different ages. *PLoS ONE.* 2012; 7: e38110.
- Mitsubayashi K, Minamide T, Otsuka K, Kudo H, Saito H. Optical bio-sniffer for methyl mercaptan in halitosis. *Anal Chim Acta.* 2006;573:75-80. doi: 10.1016/j.aca.2006.01.062.
- Miyazaki H, Sakao S, Katoh Y. Correlation between volatile sulphur compounds and certain oral health measurements in the general population. *J Periodontol.* 1995;66(8):679-684.

- Miyazaki H, Arai M, Okamura K, Kawaguchi Y, Toyofuku A, Hoshi K, Yaegaki K. Tentative classification of halitosis and its treatment needs. *Niigata Dental Journal*. 1999; 32: 7–11.
- Moberg P J, Agrin R, Gur R E, Gur R C, Turetsky B I and Doty R L. Olfactory dysfunction in schizophrenia: a qualitative and quantitative review. *Neuropsychopharmacology*. 1999; 21: 325–340.
- Mock J, Zheng Y, Mueller AP, Ly S, Tran L, Segovia S, Nagaraju S, Köpke M, Dürre P, Thauer RK. Energy conservation associated with ethanol formation from H₂ and CO₂ in *Clostridium autoethanogenum* involving electron bifurcation. *J Bacteriol*. 2015; 197:2965–2980. doi:10.1128/JB.00399-15.
- Modak AS. Barriers to overcome for transition of breath tests from research to routine clinical practice. *J. Breath Res*. 2011; 5:030202.
- Modak AS. Stable isotope breath tests in clinical medicine: A review. *J. Breath Res*. 2007; 1(1):014003.
- Moen B, Hollund B, Riise T. Neurological symptoms among dental assistants: A cross-sectional study. *J Occup Med Toxicol*. 2008; 18:3:10.
- Mogilnicka I, Bogucki P, Ufnal M. Microbiota and Malodor—Etiology and Management. *Int. J. Mol. Sci*. 2020; 21:2886-. doi:10.3390/ijms21082886.
- Montain SJ, Cheuvront SN, Lukaski HC. Sweat mineral-element responses during 7 h of exercise-heat stress. *International journal of Sport nutrition and exercise metabolism*. 2007; 17(6): 574–582.
- Montalto M, Gallo A, Ojetti V, Gasbarrini A. Fructose, trehalose and sorbitol malabsorption. *Eur Rev Med Pharmacol Sci*. 2013; 17 (2): 26–9. PMID 24443064.
- Moore PK, Whiteman M. *Chemistry, Biochemistry and Pharmacology of Hydrogen Sulfide*. Springer International Publishing Switzerland 2015 DOI 10.1007/978-3-319-18144-8
- Moore JG, Jessop LD, Osborne DN. Gas-chromatographic and mass-spectrometric analysis of the odor of human feces. *Gastroenterology*. 1987; 93(6):1321-1329.
- Morath SU, Hung R, Benett JW. Fungal volatile organic compounds: A review with emphasis on their biotechnological potential. *Fungal Biology Reviews*. 2012; 26:73-83.
- Motta LJ, Bachiega JC, Guedes CC, Laranja LT, Bussadori SK. Association between halitosis and mouth breathing in children. *Clinics* 2011;66(6):939-942 DOI:10.1590/S1807-59322011000600003.
- Mott AE, Leopold DA. Disorders in taste and smell. *Med Clin North Am*. 1991; 75:1321-1353.
- Mott AE, Grushka M, Sessle BJ. Diagnosis and management of taste disorders and burning mouth syndrome. *Dent Clin North Am*. 1993; 37:33-
- Moretti M, Phillips M, Abouzeid A, Cataneo RN, Greenberg J. Increased breath markers of oxidative stress in normal pregnancy and in preeclampsia. *American Journal of Obstetrics and Gynecology*. 2004; 190:1184-1190.
- Morice AH. Post-nasal drip syndrome—a symptom to be sniffed at? *Pulm Pharmacol Ther*. 2004; 17(6):343-345.
- Morita M, Wang HL. Relationship of sulcular sulfide level to severity of periodontal disease and BANA test. *J Periodontol*. 2001; 72:74-78.
- Morita M, Wang HL. Relationship between sulcular sulfide level and oral malodor in subjects with periodontal disease. *J Periodontol*. 2001b; 72:79-84.
- Morimatsu H, Takahashi T, Matsusaki T, Hayashi M, Matsumi I, Shimizu H, Matsumi M, Morita K. An increase in exhaled CO concentration in systemic inflammation/sepsis. *J. Breath Res*. 2010, 4(4): 047103.
- Moshkowitz M, Horowitz N, Leshno M, Halpern Z. Halitosis and gastroesophageal reflux disease: A possible association. *Oral diseases*. 2007; 13:581-585.
- Mott AE, Leopold DA. Disorders in taste and smell. *Med Clin North Am*. 1991; 75:1321-1353.
- Motta LJ, Bachiega JC, Guedes CC, Laranja LT, Bussadori SK. Association between halitosis and mouth breathing in children. *Clinics Sao Paulo*. 2011;66(6):939-942.
- Murata T, Yaegaki K, Qian W, Herai M, Calenic B, Imai T, et al. Hydrogen sulfide induces apoptosis in epithelial cells derived from human gingiva. *J Breath Res*. 2008; 2:017007.
- Naik BS, Shetty N and Maben EVS. Drug-induced taste disorders. *Eur. J. Intern. Med*. 2010; 21 240-243.
- Nair S, Cope K, Risby TH, Diehl AM. Obesity and female gender increase breath ethanol concentration: potential implications for the pathogenesis of nonalcoholic steatohepatitis. *Am J Gastroenterol*. 2001; 96(4):1200-1204.
- Nakano Y, Yoshimura M, Koga T. Correlation between oral malodor and periodontal bacteria. *Microbes Infect* 2002; 4: 679–683.
- Nakano Y, Suzuki N, Kuwata F. Predicting oral malodour based on the microbiota in saliva samples using a deep learning approach. *BMC Oral Health*. 2018; 18: 128-.
- Nachnani S. The effects of Oral Rinse on halitosis. *JCDA*, 1997; 25(2):145-150.
- Nachnani S. Efficiency of Zinc Chloride based mouth rinse (BreathRx) compared to chlorine dioxide based mouth rinse (Oxyfresh). *Clinical data and safety*. 2000; 1-12.
- Nachnani S. Oral malodor: Causes, assessment, and treatment. *Compend Contin Educ Dent*. 2011, 32(1):22-24.
- Nagraj S K, George RP, Shetty N, Levenson D, Ferraiolo DM, Shrestha A. Interventions for managing taste disturbances. *Cochrane Database Syst Rev*. 2017; 12:CD010470.

- Nakhleh MK, Quatredeniers M, Haick H. Detection of Halitosis in Breath: Between the Past, Present and Future. *Oral Dis.* 2018;24(5):685-695. doi: 10.1111/odi.12699.
- Nani BD, Lima PO, Marcondes FK, Groppo FC, Rolim GS, Moraes AB, Cogo-Müller K, Franz-Montan M. Changes in salivary microbiota increase volatile sulfur compounds production in healthy male subjects with academic-related chronic stress. *PLoS One.* 2017; 12(3):e0173686. doi: 10.1371/journal.pone.0173686.
- Nalçacı R, Dülgergil T, Oba AA, Gelgör IE. Prevalence of breath malodour in 7–11-year-old children living in Middle Anatolia, Turkey. *Community Dent. Health.* 2008; 25: 173-177.
- Narasimhan LR, Goodman W, Kumar C, Patel N. Correlation of breath ammonia with blood urea nitrogen and creatinine during hemodialysis. *Proceedings of the National Academy of Sciences.* 2001; 98 (8):4617-4621.
- Natsch A, Derrer S, Flachsmann F, Schmid J. A broad diversity of volatile carboxylic acids, released by a bacterial aminoacylase from axilla secretions, as candidate molecules for the determination of human-body odor type. *Chem. Biodivers.* 2006; 3:1–20.
- Ndiaye D, Faye B, Benoist FL, Lecor PA, Bane K, Boustany K, Touré B. Evaluation of the level of knowledge regarding treatment of halitosis: investigation among dental surgeons in Burkina Faso. *Journal of Oral Health Research.* 2015; 6:1-6.
- Ng W, Tonzetich J. Effect of Hydrogen Sulfide and Methyl Mercaptan on the Permeability of Oral Mucosa. *J Dent Res.* 1984; 63(7): 994-.
- Ng DK, Chow PY, Kwok KL. Halitosis and the nose. *Hong Kong Med J.* 2005; 11(1):71-72.
- Nicholoso RA, Roth SH, Jian Zheng AZ, Brookes J, Skrajny B, Bennington R. Inhibition of respiratory and bioenergetic mechanisms by hydrogen sulfide in mammalian brain. *J Toxicol Environ Health Part A* 1998; 54:491–507. (PMID: 9661914)
- Niel CB, Cohen AL. On the metabolism of *Candida albicans*. *Journal of Cellular and Comparative Physiology* 2005; 20(1): 95-102.
- Nijland R, Burgess JG. Bacterial olfaction. *Biotechnol J.* 2010 Sep;5(9):974-7. doi: 10.1002/biot.201000174.
- Nigiz R, Dağ A, Zengingül Aİ, Akkus M. Sabit Protezlerde Köprü Gövdasının Ağız Mukozasında Oluşturduğu Histopatolojik ve Klinik Değişiklikler. *Dicle Tıp Dergisi* 2006;33(2):59-62.
- Nohno K, Yamaga T, Kaneko N, Miyazaki H. Tablets containing a cysteine protease, actinidine, reduce oral malodor: a crossover study. *J. Breath Res.* 2012;6: 017107 (5pp).
- Norbert W. Tietz (Ed) *Clinical Guide to laboratory tests* 3rd edition. W.B. Saunders Company Pennsylvania, 1995
- Nose K, Shimouchi A. Case study on changes in exhalation of carbon monoxide and nitrogen oxide in breath and skin gas during 2-day smoking cessation and restart. *J. Breath Res.* 2008; 2(3):037026. doi: 10.1088/1752-7155/2/3/037026.
- Novak BJ, Blake DR, Meinardi S, Rowland FS, Pontello A, Cooper DM, Galassetti PR. Exhaled methyl nitrate as a noninvasive marker of hyperglycemia in type 1 diabetes. *PNAS*, 2007; 104(40):15613-15618.
- Nukazawa S, Yoshimi H, Sato S. Autonomic nervous activities associated with bruxism events during sleep. *Cranio.* 2018; 36(2):106-112.
- Nunesa DC, Sahuquillo AM, Cameira MJ, Marques HD. Halitosis: Are dentists being prepared for this challenge? – A questionnaire survey in a dental school. *Rev Port Estomatol Med Dent Cir Maxilofac.* 2011;52(3):142–146.
- Oda M, Kito s, Tanaka T, et al. Prevalence and imaging characteristics of detectable tonsilloliths on 482 pairs of consecutive CT and panoramic radiographs. *BMC Oral Health.* 2013 14;13:54. doi: 10.1186/1472-6831-13-54.
- Odajima T, et al, Effect of frequent application of carcinogen upon lingual carcinogenesis experiment. *J Jpn Stomatol Soc.* 1979; 25:523-.
- Ogawa F, Shimizu K, Muroi E, Hara T, Hasegawa M, Takehara K, Sato S. Serum levels of 8-isoprostane, a marker of oxidative stress, are elevated in patients with systemic sclerosis. *Rheumatology.* 2006; 1093:1-4.
- Oguri T, Schneider B, Reitzer L. Cysteine Catabolism and Cysteine Desulfhydrase (CdsH/STM0458) in *Salmonella enterica* Serovar *Typhimurium*. *Journal of Bacteriology,* 2012; 194(16):4366–4376.
- Ogura T; Urade M, Matsuya T. Prevention of malodor from intraoral gauze with the topical use of Clindamycin. *Oral Surg Oral Med Oral Pathol.* 1992; 74(1):58-62. doi: 10.1016/0030-4220(92)90216-d.
- Ogunwande SA. Halitosis and abuse of antibiotics. Report of a case. *Ceylon Med J.* 1989; 34(3):131-133.
- Oho T, Yoshida Y, Shimazaki Y, Yamashita Y, Koga T. Characteristics of patients complaining of halitosis and the usefulness of gas chromatography for diagnosing halitosis. *Oral Surg Oral med Oral Pathol Oral Radiol Endod.* 2001; 91:531-534.
- O'Hara ME, Brock THC, Green S, Mayhew CA. Endogenous volatile organic compounds in breath and blood of healthy volunteers: examining breath analysis as a surrogate for blood measurements. *J. Breath Res.* 2009; 3:027005 (10pp).
- Oleszkiewicz A, Pellegrino R, Pusch K, Margot C, Hummel T. Chemical complexity of odors increases reliability of olfactory threshold testing. *Scientific Reports.* 2017; 7:39977· DOI: 10.1038/srep39977.
- Oliveira AC, Reber M, Lanzoni V, Ferraz ML, Parise ER. ¹³C-methacetin breath test in chronic hepatitis C liver disease. *Arq Gastroenterol.* 2006; 43(1):41-44.

- Olson DE, Rasgon BM, Hilsinger RL. Radiographic comparison of three methods for nasal saline irrigation. *Laryngoscope*. 2002;112(8):1394-.
- Omar ME, Valvano MA. Putrescine Reduces Antibiotic-Induced Oxidative Stress as a Mechanism of Modulation of Antibiotic Resistance in *Burkholderia cenocepacia*. *Antimicrob. Agents Chemother.* 2014; 58(7): 4162-4171.
- Ommat R. *Vademacum*. Deva Holding. Ankara, 2007.
- Ondrula D, Nelson RL, Andrianopoulos G, Schwartz D, Abcarian H, Birnbaum A, Skosey J. Quantitative determination of pentane in exhaled air correlates with colonic inflammation in the rat colitis model. *Dis Colon Rectum*. 1993; 36(5): 457-462.
- Ongole R, Shenoy N. Halitosis: Much beyond oral malodor. *Kathmandu University Medical Journal*. 2010; 8(2-30), 269-275.
- Oshima H, Kajiwara M. ¹³C-urea breath test. *Nihon Rinsho*. 2003; 61(1):67-71.
- Osaki T, Ohshima M, Tomita Y, Matsugi N, Nomura Y. Clinical and physiological investigations in patients with taste abnormality. *J Oral Pathol Med*. 1996; 25:38-43.
- Oshiro A, Zaito T, Ueno M, Kawaguchi Y. Characterization of oral bacteria in the tongue coating of patients with halitosis using 16S rRNA analysis. *Acta Odontol Scand*. 2020; 1-6. doi: 10.1080/00016357.2020.1754459.
- Outhouse TL, Al-Alawi R, Fedorowicz Z, Keenan JV. Tongue scraping for treating halitosis. *Cochrane Database Syst Rev*. 2006; 2:CD005519.
- Outhouse TL, Fedorowicz Z, Keenan JV, Al-Alawi R. A Cochrane systematic review finds tongue scrapers have short-term efficacy in controlling halitosis. *Gen Dent*. 2006; 54(5): 352-359.
- Özcan M, Şahin C, Tezer MS. Koku bozukluklarının tedavisi. *Dirim*; 2006, 4:235-240.
- Özdemir A, Sayal A, Akça E, Aydın A. The determination of saliva zinc level following delivery from zinc containing toothpaste. *J Medical Sciences*. 1998; 28:281-283.
- Özen ME, Aydın M. Unremitting halitosis: A case of Olfactory Reference Syndrome. *Klinik Psikiyatri* 2016;19:149-151 DOI: 10.5505/kpd.2016.36844.
- Özen ME, Aydın M. Subjective halitosis: definition and classification. *J N J Dent Assoc*. 2015; 86(4):20-24.
- Özen ME, Aydın M. Olfactory Reference Syndrome: A Separate Disorder Or Part Of A Spectrum. *British Journal of Pharmaceutical and Medical Research*. 2019; 4(1):1617-1625.
- Özen ME, Aydın M, Derici C, Orum MH, Kalenderoglu A. Successful treatment of olfactory reference syndrome with clomipramine. *Psiq Biol*. 2018;25(1):29-31.
- Pacheco GA, Hart SP, Morice AH. Relationship Between Gastro-Oesophageal Reflux and Airway Diseases: The Airway Reflux Paradigm. *Arch Bronconeumol*. 2011;47(4):195-203.
- Pal VK, Bandyopadhyay P, Singh A. Hydrogen sulfide in physiology and pathogenesis of bacteria and viruses. *IUBMB life*. 2018; 70: 393-.
- Papsin B, McTavish A. Saline nasal irrigation: Its role as an adjunct treatment. *Can Fam Physician*. 2003; 49:168-173.
- Pasternak CA. Virus, toxin, complement: common actions and their prevention by Ca²⁺ or Zn²⁺. *Bio Essays*. 1987; 6:14-19.
- Patrikainen M, Pan P, Kuleskaya N, Voikar V, Parkkila S. The role of carbonic anhydrase VI in bitter taste perception: Evidence from the Car6^{-/-} mouse model. *J. Biomed. Sci*. 2014; 21:82. doi: 10.1186/s12929-014-0082-2.
- Payne JP, Hill DW, King NW. Observations on the Distribution of Alcohol in Blood, Breath, and Urine. *British Medical Journal Bnt. Med. J*. 1966; 1:196-202.
- Persson S, Edlund MB, Claesson R, Carlsson J. The formation of hydrogen sulfide and methyl mercaptan by oral bacteria. *Oral Microbiol. Immunol*. 1990, 5, 195-201.
- Persson GR, Samuelsson E, Lindahl C, Renvert S. Mechanical non-surgical treatment of peri-implantitis: a single-blinded randomized longitudinal clinical study. II. Microbiological results. *J Clin Periodontol*. 2010;37:563-73
- Pelli MA, Trovarelli G, Capodicasa E, De Medio GE, Bassotti G. Breath alkanes determination in ulcerative colitis and Crohn's disease. *Dis Colon Rectum*. 1999; 42(1):71-76.
- Penn D J, Oberzaucher E, Grammer K, Fischer G, Soini HA, Wiesler D, Novotny MV, Dixon S J, Xu Y, Brereton RG. Individual and gender fingerprints in human body odour. *J. R. Soc. Interface*. 2007;4:331-340.
- Penault C, Spanel P, Smith D. Detection of *H. pylori* infection by breath ammonia following urea ingestion. in A. Amann, D. Smith (Eds.), *Breath Analysis for Clinical Diagnosis and Therapeutic Monitoring*, World Scientific, Singapore, 2005. pp. 393-399.
- Persson S. Hydrogen sulfide and methyl mercaptan in periodontal pockets. *Oral Microbiol Immunol*. 1992;7:378-379.
- Persson S, Edlund MB, Claesson R, Carlsson J. The formation of hydrogen sulfide and methyl mercaptan by oral bacteria. *Oral Microbiol Immunol*. 1990; 5(4):195-201.
- Pham TA. Comparison between self-estimated and clinical oral malodor. *Acta Odontol Scand*. 2012B; 71(1):263-270. doi: 10.3109/00016357.2012B.671363.

- Pham TA, Ueno M, Shinada K, Kawaguchi Y. Comparison between self-perceived and clinical oral malodor. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 2012A; 113:70-80.
- Phillips KA. Delusion of body odor causes shame, social isolation. *The Journal of Family Practice.* 2007; 6(3):1-
- Phillips KA, Menard W. Olfactory reference syndrome: Demographic and clinical features of imagined body odor. *Gen Hosp Psychiatry.* 2011; 33(4):398-406.
- Pehlivan F. *Biyolojik reseptörler ve psikofizik. Bölüm 16. Biyofizik. 2.baskı. 1997, Ankara*
- Persson S, Edlund MB, Claesson R et al. The formation of hydrogen sulphide and methylmercaptan by oral bacteria. *Oral Microbiol Immunol.* 1990; 5(4):195-201. doi: 10.1111/j.1399-302x.1990.tb00645.x. PMID: 2082242
- Persson S, Claesson R, Carlsson J. The capacity of subgingival microbios to produce volatile sulfur compounds in human serum. *Oral microbiology and immunology.* 1989;4:169-172.
- Petrini M, Trentini P, Ferrante M, D'Alessandro L, Spoto G. Spectrophotometric assessment of salivary B-galactosidases in halitosis. *J Breath Res.* 2012; 6(2):021001. doi: 10.1088/1752-7155/6/2/021001
- Phillips M. Analysis of Organic Compounds in Breath. In disease markers in exhaled breath. pp 219-231. eds Marczin N, Kharitonov SA, Yacoub MH, Barnes PJ. Marcel Dekker, New York, 2002
- Phillips M. Method for the Collection and Assay of Volatile Organic Compounds in Breath. *Analytical Biochemistry.* 1997; 247: 272-278.
- Phillips M, Altorki N, Austin JHM, Cameron RB, Cataneo RN, Kloss R, Maxfield RA, Munawar MI, Pass HI, Rashid A, Romi WN, Schmitt P, Wai J. Detection of lung cancer using weighted digital analysis of breath biomarkers. *Clinica Chimica Acta.* 2008; 293:76-84.
- Phillips M, Altorki N, Austin JHM, Cameron RB, Cataneo RN, Greenberg J, Kloss R, Maxfield RA. Prediction of lung cancer using volatile biomarkers in breath. *Cancer Biomarkers.* 2007; 3:95-109.
- Phillips M, Boehmer JP, Cataneo RM, Cheema T, Eisen HJ, Fallon JT, Fisher PE, Gass A, Greenberg J, Kobashigawa J, Mancini D, Rayburn B, Zucker MJ. Prediction of Heart Transplant Rejection With a Breath Test for Markers of Oxidative Stress. *Am J Cardiol.* 2004; 94:1593-1594.
- Phillips M, Boehmer JP, Cataneo RM, Cheema T, Eisen HJ, Fallon JT, Fisher PE, Gass A, Greenberg J, Kobashigawa J, Mancini D, Rayburn B, Zucker MJ. Heart Allograft Rejection: Detection With Breath Alkanes in Low Levels (the HARDBALL Study). *The Journal of Heart and Lung Transplantation* 2004; 23(6):701-708.
- Phillips M, Cataneo RM, Chaturvedi A, Danaher PJ, Devadiga A, Legendre DA, Nail KI, Schmitt P, Wai J. Effect of influenza vaccination on oxidative stress products in breath. *J. Breath Res.* 2010; 4: 026001 (8pp)
- Phillips M, Cataneo RN, Cheema T, Greenberg J. Increased breath biomarkers of oxidative stress in diabetes mellitus. *Clinica Chimica Acta.* 2004A; 344:189-194.
- Phillips M, Cataneo RN, Condos R, Erickson GAR, Greenberg J, Bombardie VL, Munawara MI, Tietjef O. Volatile biomarkers of pulmonary tuberculosis in the breath. *Eur Respir J.* 2004; 24(48):467-
- Phillips M, Cataneo RN, Cummin ARC, Gagliardi AJ, Gleeson K, Greenberg J, Maxfield R, Rom WN. Detection of Lung Cancer With Volatile Markers in the Breath. *Chest.* 2003; 123: 2115-2123.
- Phillips M, Cataneo RN, Dittkoff BA, Fisher P, Greenberg J, Gunawardena R, Kwon CS, Tietje O, Wong C. Prediction of breast cancer using volatile biomarkers in the breath. *Breast Cancer Research and Treatment.* 2006; 10:10549-
- Phillips M, Cataneo RN, Dittkoff BA, Fisher P, Greenberg J, Gunawardena R, Kwon CS, Oskoui FR, Wong C. Volatile Markers of Breast Cancer in the Breath. *The Breast Journal.* 2003A; 9(3): 184-191.
- Phillips M, Cataneo RN, Greenberg J, Grodman R, Salazar M. Breath Markers of Oxidative Stress in Patients with Instable Angina. *Hearth Diseases,* 2003B; 5(2): 85-99.
- Phillips M, Cataneo RN, Greenberg J, Gunawardena R, Naidu A, Oskui FR. Effect of age on the breath methylated alkane contour, a display of apparent new markers of oxidative stress. *J Lab Clin Med.* 2000; 136(3):243-249.
- Phillips M, Cataneo RN, Greenberg J, Gunawardena R, Oskoui FR. Increased oxidative stress in younger as well as in older humans. *Clinica Chimica Acta.* 2003; 328:83-86.
- Phillips M, Cataneo RN, Greenberg J, Munawar MI, Nachnani S, Samtani S. Pilot study of a breath test for volatile organic compounds associated with oral malodor: Evidence for the role of oxydative stress. *Oral Diseases.* 2005; 11(1):32-34.
- Phillips M, Cataneo RN, Greenberg J, Grodman R, Gunawardena R, Naidu A. Effect of oxygen on breath markers of oxydative stress. *Eur Respir J.* 2003;21:1-5.
- Phillips M, Cataneo RN, Saunders C, Hope P, Schmitt P, Wai J. Volatile biomarkers in the breath of women with breast cancer. *J. Breath Res.* 2010B;4: 026003 (8pp)
- Phillips M, Dalay VB, Bothamley G, Cataneo RN, Lam PK, Natividad MPR, Schmitt P, Wai J. Breath biomarkers of active pulmonary tuberculosis. *Tuberculosis.* 2010; 90(2):145-151.
- Phillips M, Erickson GA, Sabas M, Smith JP, Greenberg J. Volatile organic compounda in breath of patients with schizophrenia. *J Clin Pathol.* 1995; 48:466-469.

- Phillips M, Gleeson K, Huges JMB, Greenberg J, Cataneo RN, Baker L, McVay WP. Volatile organic compounds in breath as markers of lung cancer: a cross sectional study. *The Lancet*. 1999;353:1930-1933.
- Phillips M, Greenberg J, Cataneo RN. Effect of age on the Profile of Alkanes in Normal Human Breath. *Free Rad Res*. 2000A; 33:57-63.
- Phillips M, Greenberg J, Martinez V. Elevated Concentrations of Acetone and Unidentified Compounds in the Breath of Alcohol Abusers. *Alcoholism Clinical and Experimental research*. 1989; 13(4):523-526.
- Phillips M, Herrera J, Krishnan S, Zain M, Greenberg J, Cataneo RN. Variation in volatile organic compounds in the breath of normal humans. *J Chromatogr B*. 1999; 729:75-88.
- Phillips M, Herrera J, Krishnan S, Zain M, Greenberg J, Cataneo RN. Variation in volatile organic compounds in the breath of normal humans *J. Chromatogr. B: Biomed. Sci. Appl.* 1999; 729: 75–88.
- Phillips M, Sabas M, Greenberg J. Increased pentane and carbon disulfide in the breath of patients with schizophrenia. *J Clin Pathol*. 1993; 44:861-864.
- Phillips M. Detection of carbon disulfide in breath and air: a possible new risk factor for coronary artery disease. *International Archives of Occupational and Environmental Health*, 1992; 64(2):119-123.
- Pitcher MC, Cummings JH. Hydrogen sulfide: A bacterial toxin in ulcerative colitis? *Gut*. 1996;39:1-4.
- Pimentel M, Chow EJ, Lin HC. Normalization of lactulose breath testing correlates with symptom improvement in irritable bowel syndrome. A doubleblind, randomized, placebo-controlled study. *Am J Gastroenterol* 2003;98:412–419.
- Pimentel M, Wallace D, Hallegua D, Chow E, Kong Y, Park S, Lin HC. A link between irritable bowel syndrome and fibromyalgia may be related to findings on lactulose breath testing. *Ann Rheum Dis* 2004; 63:450–452. PMID: 15020342 DOI: 10.1136/ard.2003.011502
- Pleil JD. Role of Exhaled Breath Biomarkers in Environmental Health Science. *Journal of Toxicology and Environmental Health*. 2008; 11:613-629.
- Pleil JD, Hansel A. Submarines, spacecraft and exhaled breath. *J. Breath Res*. 2012; 6:019001 (3pp)
- Pol A, Renkema GH, Tangerman A, Winkel EG, Engelke UF, de Brouwer APM, Lloyd KC, Araiza RS, van den Heuvel L, Omran H, Olbrich H, Oude Elberink M, Gilissen C, Rodenburg RJ, Sass JO, Schwab KO, Schäfer H, Venselaar H, Sequeira JS, Op den Camp HJM, Wevers RA. Mutations in SELENBP1, encoding a novel human methanethiol oxidase, cause extraoral halitosis. *Nat Genet*. 2018 Jan;50(1):120-129. doi: 10.1038/s41588-017-0006-7. PMID: 29255262
- Polonczyk PJ, Konturek SJ, Karczewska E, Bielański W, Stachowska KA. Oral cavity as permanent reservoir of *Helicobacter pylori* and potential source of reinfection. *J Physiol Pharmacol*, 1996, 47:121-129. PMID: 8777292
- Porter SR. Diet and halitosis. *Current opinion in clinical nutrition and metabolic care* 2011;14:463-468.
- Posadzki P, Alotaibi A, Ernst E. Adverse effects of homeopathy: A systematic review of published case reports and case series. *International Journal of Clinical Practice*. 2012; 66 (12): 1178–1188. doi:10.1111/ijcp.12026. PMID 23163497.
- Pratten J, Pasu M, Jackson G, Flanagan A, Wilson M. Modelling oral malodour in a longitudinal study. *Arch Oral Biol*. 2003;48:737- .
- Probert CSJ, Ahmed I, Khalid T, Johnson E, Smith S, Ratcliffe N. Volatile Organic Compounds as Diagnostic Biomarkers in Gastrointestinal and Liver Diseases. *J Gastrointestin Liver Dis*. 2009; 18(3):337-343.
- Pryse-Phillips W. An olfactory reference syndrome. *Acta Psychiatr. Scand*. 1971; 47: 484–509.
- Pysanenko A, Spanel P, Smith D. A study of sulfur-containing compounds in mouth- and nose-exhaled breath and in the oral cavity using selected ion flow tube mass spectrometry. *J. Breath Res*. 2 (2008) 046004 (13pp).
- Quirynen M, Van den Velde S, Vandekerckhove B, Dadamio J in Newman MG, Takei HH, Klokkevold PR, Carranza FA (editors) *Carranza's clinical periodontology 11th edition 2012 Elsevier/Saunders*, St. Louis, Mo. pp. 331-338 .
- Quirynen M, Dadamio J, Van den Velde S, Smit M, Dekeyser C, Van Tornout M, Vandekerckhove B. Characteristics of 2000 patients who visited a halitosis clinic. *J. Clin. Periodontol*. 2009; 36(11), 970–975.
- Quirynen M, Zhao H, Soers C, Dekeyser C, Pauwels M, Coucke W, Steenberghe D. The impact of periodontal therapy and the adjunctive effect of antiseptics on breath odor-related outcome variables: a double-blind randomized study. *J Periodontol*. 2005; 76(5):705-712.
- Quirynen M, Zhao H, Avontroodt P, Soers C, Pauwels M, Coucke W, van Steenberghe D. A salivary incubation test for evaluation of oral malodor: A pilot study. *J Periodontol*, 2003; 74: 937-944.
- Rabago D, Zgierska A, Mundt M, Barrett B, Bobula J, Maberry R. Efficacy of daily hypertonic saline nasal irrigation among patients with sinusitis: A randomized controlled trial. *Fam Pract*. 2002; 51(12):1049-1055.
- Ramasamy S, Singh S, Taniere P, Langman MJS and Eggo MC. Sulfide-detoxifying enzymes in the human colon are decreased in cancer and upregulated in differentiation *Am. J. Physiol. Gastrointest. Liver Physiol*. 2006; 291: 288-296.
- Ramji N, Ramji N, Iyer R, Chandrasekaran S. Phenolic antibacterials from Piper betle in the prevention of halitosis. *J Ethnopharmacol*. 2002; 83(1-2):149-152.

- Rareshide E, Amedee RG. Disorders of taste. *J La State Med Soc.* 1989; 141(9):9-11.
- Rasines G. Mercury released from amalgam restorations does not give rise to toxic effects on the nervous system of children. *Evid Based Dent.* 2008; 9(1):25-27.
- Rassameemasmaung S, Sirikulsathean A, Amornchat C, Hirunrat K, Rojanapanthu P, et al. Effects of herbal mouthwash containing the pericarp extract of *Garcinia mangostana* L on halitosis, plaque and papillary bleeding index. *J Int Acad Periodontol.* 2007;9(1): 19-.
- Ratcliff PA, Johnson PW. Relationship between oral malodor, gingivitis and periodontitis. A review. *J Periodontol* 1999, 70(5):485-489.
- Ratkay LG, Waterfield JD, Tonzetich J. Stimulation of enzyme and cytokine production by methyl mercaptan in human gingival fibroblast and monocyte cell cultures. *Arch Oral Biol.* 1995;40:337-344.
- Ratkay LG, Tonzetich J, Waterfield JD. Antibodies to extracellular matrix proteins in the sera of MRL-lpr mice. *Clin Immunol Immunopathol.* 1991;59:236-245.
- Rau I, Bössmann K. Effects of dequalinium chloride and sanguinarine on the ultrastructure of early supragingival plaque. *Oralprophylaxe.* 1991; 13(4):133-141.
- Rawal S, Hoffman HJ, Bainbridge KE, Medina TBH, Duffy VB. Prevalence and Risk Factors of Self-Reported Smell and Taste Alterations: Results from the 2011–2012 US National Health and Nutrition Examination Survey (NHANES). *Chemical Senses*; 2016; 41: 69–76.
- Rawal S, Hoffman HJ, Chapo AK, Duffy VB. Sensitivity and Specificity of Self-Reported Olfactory Function in a Home-Based Study of Independent-Living, Healthy Older Women. *Chemosens Percept.* 2014; 7(3-4):108-116. doi: 10.1007/s12078-014-9170-7.
- Rau I, Bössmann K. Effects of dequalinium chloride and sanguinarine on the ultrastructure of early supragingival plaque. *Oralprophylaxe.* 1991;13(4):133-141.
- Rayman S, Almas K. Halitosis among racially diverse populations: An update. *Int J Dent Hygiene.* 2008; 6:2–7.
- Rehman HU. Fish odour syndrome. *Postgrad Med J,* 1999;75:451-452.
- Reichard GA, Haff AC, Skutches CL, Paul P, Holroyde CP, Owen OE. Plasma Acetone Metabolism in the Fasting Human. *J. Clini. Invest.* 1979; 63:619-626.
- Reidy JT, McHugh EE, Stassen LF. A review of the role of alcohol in the pathogenesis of oral cancer and the link between alcohol-containing mouthrinses and oral cancer. *J Ir Dent Assoc.* 2011,57(4):200-202.
- Reiffenstein RJ, Hulbert WC, Roth SH. Toxicology of hydrogen sulfide. *Annu Rev Pharmacol Toxicol* 1992;32:109–34. PMID: 1605565.
- Richardson CJ, Magee EA, Cummings JH. A new method for the determination of sulphide in gastrointestinal contents and whole blood by microdistillation and ion chromatography. *Clin Chim Acta.* 2000;293:115-125.
- Richter JL. Diagnosis and treatment of halitosis. *Compendium,* 1996; 17(4):370-386.
- Righettoni M, Tricoli A. Toward portable breath acetone analysis for diabetes detection. *J. Breath Res,* 2011, 5(3): 037109.
- Riley P, Moore D, Ahmed F, Sharif MO, Worthington HV. Xylitol-containing products for preventing dental caries in children and adults. *The Cochrane Database of Systematic Reviews* (3): 2015 CD010743.
- Riordan SM, McIver CJ, Walker BM, Duncombe VM, Bolin TD, Thomas MC. The lactulose breath hydrogen test and small intestinal bacterial overgrowth. *Am J Gastroenterol.* 1996; 91(9):1795-803.
- Ritchie KA, Burke FJ, Gilmour WH, Macdonald EB, Dale IM, Hamilton RM, McGowan DA, Binnie V, Collington D, Hammersley R. Mercury vapour levels in dental practices and body mercury levels of dentists and controls. *Br Dent J.* 2004; 197(10):625-632.
- Roediger WE, Duncan A, Kapaniris O, Millard S. Reducing sulfur compounds of the colon impair colonocyte nutrition: implications for ulcerative colitis. *Gastroenterology.* 1993; 104: 802-809.
- Roldán S, Winkel EG, Herrera D, Sanz M, Van Winkelhoff AJ. The effects of a new mouthrinse containing chlorhexidine, cetylpyridinium chloride and zinc lactate on the microflora of oral halitosis patients: a dual-centre, double-blind placebo-controlled study. *J Clin Periodontol.* 2003; 30: 427-434.
- Roldán S, Herrera D, O'Connor A, González I, Sanz M. A combined therapeutic approach to manage oral halitosis: a 3-month prospective case series. *J Periodontol.* 2005; 76(6):1025-1033.
- Rolla G, Heffler E, Bommarito L, Guida G, Badiu I, Bergia R, Marsico P, Pizzimenti S, Nebiolo F. Exhaled nitric oxide in persistent rhinitis with or without lower airway involvement: a review of the literature. *J. Breath Res.* 2007; 1 : (8pp) .
- Romano F, Pigella E, Guzzi N, Manavella V, Campanelli L, Aimetti M. Etiology and characteristics of halitosis in patients of a halitosis center in Northern Italy. *Minerva Stomatol.* 2020; 69(3): 174-182. doi: 10.23736/S0026-4970.19.04186-4.
- Romeo E, Ghisolfi M, Carmagnola D. Peri-implant diseases. A systematic review of the literature. *Minerva Stomatol.* 2004;53:215-30.

- Romeo E, Lops D, Chiapasco M, Ghisolfi M, Vogel G. Therapy of peri-implantitis with resective surgery. A 3-year clinical trial on rough screw-shaped oral implants. Part II: radiographic outcome. *Clin Oral Implants Res.* 2007;18:179-87.
- Rosenberg M. Clinical assesment of bad breath: Current concepts. *JADA*, 1996; 127:475- .
- Rosenberg M. Bad breath: Diagnosis and treatment. *U Toronto Dent J* 1990;3:7–11.
- Rosenberg M, Septon I, Eli I, Bar-Ness R, Gelernter I, Brenner S, Gabbay J. Halitosis measurement by an industrial sulphide monitor. *J Periodontol*, 1991; 62(8):487-489.
- Rosenberg M. Amann A. Bad breath and exhaled breath analysis-common fields with common denominators.*J.BreathRes.*2008;2:040201
- Rosenberg M, Kozlovsky A, Gelernter I, Cherniak O, Gabbay J, Baht R, Eli I. Self-estimation of oral malodor J. *Dent. Res.*,1995;74 1577-
- Rosenberg M, Leib E. Introduction. In Rosenberg M (editor). *Bad breath: Research perspectives*, 2nd edition. Ramot Publishing - Tel Aviv University; 1997 pp. 9-13.
- Rosenberg M, Kulkarni GV, Bosy A, McCulloch CAG. Reproducibility and sensitivity of oral malodor measurements with a portable sulphide monitor. *JDent Res*, 1991; 70:1436-1440.
- Rosenberg M, McCulloch CA. Measurement of oral malodor: Current methods and future prospects. *J Periodontol.*1992; 63:776-782.
- Rosenberg M, Kozlovsky A, Wind Y, Mindel E. Self-assesment of oral malodor 1 year following initial consultation. *Quintessence International*. 1999; 30:324-3271999.
- Rosengerg M. The science of bad breath,. *Science American*. 2002; 285:72-79.
- Rosenberg M, Barki M, Portnoy S. A simple method for estimating oral microbial levels. *Microbiol Meth*, 1989; 9:253-256.
- Rosenberg M, Septon I, Eli I, Bar-Ness R, Gelernter I, Brenner S, Gabbay J. Halitosis measurement by an industrial sulfide monitor. *J Periodontol*, 1991;62:487-489.
- Rosenberg M, Gelentre I, Barki M, Barness. Daylong reduction of oral malodor by two-phase oil water mouthrinse as compared to chlorhexidine and placebo rinses. *J Periodontol*, 1992; 63 (1): 39-43.
- Rosenthal R .The file drawer problem and tolerance for null results. *Psychological Bulletin*. 1989; 86 (3): 638–41.
- Rölla G, Jonski G, Young A. The significance of the source of zinc and its anti-VSC effect. *International Dental Journal*, 2002; 52:233-236
- Rösing CK, loesche W. Halitosis: An overview of epidemiology, etiology and clinical management. *Braz Oral Res.* 2011;25(5):466-471.
- Rumessen JJ, Gudmand-høyer E, Bachmann E, Justesen T. Diagnosis of Bacterial Overgrowth of the Small Intestine: Comparison of the ¹⁴C-D-Xylose Breath Test and Jejunal Cultures in 60 Patients. *Scandinavian Journal of Gastroenterology*. 1985; 20(10): 1267-1275.
- Ruzsanyi V. Volatile compounds released through skin. International conference on breath Research 8-12 June 2013 Germany
- Ruzsanyi V, Erian PH, Entenmann A, Karall D, Müller T, Schimkowitsch A, Amann A, Bürgi SS. Diagnosing lactose malabsorption in children: difficulties in interpreting hydrogen breath test results. *J. Breath Res.* 2016;10: 016015 doi:10.1088/1752-7155/10/1/016015
- Ryter SW. Special issue on carbon monoxide and exhaled biomarkers in human disease (editorial). *J. Breath Res.* 2010; 4: 040201 (3pp)
- Ryter WS, Choi AMK. Carbon monoxide in exhaled breath testing and therapeutics. *J. Breath Res.* 2013;7: 017111 (14pp)
- Saad RJ, Chey WD. Breath testing for small intestinal bacterial overgrowth: Maximizing test accuracy. *Clin Gastroenterol Hepatol.* 2014;12(12):1964-1972doi: 10.1016/j.cgh.2013.09.055.
- Saad S, Greenman J, Duffield J, Sudlow K. Use of n-butanol as an odorant to standardize the organoleptic scale of breath odour judges. *Oral Dis.* 2005;11 (1):45-47.
- Saad S, Hewett K, Greenman J. Effect of mouth-rinse formulations on oral malodour processes in tongue-derived perfusion biofilm model. *J. Breath Res.* 2012; 6: 016001 (11pp).
- Sabah Y, Sabah E, Berktaş A. Doğal zeolitlerin (klinoptilolit) su yumuşatımında kullanımı. *Mühendislik Bilimleri dergisi.* 1999; 5(2-3): 1155-.
- Sackett DL. Bias in analytic research". *Journal of Chronic Diseases.* 1979; 32 (1–2): 51–63. doi:10.1016/0021-9681(79)90012-2.
- Sax I, *Dangerous Properties of Industrial Materials (Sixth Edition)*. Van Nostrand Reinhold; 6th edition, Toronto, 1984.
- Sakallı Ni, Sakallı C, Tosun Ö, Bıçak A. Comparative Evaluation of the Effects of Adenotonsillar Hypertrophy on Oral Health in Children. *Biomed Res Int.* 2021 Apr 2;2021:5550267. doi: 10.1155/2021/5550267

- Salako NO, Philip L. Comparison of the Use of the Halimeter and the Oral Chroma TM in the Assessment of the Ability of Common Cultivable Oral Anaerobic Bacteria to Produce Malodorous Volatile Sulfur Compounds from Cysteine and Methionine. *Med Princ Pract*, 2011; 20:75-79.
- Sanchez E, Donat E, Koninckx CR, Murga MLR, Sanz Y. Duodenal-Mucosal Bacteria Associated with Coeliac Disease in Children. *Applied and Environmental Microbiology*, 2013; 79(18): 5472–5479.
- Sanchez E, Palma GD, Capilla A, Nova E, Pozo T, Castillejo G, Varea V, Marcos A, Garrote JA, Polanco I, López A, Koninckx CR, Novo MDG, Calvo C, Ortigosa L, Palau F, Sanz Y. Influence of Environmental and Genetic Factors Linked to Coeliac Disease Risk on Infant Gut Colonization by Bacteroides Species. *Applied and Environmental Microbiology*, 2011; 77(15):5316-5323.
- Sanchez E, Laparra JM, Sanz Y. Discerning the Role of *Bacteroides fragilis* in Coeliac Disease Pathogenesis. *Appl. Environ. Microbiol.* 2012; 78(18):6507-6515.
- Sato K, Kang WH, Saga K, Sato KT. Biology of sweat glands and their disorders. I. Normal sweat gland function. *Journal of the American Academy of Dermatology*, 1989; 20 (4): 537–563.
- Schellinger D, Henkin RT and Smirniotopoulos JG. CT of the brain in taste and smell dysfunction. *Am.J. Neuroradiol.* 1983; 4: 752–754.
- Schield HW. The influence of bridge pontics on oral health. *J Mich Dent Assoc* 1968; 50: 143-7.
- Schiffman SS, Gatlin CA. Clinical physiology of taste and smell. *Ann Rev Nutr.* 1993; 13: 405-436.
- Schiffman SS. Taste and smell in disease (second of two parts). *N Engl J Med.* 1983; 308(22):1337-1343.
- Schmidt FM, Vaittinen O, Metsälä M, Lehto M, Forsblom C, Groop PH, Halonen L. Ammonia in breath and emitted from skin. *J. Breath Res.* 2013. 7: 017109.
- Schlosser RJ, Harvey RJ. Diagnosis of Chronic Rhinosinusitis. In: Rhinosinusitis. Thaler ER, Kennedy DW, eds. New York: Springer, 2008, p.43.
- Schlüter R, Schauer F. Biotransformation and Detoxification of Environmental Pollutants with Aromatic Structures by Yeasts Chapter in book *Yeast Diversity in Human Welfare*. Eds: Satyanarayana T, Kunze G Springer International Publishing AG. 2017 pp: 323-369.
- Schwarz K, Filipiak W, Amann A. Determining concentration patterns of volatile compounds in exhaled breath by PTR-MS. *J. Breath Res.* 2009; 3: 027002 (15pp).
- Schwarz F, Bieling K, Latz T, Nuesry E, Becker J. Healing of intrabony peri-implantitis defects following application of a nanocrystalline hydroxyapatite (Ostim) or a bovine-derived xenograft (Bio-Oss) in combination with a collagen membrane (Bio-Gide). A case series. *J Clin Periodontol.* 2006;33:491-9.
- Schwarz F, Sculean A, Bieling K, Ferrari D, Rothamel D, Becker J. Two-year clinical results following treatment of peri-implantitis lesions using a nanocrystalline hydroxyapatite or a natural bone mineral in combination with a collagen membrane. *J Clin Periodontol.* 2008;35:80-7.
- Schmidt EF, Bretz WA, Hutchinson RA, Loesche WJ. Correlation of the Hydrolysis of Benzoyl-Arginine Naphthylamide (BANA) by Plaque with Clinical Parameters and Subgingival Levels of Spirochetes in Periodontal Patients. *J Dent Res* 67(12):1505-1509.
- Schmidt FM, Vaittinen O, Metsälä M, Lehto M, Forsblom C, Groop PH, Halonen L. Ammonia in breath and emitted from skin. *J. Breath Res.* 7 (2013) 017109 (14pp).
- Schneider JS, Tobe EH, Mozley PD, Barniskis L and Lidskyn TI. Persistent cognitive and motor deficits following acute hydrogen sulfide poisoning. *Occup. Med.* 1998; 48 255-260.
- Schooten FJV. Profile of volatile organic compounds in exhaled breath changes as a result of gluten-free diet. *J. Breath Res.* 2013;7:037104.
- Schwarz K, Pizzini A, Arendacka B, Zerlauth K, Filipiak W, Schmid A, Dzien A, Neuner S, Lechleitner M, Burgi SS, Miekisch W, Schubert J, Unterkofler K, Witkovsky V, Gastl G, Amann A. Breath acetone-aspects of normal physiology related to age and gender as determined in a PTR-MS study. *J. Breath Res.*, 2009A; 3: 027003 (9pp).
- Secco DD, Cunha TM, Freitas A, Alves-Filho JC, Souto FO, Fukada SY, et al. Hydrogen sulfide augments neutrophil migration through enhancement of adhesion molecule expression and prevention of CXCR2 internalization: role of ATP-sensitive potassium channels. *J Immunol* 2008;181:4287-4298.
- Schmidt EF, Missan SR, Tarbet WJ, Cooper AD. The correlation between organoleptic mouth-odor ratings and levels of volatile sulfur compounds. *Oral Surg*, 1978; 45: 560–567.
- Schredl M, Atanasova D, Hörmann K, Maurer JT, Hummel T, Stuck BA. Information processing during sleep: the effect of olfactory stimuli on dream content and dream emotions. *J Sleep Res.* 2009;18(3):285-90. doi: 10.1111/j.1365-2869.2009.00737.x
- Schupbach NA, Wetzel AC, Lopatin DE, Lang NP. Application of BANA during experimental gingivitis. Application of N-alpha-benzoyl-DL-arginine 2 naphthylamide (BANA) hydrolysis to identify periodontopathic environments during experimental gingivitis in man. *Schweiz Monatsschr Zahnmed.* 1992; 102(11):1315-1320.
- Shillingburg HT, Hobo S, Whitsett LD, Jacobi R, Brackett SE. Çeviren: Ünsal MK, Üşümez A. Sabit Protezin Temelleri. 3. Baskı. İstanbul: Quintessence Yayıncılık Ltd. Şti; 2010.

- Siczowska A, Landowski P, Gibas A, Kamińska B, Lifschitz C. Long-term proton pump inhibitor therapy leads to small bowel bacterial overgrowth as determined by breath hydrogen and methane excretion. *J. Breath Res.* 2018; 12:036006
- Scully C, Porter S, Greenman J. What to do about halitosis. *BMJ.* 1994, 308:217-218.
- Sedghi S, Keshavarzian A, Klamut M, Eiznhamer D, Zarling EJ. Elevated breath ethane levels in active ulcerative colitis: evidence for excessive lipid peroxidation. *Am J Gastroenterol.* 1994;89 (12):2217-2221.
- Seemann R, Bizhang M, Djamchidi C, Kage A, Nachnani S. The proportion of pseudo-halitosis patients in a multidisciplinary breath malodour consultation. *Int Dent J.* 2006; 56(2):77-81.
- Seeman R, Kison A, Bizhang M, Zimmer S. Effectiveness of mechanical tongue cleaning on oral levels of volatile sulfur compounds. *J Am Dent Assoc* 2001;132:1263-1267.
- Seemann R, Conceicao MD, Filippi A, Greenman J, Lenton P, Nachnani S, Quiryren M, Roldan S, Schulze H, Sterer N, Tangerman A, Winkel EG, Yaegaki K, Rosenberg M. Halitosis management by the general dental practitioner—results of an international consensus workshop. *J. Breath Res.* 8: (2014) 017101 (6pp) doi:10.1088/1752-7155/8/1/017101.
- Seethalakshmi C, Reddy RCJ, Asifa N, Prabhu S. Correlation of Salivary pH, Incidence of Dental Caries and Periodontal Status in Diabetes Mellitus Patients: A Cross-sectional Study. *J Clin Diagn Res*;2016, 10: ZC12–ZC14.
- Seerangaiyan K, Winkelhoff AJV, Harmsen HJM, Rossen JWA, Winkel EG. The tongue microbiome in healthy subjects and patients with intra-oral halitosis. *J Breath Res.* 2017, 11(2): 036010.
- Sehra G, Cole M, Gardner JW. Miniature taste sensing system based on dual SH-SAW sensor device: an electronic tongue. *Sensors and Actuators B*, 2004; 103:233-239.
- Seida K, Saito A, Yamada S, Ishihara K, Naito Y, Okuda K. A sensitive enzymatic method (SK-013) for detection of *Treponema denticola*, *Porphyromonas gingivals* and *Bacteroides forsythus* in subgingival plaque samples. *J Periodontal Res* 1992;27:86-91.
- Selene JC. Hydrogen sulfide: Human health aspects. Concise International Chemical Assessment Document (53) of World Health Organization, Geneva, 2003
- Semkova K, Gergovska M, Kazandjieva J, Tsankov N. Hyperhidrosis, bromhidrosis, and chromhidrosis: Fold (intertriginous) dermatoses. *Clin. Dermatol.* 2015, 33, 483–491
- Serin E, Gumurdulu Y, Kayaselcuk F, Ozer B, Yilmaz U, Boyacioglu S. Halitosis in patients with *Helicobacter pylori*-positive non-ulcer dyspepsia: an indication for eradication therapy? *Eur. J. Intern. Med.* 2003; 14: 45-48.
- Sharma NC, Galustians HJ, Qaqish J, Galustians A, Rustogi K, Petrone ME, Chaknis P, Garcia L, Volpe AR, Proskin HM. Clinical effectiveness of a dentifrice containing triclosan and a copolymer for controlling breath odor. *Am J Dent.* 2007; 20(2):79-82.
- Shatzman AR, Henkin RI. Gustin concentration changes relative to salivary zinc and taste in humans. *Proc. Natl. Acad. Sci. USA.* 1981;78:3867–3871. doi: 10.1073/pnas.78.6.3867.
- Shepherd SF, McGuire ND, Costello BPJ, Ewen RJ, Jayasena DH, Vaughan K, Ahmed I, Probert CS, Ratcliffe NM. The use of a gas chromatograph coupled to a metal oxide sensor for rapid assessment of stool samples from irritable bowel syndrome and inflammatory bowel disease patients. *J. Breath Res.* 2014;8: 026001 (6pp) doi:10.1088/1752-7155/8/2/026001.
- Shimizu M, Cashman JR, Yamazaki H. Transient trimethylaminuria related to menstruation. *BMC Medical Genetics* 2007, 8:2 doi:10.1186/1471-2350-8-2.
- Shurmer HV, Gardner JW. Odour discrimination with an electronic nose. *Sensors and Actuators B*, 1992; 8(1):11-.
- Shykhon ME, Morgan DW, Dutta R, Hines EL, Gardner JW. Clinical Evaluation of the Electronic Nose in the Diagnosis of ear, Nose, Throat infection: Preliminary STUDY. *The Journal of Laryngology & Otology*, 2004; 118:706-7809.
- Sikorska-Żuk M, Bochnia M. Halitosis in children with adenoid hypertrophy. *J Breath Res.* 2018;12(2):026011.
- Silbernagl S, Despopoulos A. *Koklama duyusu In Fizyoloji Atlası Çeviri: Solakoğlu Z. İstanbul yayınevi, 2012*
- Silber G, Proud D, Warner J, Naclerio R, Kagey-Sobotka A, Lichtenstein L, Eggleston P. In vivo release of inflammatory mediators by hyperosmolar solutions. *Am Rev Respir Dis.* 1988;137(3):606-612.
- Silva FF, Nobre M, Fernandes A, Antunes R, Almeida D, Garcia G, Mason NJ, Vieira PL. Spectroscopic studies of ketones as a marker for patients with diabetes. *J. Phys: Conf.* 2008; 101: 012011.
- Silva AM, Miranda LFB, Araújo ASM, Prado Júnior RR, Mendes RF. Electric toothbrush for biofilm control in individuals with Down syndrome: a crossover randomized clinical trial. *Braz Oral Res.* 2020;34:e057. doi: 10.1590/1807-3107bor-2020.vol34.0057
- Silva MF, Leite FRM, Ferreira LB, Pola NM, Scannapieco FA, Demarco FF, Nascimento GG. Estimated prevalence of halitosis: a systematic review and meta-regression analysis. *Clin Oral Investig.* 2017. doi: 10.1007/s00784-017-2164-5
- Silva MF, Nascimento GG, Leite FRM, Horta BL, Demarco FF. Periodontitis and self-reported halitosis among young adults from the 1982 Pelotas Birth Cohort. *Oral Dis.* 2020. doi: 10.1111/odi.13286

- Silwood CJ, Grootveld MC, Lynch E. A multifactorial investigation of the ability of oral health care products (OHCPs) to alleviate oral malodour. *J Clin Periodontol.* 2001 Jul;28(7):634-41.
- Sim AM, Shaman P, Moulton DG. Topographic coding of olfactory quality: odorant-specific patterns of epithelial responsiveness in the salamander. *J Neurophysiol.* 1982; 48(2):584-596.
- Simrén M, Stotzer P. Use and abuse of hydrogen breath tests. *Gut* 2006;55:297– 303 PMID: 16474100 DOI: 10.1136/gut.2005.075127
- Siragusa RJ, Cerda JJ, Baig MM, Burgin CW, Robbins FL. Methanol production from the degradation of pectin by human colonic bacteria. *Am. J. Clin. Nutr.* 1988; 47:848-851.
- Slot DE, De Geest S, van der Weijden FA, Quirynen M. Treatment of oral malodour. Medium-term efficacy of mechanical and/or chemical agents: -a systematic review-. *J Clin Periodontol* 2015; 42 (16): 303–316. doi: 10.1111/jcpe.12378.
- Smallegange RC, Verhulst NO, Takken W. Sweaty skin: an invitation to bite? *Trends in Parasitology*, 2011; 27 (4):143-148.
- Smith D, Turner C, Spanel P. Volatile metabolites in the exhaled breath of healthy volunteers: their levels and distributions. *J. Breath Res.* 2007; 1: 014004 (12pp).
- Smith D, Wang T, Pysanenko A, Spane P. A selected ion flow tube mass spectrometry study of ammonia in mouth- and nose-exhaled breath and in the oral cavity. *Rapid Commun. Mass Spectrom.* 2008; 22: 783-789.
- Smith D, Spanel P. The challenge of breath analysis for clinical diagnosis and therapeutic monitoring. *The Analyst.* 2007; 132:390-396.
- Smith D, Ismail KMK, Diskin AM, Chapman G, Magnay JL, Spanel P, O'Brien S. Increase of acetone emitted by urine in relation to ovulation. *Acta Obstetrica et Gynecologica.* 2006; 85: 1008, 1011.
- Smith D, Spanel P, Davies S. Trace gases in breath of healthy volunteers when fasting and after a protein-calorie meal: A preliminary study. *J Appl Physiol.* 1999; 87(5):1584-1588.
- Smith D, Wang T, Spanel P. Kinetics and isotope patterns of ethanol and acetaldehyde emissions from yeast fermentations of glucose and glucose-6,6-d2 using selected ion flow tube mass spectrometry: A case study. *Rapid Commun Mass Spectrom.* 2002;16:69-76.
- Smith D, Spanel P, Enderby B, Lenney W, Turner C, Davies SJ. Isoprene levels in the exhaled breath of 200 healthy pupils within the age range 7-18 years studied using SIFT-MS. *J. Breath Res.* 2010;4: 017101 (7pp)
- Smith D, Spanel P, Fryer AA, Hanna F, and Ferns GAA. Can volatile compounds in exhaled breath be used to monitor control in diabetes mellitus? *J. Breath Res.* 2011;5: 022001 (8pp).
- Soleymani B, Styrström M, Tjalve M, Uequizza S, Zachrisson G, Ahlud K. Effects of dental plaque accumulation on halitosis as measured with a Halimeter. (Unpublished data, 2007)
- Solga SF, Mudalel M, Spacek LA, Lewicki R, Tittel FT, Loccioni C, Russo A, Ragnoni A, Risby TH. Changes in the concentration of breath ammonia in response to exercise: A preliminary investigation. *Journal of Breath Research.* 2014; 8 (3): 037103
- Solomons TWG and Fryhle CB. *Organic Chemistry*, 9th edition; John Wiley & Sons, New York, 2006.
- Solovyeva AM, Dummer PMH. Cleaning effectiveness of root canal irrigation with electrochemically activated anolyte and catholyte solutions: Pilot study. *Int End J.* 2000; 33:494-504.
- Song EL, Kyung HY, Suk HL, Hoon JC, Keun HK, Il BK. Plaque autofluorescence as potential diagnostic targets for oral malodor. *J. Biomed. Opt.* 2016; 21(8), 085005, doi: 10.1117/1.JBO.21.8.085005.
- Sowa M, Mürtz M, Hering P. Mid-infrared laser spectroscopy for online analysis of exhaled CO. *J. Breath Res.* 2010;4: 047101 (6pp).
- Spanel P, Davies S, Smith D. Quantification of Breath Isoprene Using the Selected Ion Flow Tube Mass Spectrometric Analytical Method. *Rapid Commun. Mass Spectrom.* 1999; 13:1733-1738.
- Spanel P, Dryahina K, Smith D. Acetone, ammonia and hydrogen cyanide in exhaled breath of several volunteers aged 4-83 years. *J. Breath Res*, 2007; 1:011001.
- Spanel P, Dryahina K, Smith D. The concentration distributions of some metabolites in the exhaled breath of young adults. *J. Breath Res*, 2007A;1: 026001
- Spanel P, Smith D. Selected Ion Flow Tube - Mass Spectrometry: Detection and Real-time Monitoring of Flavours Released by Food Products. *Rapid Commun. Mass Spectrom*, 1999; 13: 585-596.
- Spanel P, Smith D. Quantification of trace levels of the potential cancer biomarkers formaldehyde, acetaldehyde and propanol in breath by SIFT-MS. *J. Breath Res*, 2008; 2:046003 (10pp)
- Spanel P, Turner C, Wang TS, Bloor R, Smith D. Generation of volatile compounds on mouth exposure to urea and sucrose: implications for exhaled breath analysis. *Physiological Measurement*, 2006; 27(2): 7-17.
- Spielman AI. Chemosensory function and dysfunction. *Crit Rev Oral Biol Med.* 1998; 9(3):267-291.
- Spielman AI, Ricketts DA, Brand IG. High resolution scanning electron micrographic study of dissociated mouse taste cells. *Chem Senses.* 1992b; 17:451-460.
- Sponring A, Filipak W, Mikoviny T, Acer C, Schubert J, Miekisch W, Amann A, Troppmair J. Release of Volatile Organic Compounds from the Lung Cancer Cell Line NCI-H2087 In Vitro. *Anticancer Research*, 2009; 29: 419-426.

- Springfield J, Suarez FL, Majerus GJ, Lenton PA, Furne JK, Levitt MD. Spontaneous fluctuations in the concentrations of oral sulfur-containing gases. *J Dent Res* 2001;80:1441-1444.
- Stammemberger H. *Functional Endoscopic Sinus Surgery*. Philadelphia: B.C. Decker. 1991; 161-169.
- Stein DJ, Roux LL, Bouwer C, Heerden BV. Is Olfactory Reference Syndrome an Obsessive-Compulsive Spectrum Disorder? Two Cases and a Discussion. *The Journal of Neuropsychiatry and Clinical Neurosciences*. 1998; 10:96-99.
- Steenberghe vD, Rosenberg M. *Bad Breath: A multidisciplinary approach*. Leuven: Leuven University Press, 1996.
- Stefano M, Miceli E, Missanelli A, Malservisi S, Strocchi A, Corazza GR. Fermentation of endogenous substrates is responsible for increased fasting breath hydrogen levels in coeliac disease. *J Lab Clin Med*. 2004; 143:163-168.
- Stein RS. Pontic - residual ridge relationship: a research report. *J Prosthet Dent* 1966; 16: 251-85.
- Stephenson D, Halpern BP. No oral-cavity-only discrimination of purely olfactory odorants, *Chem. Senses*. 2009; 34: 121-126.
- Sterer N, Greenstein RB, Rosenberg M. Beta-galactosidase activity in saliva is associated with oral malodor. *J Dent Res*.2002;81:182-185.
- Sterer N, Hendler A, Davidi MP, Rosenberg M. A novel microscopic assay for oral malodor-related microorganisms. *J. Breath Res*. 2008; 2: 026003 (5pp)
- Sterer N, Shaharabany M, Rosenberg M. B-Galactosidase activity and H2S production in an experimental oral biofilm. *J. Breath Res*. 2009; 3: 016006.
- Sterer N, Slutzky H, Kohavi D, Matalon S. In vitro CPC retention and VSC adsorption by IPM oil droplets: Possible mechanisms of action of a two phase mouthwash. *J. Breath Res*, 2013; 7: 031001. doi:10.1088/1752-7155/7/3/031001
- Sterne JAC, Smith DG. Sifting the evidence---what's wrong with significance tests? Another comment on the role of statistical methods. *BMJ*. 2001; 322 (7280): 226-231. doi:10.1136/bmj.322.7280.226. PMC 1119478. PMID 11159626.
- Stewart P. Guest commentaries: diffusion in biofilms. *J. Bacteriol*. 2003; 185 1485-1491.
- Storer M, Dummer J, Lunt H, Scotter J, McCartin F, Cook J, Swanney M, Kendall D, Logan F, Epton M. Measurement of breath acetone concentrations by selected ion flow tube mass spectrometry in type 2 Diabetes. *J. Breath Res*. 2011; 5:046011.
- Stoodley P, Debeer D, Longwell M, Nistico L, Hall-Stoodley L, Wenig B, Krespi YP. Tonsillolith: Not just a stone but a living biofilm. *Otolaryngol Head Neck Surg*. 2009; 141(3): 316-321.
- Struch F, Schwahn C, Wallaschofski H, Grabe HJ, Völzke H, Lerch MM, Meisel P, Kocher T. Self-reported Halitosis and Gastro-esophageal Reflux Disease in the General Population. *J Gen Intern Med*. 2007; 23(3):260-266.
- Stuck BA, Fadel V, Hummel T, Sommer JU. Subjective olfactory desensitization and recovery in humans. *Chem Senses*. 2014, 39(2):151-
- Suarez F, Furne J, Springfield J, Levitt M. Production and elimination of sulfur-containing gases in the rat colon. *Am J Physiol Gastrointest Liver Physiol*. 1998; 274:G727-G733.
- Suarez F, Furne J, Springfield J, Levitt M. Insights into human colonic physiology obtained from the study of flatus composition. *Am J Physiol Gastrointest Liver Physiol*. 1997; 272:(5) G1028-G1033.
- Suarez FL, Springfield J, Levitt MD. Identification of gases responsible for the odour of human flatus and evaluation of a device purported to reduce this odour. *Gut* 1998;43:100-104.
- Suarez FL, Furne JK, Springfield J, Levitt MD. Morning breath odor: Influence of treatments on sulfur gases. *J Dent Res*. 2000; 79:1773-.
- Suarez F, Springfield J, Furne J, Levitt M. Differentiation of mouth versus gut as site of origin of odoriferous breath gases after garlic ingestion. *Am. J. Physiol*. 1999; 276:425-430.
- Sukul P, Trefz P, Schubert JK, Miekisch W. Immediate effects of breath holding maneuvers onto composition of exhaled breath. *J. Breath Res*. 2014; 8: 037102 (10pp) doi:10.1088/1752-7155/8/3/037102
- Sukul P, Trefz P, Kamysek S, Schubert JK, Miekisch W. Instant effects of changing body positions on compositions of exhaled breath. *J Breath Res*. 2015; 9(4):047105. doi: 10.1088/1752-7155/9/4/047105.
- Sukul P, Oertel P, Kamysek S, Trefz P. Oral or nasal breathing? Real-time effects of switching sampling route onto exhaled VOC concentrations. *J Breath Res* .2017; 21; 11(2):027101. doi: 10.1088/1752-7163/aa6368.
- Suzuki N, Yoneda M, Naito T et al. Relationship between halitosis and psychological status. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008-A;106(4): 542-547.
- Suzuki N, Yoneda M, Naito T, Iwamoto T, Masuo Y, Yamada K, Hisama K, Okada I, Hirofuji T. Detection of *Helicobacter pylori* DNA in the saliva of patients complaining of halitosis. *Journal of Medical Microbiology*. 2008; 57, 1553-1559.
- Suzuki N, Yoneda M, Naito T, Inamitsu T, Yamada K, Okada I, Hatano Y, Iwamoto T, Masuo Y, Fujimoto A, Hirofuji T. Association between oral malodour and psychological characteristics in subjects with neurotic tendencies complaining of halitosis. *International Dental Journal*. 2011; 61: 57-62.

- Suzuki N, Yoneda M, Naito T, Iwamoto T, Hirofuji T. Relationship between halitosis and psychologic status. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2008;106:542-547.
- Syed SA, Gusberti FA, Loesche WJ, Lang NP. Diagnostic potential of chromogenic substrates for rapid detection of bacterial enzymatic activity in health and disease associated periodontal plaques. *Journal of periodontal research.* 1984;19:618-521.
- Szabó A, Ruzsanyi V, Unterkofler K, Mohácsi A, Tuboly E, Boros M, Szabó G, Hinterhuber H, Amann A. Exhaled methane concentration profiles during exercise on an ergometer. *J. Breath Res.* 2015; 9:016009.
- Tagg J. Prevention of streptococcal pharyngitis by anti-*Streptococcus pyogenes* bacteriocin-like inhibitory substances (BLIS) produced by *Streptococcus salivarius*. *Indian J Med Res.* 2004; 119:13-16.
- Tang G, Wu L, Liang W, Wang R. Direct Stimulation of KATP channels by exogenous and endogenous hydrogen sulfide in vascular smooth muscle cells. *Mol Pharmacol* 2005;68:1757-1764.
- Takahashi T. A social club spontaneously formed by ex-patients who had suffered from anthropophobia. *Int J Soc Psychiatry.* 1975;21(2):137-140.
- Takatoshi M, Yuki Fujiyama, Rahardjo A, Noritaka O, Hideo M. Effect of 0.1% Zinc Chloride Mouthwash on Oral Malodor. *Journal of Dental Health.* 2002;52;3; 190-195.
- Takeshita T, Suzuki N, Nakano Y, Shimazaki Y, Yoneda M, Hirofuji T, Yamashita Y. Relationship between Oral Malodor and the Global Composition of Indigenous Bacterial Populations in Saliva. *Appl. Environ. Microbiol.* 2010; 76(9):2806.
- Takeshita T, Suzuki N, Nakano Y, Yasui M, Yoneda M, Shimazaki Y, Hirofuji T, Yamashita Y. Discrimination of the oral microbiota associated with high hydrogen sulfide and methyl mercaptan production. *Scientific Reports,* 2012; 2: 215, DOI: 10.1038/srep00215
- Takeuchi H, Setoguchi T, Machigashira M, Kanbara K, Izumi Y. Hydrogen sulfide inhibits cell proliferation and induces cell cycle arrest via an elevated p21 Cip1 level in Ca9-22 cells. *J Periodontal Res* 2008;43:90-95.
- Talbot AR, Herr TM, Parsons DS. Mucociliary clearance and buffered hypertonic saline solution. *Laryngoscope.* 1997; 107(4):500-503.
- Talebian A, Tazhibi M, IranpoorR, Semyari H, Taherzadeh M. Relationship between tonsil odor and oral malodor: a clinical study on 48 Iranian patients. *J. Breath Res.* 2008; 2: (3pp)
- Talebian A, Tazhibi M, Semyari H, Iranpoor R, Talebian H, Oreizy MS, Khansari M. Clinical evaluation of 222 Iranian patients with halitosis. *J. Breath Res.* 2008;2: (6pp)
- Tamaki N, Kasuyama K, Esaki M, Toshikawa T, Honda SI, Ekuni D, Tomofuji T, Morita M. A new portable monitor for measuring odorous compounds in oral, exhaled and nasal air. *BMC Oral Health,* 2011; 11:15-.
- Tamayo Y, Orozco JA and Cario AA. *Dysgeusias Rev. Gastroenterol. Mex.* 1978; 43 35-47.
- Tanabe SI, Desjardins J, Bergeron C, Gafner S, Villinski JR, Grenier D. Reduction of bacterial volatile sulfur compound production by licoricidin and licorisoflavan A from licorice. *J. Breath Res.* 2012; 6016006.
- Tanaka M, Anguri H, Nishida N, Ojima M, Nagata H, Shizukuishi S. Reliability of clinical parameters for predicting the outcome of oral malodor treatment. *J Dent Res* 2003 82: 518-522.
- Tanda N, Washio J, Ikawa K, Suzuki K, Koseki T, Iwakura M. A new portable sulfide monitor with a zinc-oxide semiconductor sensor for daily use and field study. *Journal of Dentistry,* 2007; 35(7):552-557.
- Tang G, Wu L, Liang W, Wang R. Direct Stimulation of KATP channels by exogenous and endogenous hydrogen sulfide in vascular smooth muscle cells. *Mol Pharmacol* 2005; 68:1757-1764. (PMID: 16150926).
- Tangerman A. Measurement and biological significance of the volatile sulfur compounds hydrogen sulfide, methanethiol and dimethyl sulfide in various biological matrices. *Journal of Chromatography B.* 2009; 877:3366-3377.
- Tangerman A. Halitosis in medicine: a review. *International Dental Journal.* 2002; 52:7-12.
- Tangerman A. Measurement and biological significance of the volatile sulfur compounds hydrogen sulfide, methanethiol and dimethyl sulfide in various biological matrices. *J Chromatogr Analyt Technol Biomed Life Sci.* 2009; 877(28):3366-3377. doi: 10.1111/j.1600-051X.2007.01116.x.
- Tangerman A, Winkel EG. Intra- and extra-oral halitosis: Finding of a new form of extra-oral blood-borne halitosis caused by dimethyl sulphide. *J Clin Periodontol.* 2007; 34: 748-755.
- Tangerman A, Winkel EG. Extra-oral halitosis: an overview. *J. Breath Res.* 2010; 4: 017003. Tangerman A, Winkel EG. Extra-oral halitosis: an overview. *J. Breath Res.,* 2010; 4: 017003 doi: 10.1088/1752-7155/4/1/017003.
- Tangerman A, Winkel EG. The portable gas chromatograph OralChromaTM: a method of choice to detect oral and extra-oral halitosis. *J. Breath Res.* 2008; 2:017010.
- Tangerman A, Winkel EG, Laat L, Oijen AHV, Boer W. Halitosis and *Helicobacter pylori* infection. *J. Breath Res.* 2012; 6: 017102
- Tanner AC, Strzempko MN, Belsky CA, McKinley GA. API ZYM and API An-Ident reactions of fastidious oral Gram-negative species. *Journal of clinical microbiology* 1985;22:333-335.

- Haumann TJ, Kneepkens CM. Halitosis in two children caused by a foreign body in the nose. *Ned Tijdschr Geneesk.* 2000; 144(23): 1129-.
- Tatli MM, San I, Karaoglanoglu M. Paranasal sinus computed tomographic findings of children with chronic cough. *International Journal of Pediatric Otorhinolaryngology.* 2001; 60 :213–217.
- Tekdemir İ, Cömert E, Cömert A. *Burun anatomisi in Temel Rinoloji*, editör Koç C. Güneş Kitapevi, 2009, Ankara
- Tellefsen G, Liljeborg A, Johannsen A, Johannsen G. The role of the toothbrush in the abrasion process. *Int J Dent Hyg.* 2011; 9: 284-290.
- Tevdt B, Skyberg K, Aaserud O, et al. Brain damage caused by hydrogen sulfide; a follow-up study of six patients. *Am J Ind Med* 1991; 20: 91–
- Thrane PS, Young A, Jonski G, Rölla G. A new mouthrinse combining zinc and chlorhexidine in low concentrations provides superior efficacy against halitosis compared to existing formulations: A double-blind clinical study. *J Clin Dent.* 2007; 18(3): 82–86.
- Thrane PS, Jonski G, Houg A. Comparative effects of various commercially available mouth rinse formulations on halitosis. *Dental Health,* 2010; 49(1): 5-10.
- Thomas E, Plessis SD, Chiliza B, Lochner C, Stein D. Olfactory Reference Disorder: Diagnosis, Epidemiology and Management. *CNS Drugs,* 2015; DOI 10.1007/s40263-015-0292-5
- Thomas RZ, Mei HCVD, Veen MHVD, Soet JJD, Huysmans MCDNJM. Bacterial composition and red fluorescence of plaque in relation to primary and secondary caries next to composite: An in situ study. *Oral Microbiol. Immunol.* 2008; 23(1), 7–13.
- Thorn RM, Reynolds DM, Greenman J. Multivariate analysis of bacterial volatile compound profiles for discrimination between selected species and strains in vitro. *J Microbiol Methods.* 2011; 84: 258–264.
- Tian M, Hanley AB, Dodds MWJ. Allyl isothiocyanate from mustard seed is effective in reducing the levels of volatile sulfur compounds responsible for intrinsic oral malodor. *J Breath Res.* 2013; 7: 026001.
- Tian N, Faller L, Leffler DA, Kelly CP, Hansen J, Bosch JA, Wei G, Paster BJ, Schuppan D, Helmerhorst EJ. Salivary Gluten Degradation and Oral Microbial Profiles in Healthy Individuals and Coeliac Disease Patients. *Appl Environ Microbiol.* 2017; 83(6). pii: e03330-16.
- Tiomny E, Arber N, Moshkowitz M, Peled Y, et al. Halitosis and *Helicobacter pylori*. A possible link? *J Clin Gastroenterol.* 1992; 15(3): 236-7.
- Tokatli A, Coskun, T, Ozalp, I. Isovaleric acidemia. Clinical presentation of 6 cases. *Turk. J. Pediatr.* 1998, 40, 111–119.
- Tolboe H, Isidor F, Budtz-Jorgensen E, Kaaer S. The influence of oral hygiene on the mucosal conditions beneath bridge pontics. *Scand J Dent Res* 1987; 95: 475-82.
- Tolboe H, Isidor F, Budtz-Jörgensen E, et al: Influence of pontic material on alveolar mucosal conditions. *Scand J Dent Res* 1988; 96: 442-7.
- Tomlin J, Lewis C, Read NW. Investigation of normal flatus production in healthy volunteers. *Gut,* 1991, 32, 665-669.
- Tomooka LT, Murphy C, Davidson TM. Clinical study and literature review of nasal irrigation. *Laryngoscope.* 2000; 110(7): 1189-1193.
- Tomita Y, Osaki T. Gustatory impairment and salivary gland pathophysiology in relation to oral cancer treatment. *Int J Oral Maxillo Fac Surg.* 1990, 19: 299-304.
- Tonzetich J. Production and origin of oral malodour: A review of mechanisms and methods of analysis. *J. Periodontol.* 1977; 48: 13-20.
- Tonzetich J, Ng SK. Reduction of malodor by oral cleansing procedures. *Oral Surg Oral Med Oral Pathol.* 1976; 42: 172-81.
- Tonzetich J. Effect of volatile sulphur compounds on periodontal tissues and cellular metabolism: An overview. In: van Steenberghe SD, Rosenberg M, editors. *Bad breath, a multidisciplinary approach.* Leuven: Leuven University Press; 1996. p. 79–91.
- Tonzetich J, McBride BC. Characterization of volatile sulphur production by pathogenic and non-pathogenic strains of oral *Bacteroides*. *Arch Oral Biol* 1981; 26: 963-969.
- Tonzetich J. Oral malodor: An indicator of health status and oral cleanliness. *Int Dent J,* 1977; 28: 309-319.
- Toskes PP. Bacterial overgrowth of the gastrointestinal tract. *Adv Intern Med.* 1993; 38: 387–.
- Trespi E, Ferrieri A. Intestinal bacterial overgrowth during chronic pancreatitis. *Curr Med Res Opin.* 1999; 15: 47–52.
- Trinh CT, Li J, Blanch HW, Clark DS. Redesigning *Escherichia coli* Metabolism for Anaerobic Production of Isobutanol. *Applied and Environmental Microbiology,* 2011; 77(14): 4894-4904.
- Trivedi SC, Talim ST. The response of human gingiva to restorative materials. *J Prosthetic Dent* 1973; 29: 73-80.
- Troccaz M, Starkenmann C, Niclass Y, van de Waal M, Clark AJ. 3-Methyl-3-sulfanylhexan-1-ol as a major descriptor for the human axilla-sweat odour profile. *Chem. Biodivers.* 2004, 1, 1022–1035.

- Troccaz M, Borchard G, Vuilleumier C, Raviot-Derrien S, Niclass Y, Beccucci S, Starkenmann C. Gender-specific differences between the concentrations of nonvolatile (R)/(S)-3-methyl-3-sulfanylhexan-1-ol and (R)/(S)-3-hydroxy-3-methyl-hexanoic acid odor precursors in axillary secretions. *Chem. Senses* 2009, 34, 203–210.
- Troger B, Almeida HL, Duquia RP. Emotional impact of halitosis. *Trends Psychiatry Psychother.* 2013;36(4):219-221
- Tso WW, Adler J. Negative chemotaxis in *Escherichia coli*. *J Bacteriol.* 1974; 118: 560–576.
- Turner C, Parekh B, Walton C, Spanel P, Smith D, Evans M. An exploratory comparative study of volatile compounds in exhaled breath and emitted by skin using selected ion flow tube mass spectrometry. *Rapid Commun. Mass Spectrom.* 2008; 22: 526-532.
- Turner C, Spanel P, Smith D. A longitudinal study of ammonia, acetone and propanol in the exhaled breath of 30 subjects using selected ion flow tube mass spectrometry, SIFT-MS. *Physiological Measurement*, 2006A; 27(4): 321-.
- Turner C, Spanel P, Smith D. A longitudinal study of ethanol and acetaldehyde in the exhaled breath of healthy volunteers using selected-ion flow-tube mass spectrometry. *Rapid Communications in Mass Spectrometry*, 2006B; 20(1):61-68.
- Turner C, Spanel P, Smith D. A longitudinal study of methanol in the exhaled breath of 30 healthy volunteers using selected ion flow tube mass spectrometry, SIFT-MS. *Physiological Measurement*, 2006C; 27(7): 637-.
- Turner C, Spanel P, Smith D. A longitudinal study of breath isoprene in healthy volunteers using selected ion flow tube mass spectrometry (SIFT-MS). *Physiol. Meas.* 2006D; 27:13-22.
- Turner C, Walton C, Hoashi S, Evans M. Breath acetone concentration decreases with blood glucose concentration in type I diabetes mellitus patients during hypoglycaemic clamps. *J. Breath Res.* 2009; 3: 046004 (6pp)
- Tüzün Y, Arzuhal N. Çinko Eksikliği ile ilişkili Deri Hastalıkları. *Dermatose* 2004; 3(2): 84-91.
- Tsuneishi M, Yamamoto T, Koikeguchi S, Tamaki N, Fukui K, Watanabe T. Composition of the bacterial flora in tonsilloliths. *Microbes Infect.* 2006;8(9-10):2384-2389.
- Tydd TF, Dyer NH. Pyloric stenosis presenting with halitosis. *Br Med J.* 1974; 3(5926):321-.
- Ucar Y, Brantley WA. Biocompatibility of Dental Amalgams. *International Journal of Dentistry.* 2011, 23:doi: 10.1155/2011/981595.
- Uslu M, Aydın M. Subjektif ağız kokusunun hipnoz ile tedavisi- Olgu Sunumu. 2020; *DergiPark Üsküdar Üniversitesi Klinik Hipnoz ve Tamamlayıcı Tıp Dergisi.* 1(2):1-.
- Ueno M, Shinada K, Yanagisawa T, Mori C, Yokoyama S, Furukawa S, Takehara S, Kawaguchi Y. Clinical oral malodor measurement with a portable sulfide monitor. *Oral Diseases.* 2008; 14(3): 264-269.
- Uher R, Farmer A, Henigsberg N et al. Adverse reactions to antidepressants. *Br J Psychiatry* 2009; 195(3): 202–210.
- Urita Y, Watanabe T, Ishihara S, Maeda T, Sasaki Y, Hike K, Miura Y, Nanami T, Arai K, Koshino H, Saito Y, Shimada N, Sugimoto M, Miki K. Breath hydrogen and methane levels in a patient with volvulus of the sigmoid colon. *J. Breath Res.* 2008;2: (5pp).
- Xu X, Zhou XD and Wu CD. Tea catechin EGCG suppresses the mgl gene associated with halitosis *J. Dent. Res.* 2010; 89:1304-1308.
- Van der Sluijs, Slot DE, Bakker EWP, Weijden GA. The effect of water on morning bad breath: a randomized clinical trial. *Int J Dent Hygiene*, 2015; doi:10.1111/idh.12149.
- Van der Hoeven JS, Camp PJ. Synergistic degradation of mucin by *Streptococcus oralis* and *Streptococcus sanguis* in mixed chemostat cultures. *Journal of dental research.* 1991; 70:1041-1044.
- van Steenberghe D, Avontroodt P, Peeters W, Pauwels M, Coucke W, Lijnen A, Quirynen M. Effect of Different Mouthrinses on Morning Breath. *J Periodontol.* 2001; 72(9):1183-1191.
- Van den Velde S, Nevens F, Van Hee P, van Steenberghe D, Quirynen M. GC-MS analysis of breath odor compounds in liver patients. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2008; 875(2):344-348.
- Van den Velde S, van Steenberghe D, Van hee P, Quirynen M. Detection of Odorous Compounds in breath. *J Dent Res*, 2009; 88(3): 285-.
- van den Velde S, Quirynen M, van Hee P, van Steenberghe D. Halitosis associated volatiles in breath of healthy subjects. *Journal of chromatography. Analytical technologies in the biomedical and life sciences.* 2007; 853:54-61.
- Vandekerckhove B, Van den Velde S, Smit MD, Dadamio J, Teughels W, Van Tornout M, Quirynen M. Clinical reliability of nonorganoleptic oral malodour measurements. *J Clin Periodontol.* 2009; 36: 964–969 doi: 10.1111/j.1600-051X.2009.01473.x
- Van der Sleen MI, Slot DE, Van Trijffel E, Winkel EG, Van der Weijden GA. Effectiveness of mechanical tongue cleaning on breath odour and tongue coating: A systematic review. *Int J Dent Hygiene.* 2010; 8:258–268 DOI:10.1111/j.1601-5037.2010.00479.x

- Vandana KL, Sridhar A. Oral Malodor: A review. *Journal of Clinical and Diagnostic Research*. 2008; 2(7): 768-773.
- Vandekerckhove B, Van den Velde S, Smit MD, Dadamio J, Teughels W, Tornout MW, Quirynen M, Clinical reliability of non-organoleptic oral malodour measurements. *Clinical Periodontology*, 2009; 36(11): 964–969.
- Vass G, Huszar E, Barat E, Valyon M, Kiss D, Penzes I, Augusztinovicz M, Horvath I. Comparison of Nasal and Oral Inhalation during Exhaled Breath Condensate Collection. *Am J Respir Crit Care Med*, 2003; 167:850-855.
- Vecchia CL. Mouthwash and oral cancer risk: An update. *Oral Oncology*, 2009; 45, 198–200.
- Verschueren K. *Handbook of Environmental Data on Organic Chemicals* 2nd ed, pp 52-59. New York Cincinnati, Toronto, London Melbourne: Van Nostrand Reinhold Company, 1983.
- Versteeg PA, Rosema NA, Timmerman MF, Van der Velden U, Van der Weijden GA. Evaluation of two soft manual toothbrushes with different filament designs in relation to gingival abrasion and plaque removing efficacy. *International Journal Dental Hygiene*, 2008;6,166-
- Vibhute A, Vandana KL. The effectiveness of manual versus powered toothbrushes for plaque removal and gingival health: A meta-analysis. *J Indian Soc Periodontol*. 2012;16(2):156-60. doi:10.4103/0972-124X.99255.
- Videbech T. Chronic olfactory paranoid syndromes. A contribution to the psychopathology of the sense of smell. *Acta Psychiatr Scand*. 1966;42(2):183-213.
- Volpato GP, Searles R, Yu B, Crosbie, MS, Bloch KD, Ichinose F, Zapol WM. Inhaled Hydrogen Sulfide: A Rapidly Reversible Inhibitor of Cardiac and Metabolic Function in the Mouse. *Anesthesiology*. 2008; 108(4): 659–668.
- Waerhaug J. Tissue reactions around artificial crowns. *J Periodontol* 1953; 24: 172-85.
- Wagner DA, Schatz R, Coston R, Curington C, Bolt D, Toskes PP. A new 13C breath test to detect vitamin B12 deficiency: a prevalent and poorly diagnosed health problem. *J. Breath Res*. 2011; 5:046001.
- Waiz AM, Ayesh R, Mitchell SC, Idle JR, Smith RL. Trimethylaminuria: the detection of carriers using a trimethylamine load test. *J Inher Metab Dis*. 1989;12(1):80-85.
- Waler SM. The effect of zinc-containing chewing gum on volatile sulfur-containing compounds in the oral cavity. *Acta Odontol Scand*. 1997; 55(3):198-200
- Waler SM. The effect of some metal ions on volatile sulfur-containing compounds originating from the oral cavity. *Acta Odontol Scand*. 1997; 55(4):261-264.
- Waler SM. On the transformation of sulfur-containing amino acids and peptides to volatile sulfur compounds (VSC) in the human mouth. *Eur J Oral Sci*. 1997;105(2):534-537.
- Waler SM. The effect of zinc-containing chewing gum on volatile sulfur containing compounds in the oral cavity. *Acta Odontologica Scandinavia*. 1997-55(3):198-200.
- Walls T, Power D, Tagg J. Bacteriocin-like inhibitory substance (BLIS) production by the normal flora of the nasopharynx: potential to protect against otitis media? *Journal of Medical Microbiology*. 2003; 52:829-833.
- Wallace KJ, Cordero SR, Tan CP, Lynch VM, Anslyn EV. A colorimetric response to hydrogen sulfide. 2007; 120(2):362–367.
- Wang T, Pysanenko A, Dryahina K, Spanel P, Smith D. Analysis of breath, exhaled via the mouth and nose, and the air in the oral cavity. *J. Breath Res*. 2008; 2 037013.
- Wang Z, Wang C. Is breath acetone a biomarker of diabetes? A historical review on breath acetone measurements. *J. Breath Res*. 2013; 7 037109. doi:10.1088/1752-7155/7/3/037109
- Warren PR, Jacobs D, Low MA, Chater BV, King DW. A clinical investigation into the effect of toothbrush wear on efficacy. *J Clin Dent*. 2002;13(3):119-124.
- Washio J, Sato T, Koseki T, Takahashi N. Hydrogen sulfide-producing bacteria in tongue biofilm and their relationship with oral malodour. *Journal of Medical Microbiology*. 2005; 54, 889–895.
- Washio J, Shimada Y, Yamada M, Sakamaki R, Takahashi N. Effects of pH and Lactate on Hydrogen Sulfide Production by Oral Veillonella spp. *Appl. Environ. Microbiol*. 2014; 80(14):4184. DOI: 10.1128/AEM.00606-14.
- Watson MR, Lopatin DE, Bretz WA, Ertel IJ, Loesche WJ. Detection of two anaerobic periodontopathogens in children by means of the BANA and ELISA assays. *J Dent Res*. 1991; 70 (7):1052-1056.
- Wehinger A, Schmid A, Mechtcheriakov S, Ledochowski M, Grabmer C, Gastl GA, Amann A. Lung cancer detection by proton transfer reaction mass-spectrometric analysis of human breath gas. *International Journal of Mass Spectrometry*. 2007; 265:49-59.
- Wei S, Bahl MI, Baunwall SMD, Hvas CL, Licht TR. Determining Gut Microbial Dysbiosis: a Review of Applied Indexes for Assessment of Intestinal Microbiota Imbalances. *Applied and Environmental Microbiology*, 2021, 87 (11) e00395-21; DOI: 10.1128/AEM.00395-21
- Weinberg M. Halitosis: The 'bad breath' syndrome. *US Pharmacist*. 2001;26(3):46-57.
- Welge-Lüssen A, Husner A, Wolfensberger M, Hummel T. Influence of simultaneous gustatory stimuli on orthonasal and retronasal olfaction. *Neurosci Lett*. 2009;454(2):124-128.
- Whiteman M, Armstrong JS, Chu SH, Jia-Ling S, Wong BS, Cheung NS, Halliwell B, Moore PK. The novel neuromodulator hydrogen sulfide: an endogenous peroxynitrite 'scavenger'? *Journal of Neurochemistry*. 2004; 90: 765–768.

- Whittle CL, Fakhrazaden S, Eades J. Human Breath Odors and Their Use in Diagnosis. *Ann. N.Y. Acad. Sci.* 2007; 1098: 252-266.
- Wiener RC, Wu B, Crout R, Wiener M, Plassman B, Kao E, McNeil D. Hyposalivation and xerostomia in dentate older adults. *J Am Dent Assoc.* 2010; 141(3):279-284. doi: 10.14219
- Wilhelm D, Gysen K, Himmelmann A, Krause C, Wilhelm KP. Short-term effect of a new mouthrinse formulation on oral malodour after single use in vivo: A comparative, randomized, single-blind, parallel-group clinical study. *J. Breath Res.* 2010; 4: 036002 (7pp) doi:10.1088/1752-7155/4/3/036002
- Wilke K, Martin A, Terstegen L, Biel SS. A short history of sweat gland biology. *Int. J. Cosmet. Sci.* 2007; 29: 169–179.
- Wilkinson DJ, Smeeton NJ, Watt PW. Ammonia metabolism, the brain and fatigue; revisiting the link. *Progress in Neurobiology.* 2010; 91(3):200-219.
- Wilson G, Conway DI. Mouthwash use and associated head and neck cancer risk. *Evid Based Dent,* 2016; 17(1):8-9.
- Winek CL, Collom WD, Wecht CH. Death from hydrogen sulfide fumes. *The Lancet.* 1968, 1:1096-.
- Winkel EG. Halitosis control in *Clinical periodontology and implant dentistry*, Chapter 60; eds: Lindhe J, Lang NP, Karring T. 5.th press, 2008, Blackwell Munsgaard Oxford pp1325-1340
- Winkel EG, Tangerman A. Appropriate sample bags and syringes for preserving breath samples in breath odor research: A technical note. *J. Breath Res.* 2008;2: 017011 (3pp)
- Winkel EG, Roldán S, Van Winkelhoff AJ, Herrera D, Sanz M. Clinical effects of a new mouthrinse containing chlorhexidine, cetylpyridinium chloride and zinc-lactate on oral halitosis. A dual-center, double-blind placebo-controlled study. *J Clin Periodontol.* 2003; 30(4):300-306.
- Wolvos TA. Advanced Wound Care with Stable, Super-Oxidized Water. A look at how combination therapy can optimize wound healing. *Wounds.* 2006, 18(1):11-13.
- Wondimu T, Wang R, Ross B. Hydrogen Sulphide in Human Nasal Air Quantified Using Thermal Desorption and Selected Ion Flow Tube Mass Spectrometry. *J Breath Res.* 2014; 8(3):036002. doi: 10.1088/1752-7155/8/3/036002.
- Woodworth CNH. Dimethylsulphidemia: The significance of dimethyl sulphide in extra-oral, blood borne halitosis. *British Dental Journal,* 2013; 214: E20.
- Wu Y, Chi X, Zhang Q, Chen F, Deng X. Characterization of the salivary microbiome in people with obesity. *PeerJ* 2018, 6, e4458.
- Wyman JB, Dent J, Heddle R, Dodds WJ, Toouli J, Downton J. Control of belching by the lower oesophageal sphincter. *Gut.* 1990; 31(6): 639-646.
- Xu X, Cho SI, Sammel M, You L, Cui S, Huang Y. Association of petrochemical exposure with spontaneous abortion. *Occup. Environ. Med.* 1998; 55(1):31-36.
- Yaegaki K. Oral malodor and periodontal disease. In: Rosenberg editor. *Bad breath; research perspectives.* Tel Aviv: Ramot Publishing-Tel Aviv University; 1995. p. 87-108.
- Yaegaki K. Advances in breath odor research: re-evaluation and newly-arising sciences. *J. Breath Res.* 2012; 6: 010201
- Yaegaki K, Coil J M, Kamemizu T and Miyazaki H. Tongue brushing and mouth rinsing as basic treatment measures for halitosis. *Int. Dental J.* 2002; 52 192–196.
- Yaegaki K, Coil JM. Clinical application of a questionnaire for diagnosis and treatment of halitosis. *Malodor Clinics,* 1999A; 30(5):302-306.
- Yaegaki K, Coil JM. Clinical dilemmas posed by patients with psychosomatic halitosis. *Quintessence Int.* 1999; 18:328-333.
- Yaegaki K, Suetaka T. The effect of zinc chloride mouthwash on the production of oral malodour, the degradations of salivary cellular elements and proteins. *J Dent Health* 1989; 39:377-386.
- Yaegaki K, Brunette DM, Tangerman A, Choe YS, Winkel E, Ito S, Kitano T, Ii H, Calenic B, Ishkitiev N, Imai T. Standardization of clinical protocols in oral malodor research. *J. Breath Res.* 2012;6: 017101 (10pp) doi:10.1088/1752-7155/6/1/017101
- Yaegaki K, Coil JM. Examination, Classification, and Treatment of Halitosis; Clinical Perspectives. *J Can Dent Assoc* 2000; 66:257-61.
- Yaegaki K, Qian W, Murata T, Imai T, Sato T, Tanaka T. Oral malodorous compound causes apoptosis and genomic DNA damage in human gingival fibroblasts. *J Periodontal Res.* 2008;43:391-399.
- Yaegaki K, Sanada K. Biochemical and clinical factors influencing oral malodor in periodontal patients. *J Periodontol.* 1992a; 63: 783–789.
- Yaegaki K. Oral malodor and periodontal disease. In: Rosenberg M, editor. *Bad breath, research perspectives.* Tel Aviv: Ramot Publishing—Tel Aviv University; 1995. p. 87-108.
- Yaegaki K, Sanada K. Volatile sulfur compounds in mouth air from clinically healthy subjects and patients with periodontal disease. *J Periodontal Res* 1992b; 27: 233–238.

- Yaegaki K. Oral malodorous compounds are periodontally pathogenic and carcinogenic. *Japanese Dental Science Review*. 2008; 44, 100-.
- Yahagi N, Kono M, Kitahara M. Effect of electrolyzed water on wound healing. *Artif Organs*. 2000; 24(12):984-987.
- Yamashita K, Oda M, Tanaka T, Nishida I, Sato NW, Takeda SM, Habu M, Sago T, Takahashi O, Tsurushima H, Tabe D, Otani T, Yoshiga D, Sasaguri M, Joujima T, Miyamura Y, Morimoto Y. Changes in tonsillolith characteristics detected in a follow-up CT study. *BMC Oral Health*. 2021; 21: 72. doi: 10.1186/s12903-021-01426-1
- Yang G, Sun X, Wang R. Hydrogen sulfide-induced apoptosis of human aorta smooth muscle cells via the activation of mitogen-activated protein kinases and caspase-3. *The FASEB Journal*. 2004; 18(14): 1782-1784.
- Ye W, Zhang Y, He M, Zhu C, Feng X. Relationship of tongue coating microbiome on volatile sulfur compounds in healthy and halitosis adults. *J. Breath Res*. 2019, 14, 016005.
- Yeler DY, Hocaoglu T, Koraltan M, Aydin M, Gul M, Gul S. Structural changes in periodontium of rats exposed to a low concentration of hydrogen sulfide for 50 days. *European Journal of Inflammation*. 2016, 14(2): 93–99.
- Yeler DY, Aydin M, Hocaoglu PT, Koraltan M, Ozdemir H, Kotil T, Gul M. Ultrastructural changes in epithelial cells of rats exposed to low concentration of hydrogen sulfide for 50 days. *Ultrastruct Pathol*. 2016; 40(6):351-357.
- Yeler DY, Aydin M, Gul M, Hocaoglu T, Ozdemir H, Koraltan M. Systemic effects of H₂S inhalation at human equivalent dose of pathologic halitosis on rats. *Acta Odontologica Scandinavica*, 2017; 75:517-523 <http://dx.doi.org/10.1080/00016357.2017.1350992>
- Yilmaz AE, Bilici M, Tonbul A, Karabel M, Dogan G, Tas T. Paediatric Halitosis and Helicobacter pylori Infection. *Journal of the College of Physicians and Surgeons Pakistan* 2012, 22 (1): 27-30.
- Yokoyama MT, Carlston. Dissimilation of tryptophan and related indolic compounds by ruminal microorganisms in vitro. *Appl Microbiol*, 1974; 27:540-548.
- Yoneda M, Masuo Y, Suzuki N, Iwamoto T, Hirofuji T. Relationship between the B-galactosidase activity in saliva and parameters associated with oral malodor. *J. Breath Res*. 2010; 4: 017108.
- Yoo SH, Jung HS, Sohn WS, Kim BH, Ku BH, Kim YS, Park SW, Hahm KB. Volatile Sulfur Compounds as a Predictor for Esophagogastroduodenal Mucosal Injury. *Gut and Liver*, 2008; 2(2): 113-118.
- Yoshimura M, nakano Y, Yamashita Y, Oho T, Saito T, Koga T. Formation of Methyl Mercaptan from L-Methionine by *Porphyromonas gingivalis*. *Infection and immunity*, 2000; 68(12): 6912–6916.
- Young A, Jonski G, Röllä G. Effects of metal salts on the oral production of volatile sulphur containing compounds (VSC). *J Clin Periodontol* 2001; 28(8): 776–781.
- Young A, Jonski G. Effect of a single brushing with two Zn-containing toothpastes on VSC in morning breath: A 12 h, randomized, double-blind, cross-over clinical study. *J. Breath Res*. 2011;5: 046012 (8pp)
- Young A, Jonski G, Röllä A. Inhibition of orally produced volatile compounds by zinc, chlorohexidine or cetylpyridinium chloride- effect of concentration. *Eur J Oral Sci*, 2003; 111:400-404.
- Young A, Jonski G, Röllä G. Combined effect of zinc ions and cationic antibacterial agents on intraoral volatile sulphur compounds (VSC). *Int Dent J*. 2003; 53(4):237-242.
- Yücel A, derekoy S, Yilmaz MD, Altuntaş A. Sinonasal Anatomik Varyasyonların Paranasal Sinüs İnfeksiyonlarına Etkisi. *Kocatepe Tıp Dergisi The Medical Journal of Kocatepe*. 2004;5:43-47.
- Zaimoğlu A, Can G. Sabit protezler. Ankara: Ankara Üniversitesi Basımevi; 2004.
- Zaitsu T, Ueno M, Shinada K, Wright FA and Kawaguchi Y. Social anxiety disorder in genuine halitosis patients. *Health and Quality of Life Outcomes*. 2011, 9:94-.
- Zanatta FB, Bergoli AD, Werle SB, Antoniazzi RP. Biofilm removal and gingival abrasion with medium and soft toothbrushes. *Oral Health Prev Dent*. 2011; 9: 177-183.
- Zappacosta B, Manni A, Persichilli S, Scribano D, Minucci A, Lazzaro D, De Sole P, Giardina B. HPLC analysis of some sulphur compounds in saliva: comparison between healthy subjects and periodontopathic patients. *Clin Chim Acta*. 2003;338(1-2):57-60.
- Zehentbauer G, Krick T, Reineccius GA. Use of humidified air in optimizing APCI-MS response in breath analysis. *Journal of agricultural and food chemistry* 2000;48:5389-5395.
- Zeng XN, Leyden JJ, Brand JG, Spielman AI, McGinley KJ, Preti G. An investigation of human apocrine gland secretion for axillary odor precursors. *J. Chem. Ecol*. 1992, 18: 1039–1055.
- Zeng QC, Wu AZ, Pika J. The effect of green tea extract on the removal of sulfur-containing oral malodor volatiles in vitro and its potential application in chewing gum. *J. Breath Res*. 2010; 4:036005.
- Zeng X N, Leyden J J, Lawley H J, Sawano K, Nohara I and Preti G. Analysis of characteristic odors from human male axillae. *J. Chem. Ecol*. 1991; 17: 1469–12.
- Zhao W, Zhang J, Lu Y, Wang R. The vasorelaxant effect of H₂S as a novel endogenous gaseous KATP channel opener. *EMBO J*. 2001;20:6008–6016. PMID: 11689441

- Zhao W, Wang R. H₂S-induced vasorelaxation and underlying cellular and molecular mechanisms. *Am J Physiol Heart Circ Physiol.* 2002;283:H474–80. PMID: 12124191
- Zhi L, Ang AD, Zhang H, Moore PK, Bhatia M. Hydrogen sulfide induces the synthesis of proinflammatory cytokines in human monocyte cell line U937 via the ERK-NF- κ B pathway. *J Leukoc Biol.* 2007;81:1322-1332.
- Zhou H, McCornbs GB, Darby MI, Marinak K. Sulfur by Product: The relationship between volatile sulfur compounds and dental plaque induced gingivitis. *J Contemp Dent pract.* 2004; 5(2):027-039.
- Zick SM, Snyder D, Abrams DI. Pros and Cons of Dietary Strategies Popular Among Cancer Patients. *Oncology Williston Park.* 2018 Nov 15;32(11):542-7. PMID: 30474102.
- Zigurs G, Vidzis A, Brinkmane A. Halitosis manifestation and prevention means for patients with fixed teeth dentures. *Stomatologija.* 2005; 7(1):3-6.
- Zuza EP, de Salis AM, de Toledo BE, Mendes AJ. Relationship between gingival clinical parameters and the reactivity of the BANA test in subgingival samples from children. *J Int Acad Periodontol.* 2006; 8(3):78-82.
- Zürcher A, Filippi A. Findings, diagnoses and results of a halitosis clinic over a seven year period. *Schweiz Monatsschr Zahnmed.* 2012; 122(3):205-16.

Murat Aydın